



GARED

YOUR GAME. OUR BUSINESS.™

SPORTS EQUIPMENT PRODUCT CATALOG

NEW GARED PRODUCTS & SERVICES



SPACE JAM™ TOURNAMENT TRAVELLING SYSTEM
Page: 16



ALPHATEC™ SHOT CLOCKS & MULTI-SPORT SCOREBOARDS
Pages: 13, 38 - 39, 111, 128 - 129



4000+ MULTI-DIRECTIONAL POSITIVE LOCK RIM
Page: 52



GO COURT™ PORTABLE VOLLEYBALL SYSTEMS
Page: 71



CENTER DRIVE CUSTOM GYMNASIUM CURTAIN
Page: 32



FIELD FORCE™ MULTI-SPORT BLOCKER
Pages: 112, 118



TOUCHLINE STRIKER™ SOCCER GOAL
Page: 107



SPECTATOR SERIES™ POWDERCOAT SEATING OPTION
Pages: 130 - 131



PLAYRX™ PRODUCT GUIDES & INSPECTION SERVICE
Multiple Pages,
BLOG: <http://playrxbygared.blogspot.com/>

ABOUT GARED, A GARED HOLDINGS COMPANY

Founded in 1922, **GARED®** is the undisputed leader in the design and manufacture of innovative high quality sports equipment. Much has changed in sports over the years. Games are now faster, more intense, and competitive. As the games have changed, **GARED®** has met these challenges, by constantly improving the design, strength and durability of our sports equipment. We continue to build on past expertise while shaping the future of the sports that we serve. Our sports equipment is found in a variety of venues; in pro-arenas and universities across the world, school yards, parks, high school gymnasiums, both in big cities and small towns, and in the driveways and home courts of people who recognize the value of reliability and product quality.

GARED® HOLDINGS, LLC is comprised of three industry-leading brands: **GARED®**, **GARED HOOPS™**, and **PERFORMANCE SPORTS SYSTEMS®**. We service the after-market, retail, and new construction sports markets, and have become the leader in innovative product design, precision engineering, and premium manufacturing of sports equipment. Our centrally located manufacturing and warehouse facilities, and new state-of-the-art powder coating operation in Noblesville, Indiana have enabled us to offer our customers shorter lead times and more economical shipping costs. We sell our products through a trusted network of dealers across the United States and around the world.

GARED® HOLDINGS, LLC is a supporting member of many prominent domestic organizations as well as international governing bodies for sports. In addition, our products meet the safety guidelines of the Consumer Product Safety Commission (CPSC), and we continually strive to lower our carbon footprint through sustainable design and recycling of raw materials.

PORTABLE BASKETBALL BACKSTOPS 4 - 23

GARED PRO® ARENA PORTABLE BACKSTOPS	7 - 9	PLAYRX™ PORTABLE PRODUCT GUIDE	18 - 19
HOOPMASTER® PORTABLE BACKSTOPS	10 - 11	PORTABLE FOOTPRINTS & SPECS	20 - 23
PORTABLE BACKSTOP UPGRADES	12 - 13		
RECREATIONAL PORTABLE BACKSTOPS	14 - 15		
TRAVELLING TOURNAMENT BACKSTOPS	163		

GYMNASIUM EQUIPMENT 24 - 39

CEILING HUNG CUSTOM BACKSTOPS	26 - 27	TOTAL GYMNASIUM CONTROLS	37
WALL MOUNT BACKSTOPS	27 - 28	WALL PADS	37
GYMNASIUM ACCESSORIES	30 - 31	INDOOR ALPHATEC™ SCOREBOARDS	38 - 39
DIVIDER CURTAINS	32 - 35	PLAYRX™ CEILING HUNG BACKSTOP PRODUCT GUIDE	27
MAT CARRIERS & INDOOR BATTING CAGES	36	PLAYRX™ DIVIDER CURTAIN PRODUCT GUIDE	35

BASKETBALL EQUIPMENT 40 - 67

COMPETITION GLASS BACKBOARDS	42 - 43	PRO-MOLD® BACKBOARD PADDING	50 - 51
BUZZER BEATER™ PERIMETER LED LIGHTS	43	BREAKAWAY COMPETITION RIMS	52 - 53
GYMNASIUM EASY BUY PACKAGES	44	RECREATIONAL PLAYGROUND RIMS	54 - 56
SPECIALTY GLASS BACKBOARDS	45	BASKETBALL NETS & TRAINING AIDS	57 - 59
NON-GLASS & OUTDOOR BACKBOARDS	46 - 49	PLAYRX™ BASKETBALL PRODUCT GUIDES	51, 60 - 67

INDOOR VOLLEYBALL & NET SPORTS 68 - 83

SKYMASTER® CEILING HUNG VOLLEYBALL SYSTEM	70	VOLLEYBALL PADS & REFEREE STANDS	78
GO COURT™ PORTABLE VOLLEYBALL SYSTEMS	71	VOLLEYBALL FLOOR SLEEVES, NETS & ACCESSORIES	79 - 81
LIBERO™ 4" VOLLEYBALL SYSTEMS	72 - 73	INDOOR BADMINTON & TENNIS	82
RALLYLINE™ 3 1/2" VOLLEYBALL SYSTEMS	74 - 75	HOOPLA™ NETBALL, FUTSAL & HANDBALL	83
OMNISTEEL™ 3" VOLLEYBALL SYSTEMS	76	PLAYRX™ INDOOR VOLLEYBALL PRODUCT GUIDE	77

OUTDOOR BASKETBALL SYSTEMS 84 - 103

OUTDOOR PORTABLE BACKSTOPS	86 - 87	PLAYGROUND HEAVY DUTY PACKAGES	92
GOOSENECK & ADJUSTABLE ARM POSTS	88	ENDURANCE® PLAYGROUND SYSTEMS	93
OUTDOOR BACKBOARDS & RIMS	89	ADJUSTABLE PLAYGROUND SYSTEMS	94 - 97
PLAYGROUND ECONOMY PACKAGES	90	OUTDOOR BASKETBALL ACCESSORIES	98 - 99
PLAYGROUND STANDARD DUTY PACKAGES	91	PLAYRX™ OUTDOOR PRODUCT GUIDE	100 - 103

FIELD SPORT EQUIPMENT 104 - 119

TOUCHLINE™ PREMIUM SOCCER GOALS	106	SOCCER TRAINING AIDS	112
TOUCHLINE STRIKER™ SOCCER GOALS	107	CAMOGIE, FIELD HOCKEY, FUTSAL & FIELD HOCKEY	113
ALL STAR FIFA SOCCER GOAL	107	SLINGSHOT™ LACROSSE GOALS & ACCESSORIES	118
TOUCHLINE™ CLUB & PRACTICE SOCCER GOALS	108 - 109	REDZONE™ FOOTBALL GOALPOSTS & ACCESSORIES	119
SOCCER NETS, ACCESSORIES & SCOREBOARDS	110 - 111	PLAYRX™ SOCCER PRODUCT GUIDE	114 - 117

OUTDOOR VOLLEYBALL & NET SPORTS 120 - 125

MONGOOSE® WIRELESS VOLLEYBALL SYSTEMS	122
SIDEOUT™ BEACH VOLLEYBALL SYSTEMS	123
TENNIS SYSTEMS AND ACCESSORIES	124
TETHERBALL EQUIPMENT	125
BASEBALL ACCESSORIES	125

FIELD & SITE AMENITIES 126 - 133

ALPHATEC™ OUTDOOR SCOREBOARDS	128 - 129
SPECTATOR™ SERIES BLEACHER	130
SPECTATOR™ SERIES BENCHES	131
SPECTATOR™ SERIES BIKE RACKS	132
BASEBALL & SOFTBALL FIELD AMENITIES	133

GARED REFERENCES 134 - 135

WEBSITE	WWW.GAREDSPORTS.COM	PRODUCT INDEX	134 - 135
DEALER ORDERS	ORDERS@GAREDSPORTS.COM		
NEW DEALER APPLICATION	SALES@GAREDSPORTS.COM		
BID & SPEC SUBMITTAL	BIDS@GAREDSPORTS.COM	BLOG: HTTP://PLAYRXBYGARED.BLOGSPOT.COM/	
PLAYRX™ INSPECTIONS	PLAYRX@GAREDSPORTS.COM	FACEBOOK: WWW.FACEBOOK.COM/GARED1922	
		TWITTER: @GAREDSPORTS	



PORTABLE BASKETBALL BACKSTOPS

GARED isn't the premiere manufacturer of portable basketball backstops by accident. Our tradition of quality and innovation began on the drafting tables of our engineering team over 40 years ago, and we haven't looked back since! From our industry changing invention of the Hydra-Goal in 1980, the first ever arena portable system, to our recent introduction of the popular GARED Pro S spring-balanced competition portable, GARED has been continually revolutionizing the portable basketball market. Today, we are proud to offer a full line of competition portable basketball systems, many of which can be seen in professional arenas and NCAA Division I, II & III schools across the U.S., as well as all over the globe. Or maybe you're just looking for a recreational portable for practice sessions or youth leagues? We've got you covered there too - GARED offers a huge assortment of systems for every type of facility and play level! Check out our handy Product Guide which helps you choose the model with the size, features, and price point suitable for your program, then add the options you want for a truly customized system! Then GET IN THE GAME WITH GARED!

WHY BUY GARED?

ALWAYS INNOVATING!

GARED's revolutionary QUICK CONNECT™ SYSTEM reduces game downtime by allowing replacement of backboard and rim in less than 3 minutes!

NEW PRODUCTS!



We've expanded our portable line to include backstops for ANY budget and level of play!

MORE CUSTOMIZATION OPTIONS!

Make your backstop unique to your facility by adding team graphics and lettering, shot clocks, LED lights, and camera mounts – the possibilities are endless!

CONVENIENT PLAYRX™ PORTABLE BACKSTOP PRODUCT GUIDE!

Check out our PlayRX™ Portable Product Guide to quickly compare the features and pricing of our systems to find the one that's right for your facility!



GARED® PRO S: SPRING BALANCED COMPETITION PORTABLE

The **GARED® PRO S** is the finest engineered competition portable in the world utilizing the Gared® tension spring technology • The maintenance-free tension spring mechanism is designed for balanced and effortless lifting/lowering of the unit • The unique mechanism is concealed inside the base for safety and appearance • A superbly designed T-Shape extension arm made of fully welded, heavy wall rectangular tubing is patterned after our original Gared Pro H®, which is universally considered the most structurally stable competition portable • The T-Shape extension arm and heavy duty uprights eliminate the need for unsightly bridge supports, giving the fans a clear view of the court • Available in 8' and 10' 8" boom extensions for all levels of play and adjustable to 8', 9', and 10' heights, the Gared Pro S® comes equipped with an official size (42" x 72") shatter proof glass backboard, our original PRO-MOLD® backboard padding and a positive lock breakaway goal • The base is fully padded on three sides with vinyl covered 2" thick high density polyurethane foam • The front upright is similarly padded to a height of 7' with 5" thick foam • Meets NCAA, NAIA, NFHS and NBA main court specifications and is approved by FIBA for high level international competition • Boom pad and floor anchoring system are included with the unit • Shot clock supports are sold separately • Full weight with ballast 3000 lbs. (1361 .kgs) • **10-YEAR LIMITED WARRANTY ON ALL PARTS, LIFETIME LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, 5-YEAR LIMITED WARRANTY ON PRO-MOLD® PADS AND 4-YEAR ON BREAKAWAY GOAL.**

9618: GARED® PRO S WITH 10' 8" BOOM,
10' 8" (3.25 M) PORTABLE BASKETBALL BACKSTOP

9618WL: GARED® PRO S WITH 10' 8" BOOM & WHEEL LIFT OPTION,
10' 8" (3.25 M) PORTABLE BASKETBALL BACKSTOP.

9616: GARED® PRO S WITH 8' BOOM,
8' (2.45 M) PORTABLE BASKETBALL BACKSTOP

9616WL: GARED® PRO S WITH 8' BOOM & WHEEL LIFT OPTION,
8' (2.45 M) PORTABLE BASKETBALL BACKSTOP



FIBA (Fédération Internationale de Basketball) hereby declares, by means of certification, that **MODEL 9618 GARED PRO S PORTABLE BASKETBALL BACKSTOPS** fulfils the Competition Level 1 standards and **MODEL 9616 GARED PRO S PORTABLE BASKETBALL BACKSTOPS** fulfils the Competition Level 3 standards specified in the latest edition of the Equipment & Venue Approval Programme and **GARED** is therefore qualified as an **OFFICIAL TECHNICAL PARTNER.**



SPOTLIGHT INSTALLATIONS

- ARKANSAS STATE UNIVERSITY - JONESBORO, AR
- BLUEGRASS STALLIONS LLC - LEXINGTON, KY
- BRANDON UNIVERSITY HEALTHY LIVING CENTRE - BRANDON, MB CAN
- CALIFORNIA POLYTECHNIC STATE UNIVERSITY – SAN LUIS OBISPO, CA
- CAMP LINDERMERE - HENRYVILLE, PA
- CARL ALBERT STATE COLLEGE – POTEAU, OK
- CENTENNIAL HIGH SCHOOL - ROSWELL, GA
- FAITH CHAPEL CHRISTIAN CENTER - BIRMINGHAM, AL
- JEFF DAVIS HIGH SCHOOL - HAZELHURST, GA
- JOHN BROWN UNIVERSITY – SILOAM SPRINGS, AR
- LAKE COUNTRY CHRISTIAN SCHOOL - FORT WORTH, TX
- LAUREL MIDDLE SCHOOL - LAUREL, MS
- LINCOLN MEMORIAL UNIVERSITY – HARROGATE, TN
- LOUISIANA STATE UNIVERSITY – BATON ROUGE, LA
- OKALOOSA WALTON COMMUNITY COLLEGE - NICEVILLE, FL
- PANGBURN HIGH SCHOOL - PANGURN, AR
- ROBBINS FLOORING - CINCINNATI, OH
- SOUTHEAST MISSOURI STATE UNIVERSITY – CAPE GIRARDEAU, MO
- SOUTHERN ILLINOIS UNIVERSITY – EDWARDSVILLE, IL
- TEXAS STATE TECHNICAL COLLEGE – WACO, TX
- UNIVERSITY OF ARKANSAS – FAYETTEVILLE, AR
- UNIVERSITY OF TEXAS AT EL PASO – EL PASO, TX

GARED® PRO S FEATURES

BACKBOARD: Official size 42" x 72" shatter proof rectangular glass backboard (Model LXP4200) with a welded and reinforced steel frame. Half inch tempered glass with fired in target and border for maximum durability. LED perimeter lights, #2137, are sold separately.

GOAL: Models 3500 and 3500I Master, positive lock breakaway goals come standard with these units for the domestic and international markets respectively. Model 3500I Master meets all FIBA standards. Other breakaway goals are optional and available upon request.

PADDING: Durable Gared PRO-MOLD® backboard edge padding comes in a wide variety of colors. Standard color for system padding is royal blue; other standard colors are available at no additional cost. Custom logos for the front and side pads are available at an additional cost.

BALLAST: 1200 lbs. (544 kgs.) of ballast welded to and concealed in the base of the unit.

HEIGHT ADJUSTABLE: Unique telescoping brace allows for preset heights of 8', 9' and 10'. Custom heights are available upon request.

ADJUSTABLE FLOOR PADS: Two floor pads are encased in steel supports for added stability, and are controlled by a screw-type mechanism that raises the unit off the wheels and adjusts the unit to exactly 10' height.

FLOOR ANCHORING SYSTEM: Floor anchors and locator pins are included as standard. Specify floor type.

FINISH: The unit is powder-coated white. Other colors are available at additional cost.

SHOT CLOCK & CAMERA SUPPORTS: Available at a nominal cost. Specify shot clock type.

TRANSPORT & STORAGE: Folds easily for compact storage with double non-marking polyurethane casters for easy transport.



GARED PRO S FEATURES



9806 QUICK CONNECT™ MOUNTING PLATES

Allows for quick and easy installation and removal of backboard and goal.
(Patent 7967705, 7794342)



QUICK BOARD PLUMBING ADJUSTMENT

Allows for quick, easy and accurate plumbing of the backboard for proper play.



SPRING ASSIST OPERATION

Spring design allows backstop to be easily lifted in under 10 seconds. Additional spring can be easily installed if shot clock is added.




SHIPPED WITH BALLAST SECURELY INCLUDED


GARED PRO S is shipped with ballast securely included within a welded basin located in back of portable unit's base.

9621: AUTOMATIC FRONT WHEEL LIFT SYSTEM

This optional system is designed to make the basic installation and set up of the **GARED® PRO S** effortless. It eliminates the need to adjust the leveling pads by automatically lifting the front wheels off the ground when the boom is raised to the play position and lower them when the boom is lowered to the folded or stored position. As the portable is raised, a cam operated mechanism raises the front wheels off the floor causing the boom to lock in the play position and the base to rest evenly on the supporting frame. Conversely, when the wheels are in the down position the portable can be moved around.



WHEELS IN UP POSITION



WHEELS IN DOWN POSITION



GARED PRO H

**9806 QUICK CONNECT™ MOUNTING PLATES**

Allows for quick and easy installation and removal of backboard and goal.
(Patent 7967705, 7794342)

**QUICK BOARD PLUMBING ADJUSTMENT**

Allows for quick, easy and accurate plumbing of the backboard for proper play.

**ELECTRIC HYDRAULIC SYSTEM**

Fully automatic system operates with a simple turn of a key, which is safely mounted under the base pad.

**SHIPPED WITH BALLAST SECURELY INCLUDED**

GARED PRO H is shipped with ballast securely included within a welded basin located in back of portable unit's base.



FIBA (Fédération Internationale de Basketball) hereby declares, by means of certification, that **MODEL 5018 GARED PRO H PORTABLE BASKETBALL BACKSTOPS** fulfils the Competition Level 1 standards and **MODEL 5016 GARED PRO H PORTABLE BASKETBALL BACKSTOPS** fulfils the Competition Level 3 standards specified in the latest edition of the Equipment & Venue Approval Programme and **GARED** is therefore qualified as an **OFFICIAL TECHNICAL PARTNER**.

GARED® PRO H

The **GARED® PRO H** is the flagship of the GARED® family of portable basketball backstops, and is by far the best competition basketball backstop in the industry • Uniquely engineered, it has been the portable of choice of many professional teams and colleges throughout the world • Tapered, laser cut, trapezoidal extension arm and mast provide ultimate backboard stability, meeting the most demanding requirements of professional competition play • The unit is raised and lowered with a state-of-art, electric-hydraulic system designed to be totally reliable and trouble free • Available in 8' and 10' 8" boom extensions, the GARED® PRO H comes equipped with an official size (42" x 72") shatter proof glass backboard, our original PRO-MOLD® backboard padding, and a positive lock breakaway goal • The base is fully padded on three sides with vinyl covered 2" thick high density polyurethane foam • The front upright is similarly padded to a height of 7' with 2" thick foam • Meets NCAA, NAIA, NFHS and NBA main court specifications and is approved by FIBA for high level international competition • Boom pad and floor anchoring system are included with the unit • Shot clock supports are sold separately • Full weight with ballast 3100 lbs. (1406 .kgs) • **10-YEAR LIMITED WARRANTY ON ALL PARTS, LIFETIME LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, 5-YEAR LIMITED WARRANTY ON PRO-MOLD® PADS AND 4-YEAR ON BREAKAWAY GOAL.**

5018: GARED® PRO H WITH 10' 8" BOOM,
10' 8" (3.25 M) PORTABLE BASKETBALL BACKSTOP

5016: GARED® PRO H WITH 8' BOOM,
10' (3.05 M) PORTABLE BASKETBALL BACKSTOP

**GARED® PRO H FEATURES**

BACKBOARD: Model LXP4200 - official size 42" x 72" shatter proof rectangular glass backboard with a welded and reinforced steel frame. Half inch tempered glass with fired in target and border for maximum durability. LED perimeter lights, #2137, are sold separately.

GOAL: Models 3500 and 3500I Master, positive lock breakaway goals come standard with these units for the domestic and international markets respectively. Model 3500I Master meets all FIBA standards. Other breakaway goals are optional and available upon request.

PADDING: Durable Gared PRO-MOLD® backboard edge padding comes in a wide variety of colors. Standard color for system padding is royal blue; other standard colors are available at no additional cost. Custom logos for the front and side pads are available at an additional cost.

BALLAST: 1000 lbs. (455 kgs.) of ballast welded to and concealed in the base of the unit.

ELECTRIC-HYDRAULIC SYSTEM: Simple to operate. Automatically controls folding and lifting of the unit with the turn of a key. Available for domestic and international power supply.

FLOOR ANCHORING SYSTEM: Floor anchors and locator pins are included as standard. Specify floor type.

FINISH: The unit is powder-coated white. Other colors are available at additional cost.

SHOT CLOCK & CAMERA SUPPORTS: Available at a nominal cost. Specify shot clock type.

TRANSPORT & STORAGE: Folds easily for compact storage with two 6" front and two 10" rear wide non-marking polyurethane casters for easy transport.

SPOTLIGHT INSTALLATIONS

BALL STATE UNIVERSITY - MUNCIE, IN
BANK OF AMERICA CENTER - BOISE, ID
BARNETT STADIUM - HOUSTON, TX
BOWLING GREEN HIGH SCHOOL - BOWLING GREEN, KY
CHINESE BASKETBALL ALLIANCE - TAIWAN, REPUBLIC OF CHINA
CHICAGO BULLS PRACTICE FACILITY - CHICAGO, IL
EDWARD JONES DOME - ST. LOUIS, MO
GORDON COLLEGE - WENHAM, CO
LOUISIANA SUPERDOME - NEW ORLEANS, LA
LOUISIANA STATE UNIVERSITY - BATON ROUGE, LA
LOYLOA MARYMOUNT UNIVERSITY - LOS ANGELES, CA
NATIONAL CAR RENTAL CENTER - FORT LAUDERDALE, FL
NORTH CAROLINA CENTRAL UNIVERSITY - DURHAM, NC
PARK CITY RACQUET CLUB - PARK CITY, UT
TENNESSEE TECH UNIVERSITY - COOKEVILLE, TN
TEXAS SOUTHERN UNIVERSITY - HOUSTON, TX
TRI-STATE UNIVERSITY - ANGOLA, IN
TRINIDAD HIGH SCHOOL - FINDLAY, CO
SUSQUEHANNA CENTER - BEL AIR, MD
UNIVERSITY OF EVANSVILLE - EVANSVILLE, IN
UNIVERSITY OF FINDLAY - FINDLAY, OH
VISUAL CONCEPTS ENTERTAINMENT - NOVATO, CA
WORLD HARVEST BIBLE COLLEGE - CANAL WINCHESTER, OH

HOOPMASTER®: MOST VERSATILE SPRING BALANCED PORTABLE BASKETBALL BACKSTOP SYSTEM

This state-of-art portable basketball system uses the Gared® tension spring technology for easy use and operation • The maintenance-free tension spring mechanism has been engineered for balanced and effortless lifting and lowering of the unit and the springs are concealed inside the base for safety and appearance • The Hoopmaster® is designed for main court play in university, high school and professional arenas • It is also ideal for all side court play and it is approved by FIBA for international competition • Available in 8' boom extensions for all levels of play and adjustable at 8', 9' and 10' heights, the Hoopmaster® comes with an official size (42" x 72") shatter proof glass backboard, our original PRO-MOLD® backboard padding, and a positive lock breakaway goal • The base is fully padded on three sides with vinyl covered high density polyurethane foam • The front is similarly padded to a height of 7'. Boom pad and anchoring system are included with the unit • Shot clock supports are sold separately • Full weight with ballast 2200 lbs. (998 .kgs) • **10-YEAR LIMITED WARRANTY ON ALL PARTS, LIFETIME LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, 5-YEAR LIMITED WARRANTY ON PRO-MOLD® PADS AND 4-YEAR ON BREAKAWAY GOAL.**

9408: GARED HOOPMASTER®8 WITH 8' BOOM, 8' (2.45 M) PORTABLE BASKETBALL BACKSTOP

9405: GARED HOOPMASTER®5 WITH 5' BOOM, 5' (1.5 M) PORTABLE BASKETBALL BACKSTOP




9806 QUICK CONNECT™ MOUNTING PLATES

Allows for quick and easy installation and removal of backboard and goal. (Patent 7967705, 7794342)



QUICK BOARD PLUMBING ADJUSTMENT

Allows for quick, easy and accurate plumbing of the backboard for proper play.



SPRING ASSIST OPERATION

Spring design allows backstop to be easily lifted in under 10 seconds. Additional spring can be easily installed if shot clock is added.



SHIPPED WITH BALLAST SECURELY INCLUDED

HOOPMASTER is shipped with ballast securely included within a welded basin located in back of portable unit's base.

HOOPMASTER® FEATURES

BACKBOARD: Official size 42" x 72" tempered glass backboard with a welded reinforced powder-coated steel frame (Model LXP4200). Half inch tempered glass with fired in target and border for maximum durability. LED perimeter lights, #2137, are sold separately.

GOAL: Models 2500 Collegiate and 2500I Tournament, positive lock breakaway goals come standard with these units for the domestic and international markets, respectively. Model 2500I Tournament meets all FIBA standards. Other breakaway goals are optional and available upon request.

PADDING: Durable Gared PRO-MOLD® backboard edge padding comes in a wide variety of colors. Standard color for system padding is royal blue. Standard color for system padding is royal blue; other standard colors are available at no additional cost. Custom logos for the front and side pads are available at an additional cost.

BALLAST: 1000 lbs. (455 kgs.) of ballast welded to and concealed in the base of the unit.


HEIGHT ADJUSTABLE: Unique telescoping brace allows for preset heights of 8', 9' and 10'. Custom heights are available upon request.

ADJUSTABLE FLOOR PADS: Two floor pads are encased in steel supports for added stability, and are controlled by a screw-type mechanism that raises the unit off the wheels and adjusts the unit to exactly 10' height.

FLOOR ANCHORING SYSTEM: Floor anchors and locator pins are included as standard. Specify floor type.

FINISH: The unit is powder-coated white. Other colors are available at additional cost.

TRANSPORT & STORAGE: Folds easily for compact storage with single non-marking polyurethane casters for easy transport.



SPRING ASSIST OPERATION

Spring design allows backstop to be easily lifted in under 10 seconds.



SHIPPED WITH BALLAST SECURELY INCLUDED

HOOPMASTER is shipped with ballast securely included within a welded basin located in back of portable unit's base.

SPOTLIGHT INSTALLATIONS OF HOOPMASTER & HOOPMASTER LT

GARED HOOPMASTER INSTALLATIONS

ANDREWS HIGH SCHOOL - ANDREWS, TX
ASCENSION CHRISTIAN HIGH SCHOOL - GONZALES, LA
BARDSTOWN HIGH SCHOOL - BARDSTOWN, KY
CAMPBELLVILLE UNIVERSITY - CAMPBELLVILLE, KY
CAMP FRENCH WOODS FOR PERFORMING ARTS - HANCOCK, NY
EPISCOPAL HIGH SCHOOL - ALEXANDRIA, VA
FUNDAMENTAL SPORTS TRAINING INC. - WESTBURY, NY
FRANKLIN READINESS CENTER - FRANKLIN, IN
HILLSDALE UNITED BRETHEN CHURCH - HILLSDALE, MI
NORTH VALLEY BAPTIST CHURCH - SANTA CLARA, CA
PERFORMANCE CENTER - OKLAHOMA CITY, OK
RED STUDIOS HOLLYWOOD - LOS ANGELES, CA
SAINT ELIZABETH COLLEGE - MORRISTOWN, NJ
SILVER SPURS ARENA - KISSIMMEE, FL
STEPHENS COUNTY HIGH SCHOOL - TOCCOA, GA
TEXAS SOUTHERN UNIVERSITY - HOUSTON, TX

GARED HOOPMASTER® LT: THE PORTABLE OF CHOICE FOR SIDE COURTS, OUTDOOR COMPETITION AND INTRAMURAL PLAY

The traditional style of the **GARED HOOPMASTER® LT**, offers more features and structural strengths than any similar size basketball portable backstop available on the market • A unique tension spring mechanism allows for effortless lifting and lowering of the unit • It is adjustable at 8', 9' and 10' heights, the Hoopmaster® LT comes with an official size (42" x 72") shatter proof glass backboard, our original PRO-MOLD® backboard padding, and a positive lock breakaway goal • The base is fully padded on three sides with vinyl covered high density polyurethane foam • An anchoring system is included with the unit • Full weight with ballast 1700 lbs. (771 .kgs) • **10-YEAR LIMITED WARRANTY ON ALL PARTS, LIFETIME LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, 10-YEAR LIMITED WARRANTY ON PRO-MOLD® PADS AND 4-YEAR ON BREAKAWAY GOAL.**

9305: GARED HOOPMASTER® LT WITH 5' BOOM, 5' 6" (1.68 M) PORTABLE BASKETBALL BACKSTOP

HOOPMASTER LT® FEATURES

BACKBOARD: Model BB72G50 official size 42" x 72" Available ½" tempered glass backboard with a welded reinforced powder-coated steel frame (BB72G50). Limited Lifetime Warranty on backboards. 60" glass and acrylic backboards are optional and available upon request.

GOAL: 2000+ Collegiate breakaway goal with glass backboard.

PADDING: Durable Gared PRO-MOLD® backboard edge padding comes in a wide variety of colors. Standard color for system padding is royal blue; other standard colors are available at no additional cost. Custom logos for the front and side pads are available at an additional cost.

BALLAST: 950 lbs. (432 kgs.) Ballast is welded and concealed in the base of the unit.

HEIGHT ADJUSTABLE: Unique telescoping brace allows for preset heights of 8', 9' and 10'.

FLOOR ANCHORING SYSTEM: Tie down anchor system include. Optional inground anchor can be purchased separately, please specify floor type.

FINISH: The unit is powder-coated white. Other colors are available at additional cost.

TRANSPORT & STORAGE: Folds easily for compact storage with single non-marking polyurethane casters for easy transport.

GARED HOOPMASTER LT INSTALLATIONS

ARCHIE R-V SCHOOL - ARCHIE, MO
COLEMAN COUNTRY DAY CAMP - FREEPORT, NY
EASTERN WASHINGTON UNIVERSITY - CHENEY, WA
FAITH ACADEMY - MOBILE, AL
FOREST HILLS ELEMENTARY SCHOOL - FLORENCE, AL
FORT WASHAKIE BOYS & GIRLS CLUB - FORT WASHAKIE, WY
INDIANA BASKETBALL ACADEMY - INDIANAPOLIS, IN
JAM ON IT - RENO, NV
SCHEU FAMILY YMCA OF UPLAND - UPLAND, CA



QUICK BOARD PLUMBING ADJUSTMENT

FIBA (Fédération Internationale de Basketball) hereby declares, by means of certification, that **GARED'S HOOPMASTER® 8 PORTABLE BASKETBALL BACKSTOPS** fulfils the Compeition Level III standards specified in the latest edition of the Equipment & Venue Approval Programme and **GARED** is therefore qualified as an **OFFICIAL TECHNICAL PARTNER.**

WHEN PURCHASING A GARED PORTABLE BASKETBALL BACKSTOP SYSTEM - CUSTOMERS HAVE AN OPPORTUNITY TO CUSTOMIZE AND UPGRADE THE PORTABLE BACKSTOP.

AVAILABLE UPGRADES & CUSTOMIZATIONS INCLUDE:

- **QUICK CONNECT™ SYSTEM**, Must be purchased with system
- **SHOT CLOCKS**, Must be purchased with system
- **WHEEL LIFT**, Must be purchased with system
- **LED PERIMETER LIGHTS**
- **CUSTOMIZED PORTABLE PADDING**
- **CUSTOMIZED BOOM LETTERING**
- **CAMERA MOUNTS**
- **BACKBOARD & BASKETBALL GOALS & MUCH MORE!**



STANDARD PORTABLE PAD COLORS, CUSTOM VINYL ALSO AVAILABLE



CUSTOM PORTABLE PADDING & BOOM LETTERING



4000+: GARED® 4000+ MDG (MULTI-DIRECTIONAL) BREAKAWAY GOAL,
5 YEAR LIMITED WARRANTY ON RIM, 4" X 5" HOLE SPACING, WEIGHT: 30 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



301 IRG

301 IRG: 42" X 72" PRO OUTERLIMIT™ ALUMINUM UNI-FRAMED GLASS BACKBOARD WITH CENTER STRUT
UNCONDITIONAL LIFETIME WARRANTY, 5" X 4 1/2" HOLE SPACING, WEIGHT: 195 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

PORTABLE BASKETBALL BACKSTOP SYSTEM UPGRADES



2137

Guaranteed to prevent a loss of time, **GARED'S PERIMETER LIGHTS AND LINE OF SHOT CLOCKS** will ensure when a team is closing in on a buzzer beater. Both are easily added to pre-existing systems and synchronize with most industry's scoreboard brands.

2137: PERIMETER LED LIGHT KIT
1 YEAR LIMITED WARRANTY, WEIGHT: 115 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

Choose reliability and quality when you opt for one of our super bright **LED SHOT CLOCKS!** Rated for 100,000 hours of continual usage, our shot clocks require no maintenance and never any light bulbs to change. The cabinet is constructed of 22-gauge galvanized steel with a black powdercoat finish for lasting durability. Our clocks operate in synchronization off of an existing GARED basketball scoreboard cable controller, and can be used with all of the permanent basketball scoreboards that we offer. They can be easily programmed for any time between 0 and 99 seconds. All cable-controlled models include a keyboard controller, plug-in adapter (runs off of scoreboard controller), loud horn, and 100 feet of control cable per clock (permanent models only). **INDOOR USE ONLY.**

GS-200 - BASKETBALL SHOT CLOCKS
5 YEAR LIMITED WARRANTY, WEIGHT: 76 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

GS-202 - BASKETBALL SHOT CLOCKS WITH GAME TIMER
5 YEAR LIMITED WARRANTY, WEIGHT: 76 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP



GS-202

GS-200

Our new optional **QUICK CONNECT™ SYSTEM** includes our specially designed backboard and goal Quick Connect™ Mounting Plates and Cart • The **QUICK CONNECT™ SYSTEM** allows the user to remove and install a backboard and goal in less than three minutes, a task that may typically take in excess of 30 minutes without it • It is a great tool for emergency and normal maintenance of portable basketball backstops because it reduces down time caused by the replacement of either a defective backboard or goal • Using the Quick Connect™ System to remove/install backboards and goals quickly and safely, multipurpose gymnasium operators can now store their basketball portable backstops in areas with narrow entry ways for a more effective use of the facilities. (PATENT 7967705, 7794342)

9800: QUICK CONNECT™ CART, 1 YEAR LIMITED WARRANTY
WEIGHT: 375 LBS, TRUCK, FREIGHT CLASS 150, 24 HOUR SHIP

9806: QUICK CONNECT™ MOUNTING PLATE FOR GARED® PRO S
9805: QUICK CONNECT™ MOUNTING PLATE FOR GARED® PRO H
9804: QUICK CONNECT™ MOUNTING PLATE FOR GARED® HOOPMASTER®

The Quick Connect™ mounting plates are factory installed and must be purchased with the portable units • The cart can be purchased at any time, but for best results we recommend that they are purchased together • One Quick Connect™ Cart can service multiple portable basketball backstops.



STEPS TO REMOVE AND REPLACE (RE-INSTALL) A BACKBOARD & GOAL USING THE GARED® QUICK CONNECT™ SYSTEM - THIS PROCESS TAKES APPROXIMATELY THREE MINUTES



1 LOWER AND SECURE PORTABLE BOOM TO REST POSITION



2 WHEEL QUICK CONNECT™ CART IN FRONT & UNDER BACKBOARD



3 RAISE BACKBOARD UNTIL IT SITS ON QUICK CONNECT™ CART



4 DISCONNECT UPPER BRACES FROM BACKBOARD



5 ROTATE BRACES OUT OF THE WAY



6 DISCONNECT & REMOVE HOLDING PINS FROM MOUNTING PLATES



7 RAISE CART UNTIL BACKBOARD COMES OFF HINGES



8 LEAN BACKBOARD FORWARD UNTIL IT SITS SECURELY ON CART



9 WHEEL CART TO STORAGE

TO INSTALL A BACKBOARD AND GOAL WITH THE GARED® QUICK CONNECT™ SYSTEM REVERSE STEPS 1-9.



9172



The **GARED HOOPMASTER® C72 AND R54** are versatile portable basketball backstops sporting competition quality glass backboard and breakaway rim combination • It is a perfect fit for facilities with court space limitations • Ideal play environment include school gymnasiums, churches, side court placement and for practice, club level and recreational league play • Sized to fit through standard double door for easy portability and storage • Spring assisted height mechanism to ease the play position of unit • Locator pin and anchoring pins available for ultimate stability.

9172: HOOPMASTER® C72, PORTABLE BASKETBALL BACKSTOP SYSTEM WITH 5' EXTENSION & 72" BACKBOARD, 10-YEAR LIMITED WARRANTY ON ALL PARTS, 2-YEAR LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, 5-YEAR LIMITED WARRANTY ON PROMOLD® PADS AND 4-YEAR ON BREAKAWAY GOAL WEIGHT: 1555 LBS., DEDICATED TRUCK

9154: HOOPMASTER® R54, PORTABLE BASKETBALL BACKSTOP SYSTEM WITH 5' EXTENSION & 54" BACKBOARD, 10-YEAR LIMITED WARRANTY ON ALL PARTS, 2-YEAR LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, 5-YEAR LIMITED WARRANTY ON PROMOLD® PADS AND 4-YEAR ON BREAKAWAY GOAL WEIGHT: 1525 LBS., DEDICATED TRUCK

HOOPMASTER® C72 AND R54 FEATURES

BACKBOARD: **MODEL 9172** features 42" x 72" glass backboard (Model: BB72G50); **MODEL 9154** features 42" x 54" glass backboard (Model: 3050) **GOAL:** 2000+ Collegiate breakaway goal with the glass backboard. **PADDING:** Durable Gared PRO-MOLD® recreational backboard edge padding comes in a wide variety of colors. Standard color for system padding is black **BALLAST:** 600 lbs. of ballast are welded and concealed in the base of the unit. **HEIGHT ADJUSTABLE:** Unique telescoping brace allows for preset heights of 8', 9' and 10'. **FINISH:** The unit is powder-coated white. Other colors are available at additional cost. **TRANSPORT & STORAGE:** Folds easily for compact storage with single non-marking polyurethane casters for easy transport. Two 4" front casters and one 3" rear-swivel caster, non-marking polyurethane wheels for optimal transport control

RECREATIONAL & SIDE COURT PORTABLE BACKSTOPS



9060



The **GARED SUPER-Z60 AND Z54** was designed for institutional as well as recreational play in schools, churches, training and fitness facilities • Its compact frame and large wheels make this portable backstop easy to roll around and store in area with limited space • Double folding extension arm for storage in tight spaces • Sized to fit through standard double door, for easy portability and storage • Spring assisted height mechanism to ease the play position of unit.

9060: GARED SUPER-Z60 BASKETBALL BACKSTOP SYSTEM WITH 60" BACKBOARD, 2-YEAR LIMITED WARRANTY ON ALL PARTS, 1 YEAR LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, AND 2-YEAR LIMITED ON BREAKAWAY GOAL. WEIGHT: 1008 LBS., DEDICATED TRUCK

9054: GARED SUPER-Z54 BASKETBALL BACKSTOP SYSTEM WITH 54" BACKBOARD, 2-YEAR LIMITED WARRANTY ON ALL PARTS, 1 YEAR LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, AND 2-YEAR LIMITED ON BREAKAWAY GOAL. WEIGHT: 1008 LBS., DEDICATED TRUCK

SUPER-Z60 AND Z54 FEATURES

BACKBOARD: **MODEL 9060** features 36" x 60" acrylic backboard (Model: GP6036); **MODEL 9054** features 36" x 54" acrylic backboard (Model: GP5432) **GOAL:** 1000 Scholastic flex breakaway goal. **PADDING:** Durable Gared PRO-MOLD® recreational black backboard edge padding. **BALLAST:** Ballast supplied by customer. **HEIGHT ADJUSTABLE:** Unique telescoping brace allows for preset heights of 8', 9' and 10'. **FINISH:** The unit is powder-coated white. Other colors are available at additional cost. **TRANSPORT & STORAGE:** Folds easily for compact storage with single non-marking polyurethane casters for easy transport. Two 4" front casters and one 3" rear-swivel caster, non-marking polyurethane wheels for optimal transport control.



MICRO-Z54



MICRO-Z



MICRO-Z54

The **MICRO-Z™** is the first of its kind and most popular roll-around Portable Backstop System for the past 10 years • This highly portable system rolls easily on four large casters and locks in place with the flip of a brake lever. • This high quality backstop is great for all ages and skill levels and priced for any budget • It is designed for side court and multipurpose recreational areas • Available with 54" backboard & breakaway or 48" backboard with fixed goal combination • This portable is not recommended for main court use or dunking activities.

MICRO-Z54™: ROLL-AROUND BASKETBALL BACKSTOP WITH BREAKAWAY GOAL & 54" ACRYLIC BACKBOARD 2 YEAR LIMITED WARRANTY, WEIGHT: 395 LBS. (180 KGS), TRUCK, FREIGHT CLASS 150, 24 HOUR SHIP

MICRO-Z™: ROLL-AROUND BASKETBALL BACKSTOP WITH FIXED RIM & 48" ACRYLIC BACKBOARD 2 YEAR LIMITED WARRANTY, WEIGHT: 385 LBS. (180 KGS), TRUCK, FREIGHT CLASS 150, 24 HOUR SHIP

BACKBOARD: **MODEL MICRO-Z54** features 32" x 54" acrylic backboard (Model: GP5432); **MODEL MICRO-Z** features 48" x 32" rectangular acrylic backboard (Model: GP4832ISQ) **GOAL:** **MODEL MICRO-Z54** features 724 Breakaway goal. **MODEL MICRO-Z** features 26VVO standard stationary goal with nylon net. **PADDING:** Fully padded with high density polyurethane foam covered with non-tearing 14 oz. black vinyl. Backboard padding not included. **BALLAST:** 250 lbs. (114 Kgs.) of ballast required and concealed in the base of the unit. Ballast weight is not Included. **HEIGHT ADJUSTABLE:** Spring assisted unit adjusts from7' juniors' to 10' regulation heights

ROLL AROUND & RECREATIONAL PORTABLES

GARED HOOPS 21™: THE PROVEN 3-ON-3 TOURNAMENT PORTABLE BACKSTOP

The **GARED HOOPS 21™** offers a computer designed, black powder-coated, unitized frame making it the strongest, most portable 3-on-3 basketball tournament system on the market • Designed for indoor/outdoor use, it is adjustable at 8', 9' and 10' heights • It is totally collapsible and folds easily into a flat, compact storage position that can be rolled away • This portable unit comes with a beefy fan shaped 54" X 39" fiberglass • A 2" thick high density polyurethane foam front pad covered with 18 oz. black vinyl is included for added player protection • A minimum of 300 lbs of ballast is required • Vinyl bags that can be filled with sand are included with the unit.

9249: HOOPS 21™: "3 ON 3" PORTABLE BASKETBALL BACKSTOP WITH 54" X 39" FAN SHAPED FIBERGLASS BACKBOARD. 1 YEAR LIMITED WARRANTY WEIGHT: 250LBS. (100KGS), TRUCK, FREIGHT CLASS 150, 24 HOUR SHIP

BACKBOARD: Model 1301B Fan Shape Fiberglass Board **GOAL:** Model 39VVO institutional fixed goal is standard with the unit. **PADDING:** Fully padded with 2" thick high density polyurethane foam covered with non-tearing 18 oz. black vinyl for added player protection. **BALLAST:** Vinyl bags that can be filled with sand come standard with its portable unit; 300 lbs of ballast recommended. **HEIGHT ADJUSTABLE:** The unit can be easily adjusted to 8', 9' and 10' heights. **FINISH:** Entire system powder-coated black. **TRANSPORT & STORAGE:** Folds completely into a compact storage position that can be easily lifted and rolled away.



MINI-EZ

The **MINI-EZ™** is designed to provide rugged durability for home, club or church use. This highly portable system rolls easily on four large casters and sets in place with the flip of a lever. It features heavy duty steel construction and direct mount goal design. It folds down to 48" W x 80 1/2" H x 62" L -including board & goal. This portable is not recommended for main court use or dunking activities.

MINI-EZ™: ROLL-AROUND BASKETBALL BACKSTOP, 2 YEAR LIMITED WARRANTY , WEIGHT: 290 LBS. (148 KGS), TRUCK, FREIGHT CLASS 150, 24 HOUR SHIP

BACKBOARD: GP4832ISQ 48" x 32" rectangular acrylic backboard with 3/8" thickness affixed to a superior 1" welded aluminum uni-frame. **GOAL:** 26VVO standard stationary goal with nylon net. **PADDING:** Fully padded with high density polyurethane foam covered with non-tearing 18 oz. black vinyl. **BALLAST:** 250 lbs. (114 Kgs.) of ballast required and concealed in the base of the unit. Ballast weight is not Included. **HEIGHT ADJUSTABLE:** Spring assisted unit adjusts from7' juniors' to 10' regulation heights



9249 HOOPS 21

Minimize tournament installation time while maximizing court and shipping space with **GARED'S SPACE JAM™ TRAVELLING TOURNAMENT BASKETBALL SYSTEM**, GARED has been revolutionizing basketball equipment for almost 100 years • Our best innovations are developed from providing play and facility solutions to our customers • We were challenged to create a travelling system that met the criteria of: Stability to withstand monster dunks; Ability to set up multiple courts without creating sleeves on inside court or outdoor asphalt; Transportability of all systems in one truck; Easy and quick set-up by 3-men crews • Durable 6" x 6" steel posts are hinged to the weighted base and steadily raised to play position with an electric hoist • Each 6" x 6" square black post features stabilization poles that are adjusted to minimize vibration • GARED's acrylic backboard and breakaway rim are easily attached using our patented Quick Connect system • A 53" foot hauling truck can easily transport 30 complete courts • Each base features forklift slots for system loading.


9252: SPACE JAM™ TRAVELLING BASKETBALL SYSTEM, DUAL POST
WEIGHT: 1323 LBS, TRUCK, FREIGHT CLASS 150, 2-4 WEEK SHIP

9251: SPACE JAM™ TRAVELLING BASKETBALL SYSTEM, SINGLE POST
WEIGHT: 776 LBS, TRUCK, FREIGHT CLASS 150, 2-4 WEEK SHIP

9256: SPACE JAM™ TRAVELLING BASKETBALL SYSTEM KICKSTAND INSTALL TOOL
WEIGHT: 34 LBS, TRUCK, FREIGHT CLASS 70, 2-4 WEEK SHIP

9254: SPACE JAM™ TRAVELLING BASKETBALL SYSTEM BASE
WEIGHT: 320 LBS, TRUCK, FREIGHT CLASS 70, 2-4 WEEK SHIP

9257: SPACE JAM™ TRAVELLING BASKETBALL SYSTEM ELECTRIC HOIST
WEIGHT: 30 LBS, TRUCK, FREIGHT CLASS 70, 2-4 WEEK SHIP



9251




SPACE JAM™ PORTABLE BASE

Fork lift slots allow for easy transport. Added ballast removes need for sleeves or floor pins.



EASY BASE POST HINGE POINT

Allows for easy securing of the Space Jam™ post to weighted floor base.



KICKSTAND INSTALL TOOL

Provides stability while attaching 5' extension arm, backboard and goal.



ELECTRIC HOIST WITH REMOTE

Safely and effortlessly raise the Space Jam™ units into play position.



QUICK CONNECT™ MOUNTING PLATE

Allows for quick and easy installation and removal of backboard and goal. (Patent 7967705, 7794342)

SPACE JAM™ TRAVELLING TOURNAMENT BACKSTOP

SPACE JAM™ FEATURES

BACKBOARD: Features 42" x 72" acrylic backboard (Model: BB72A38)

GOAL: 2000+ Collegiate flex breakaway goal.

PADDING: Durable Gared PRO-MOLD® recreation backboard edge padding in black. Standard color for system padding is black; other standard colors are available at no additional cost. Custom logos for the front are available at an additional cost.

BALLAST: Ballast supplied by customer.





HEIGHT: Unit height set at 10'.

FINISH: The unit is powder-coated black. Other colors are available at additional cost.

TRANSPORT & STORAGE: Units are easily transportable by forklift.



9252




ANCHOR STYLE	STYLE B	STYLE BX	STYLE C	STYLE E
	<p>Style B anchors are used on wood floors when one layer of wood is directly on concrete.</p> <p>Style B anchors are also used on portable wood basketball floors such as arena floors that are 3" or more thick for anchoring Gared portable units.</p>	<p>Style BX anchors are used on wood floor when the floor is over a subfloor directly on concrete.</p>	<p>Style C anchors are used of concrete floors or synthetic floors.</p>	<p>Style E anchors are used on permanent style floating floors.</p> <p>Style E is not recommended for portable floating floors such as arena floors because of the permanent location of the anchor. However, if requested by the customer, the style E could be used on portable arena floors.</p>


PLAYRX™ PORTABLE BASKETBALL BACKSTOP PRODUCT GUIDE

PRODUCT NAME	GARED PRO S	GARED PRO H	HOOPMASTER 8/5	HOOPMASTER LT		HOOPMASTER C72	HOOPMASTER R54	SUPER-Z60	SUPER-Z54	MICRO-Z	MINI-EZ
MODEL #	9618/9616	5018/5016	9408/9405	9305		9172	9154	9060	9054	MICRO-Z54/MICROZ	MINIEZ
OPERATING SYSTEM	Spring Loaded	Electric Hydraulic	Spring Loaded	Spring Loaded		Spring Loaded	Spring Loaded	Spring Loaded	Spring Loaded	Spring Loaded	Spring Loaded
PLAY QUALIFICATIONS	NBA, NCAA, FIBA, NFHS, NAIA	NBA, NCAA, FIBA, NFHS, NAIA	NBA, NCAA, FIBA, NFHS, NAIA	NFHS		NFHS	K-12	K-12	K-12	K-12	K-12
SAFEPLAY AREA											
BOOM LENGTH	BOOM LENGTH					BOOM LENGTH					
10' - 0"	10' 8"/8' 0"	10' 8"/8' 0"	8' 0"/5' 0"	5' 6"		5'-0"	5'-0"	6'-0"	6'-0"	4'-2"	4'-2"
9' - 0"	7' 4"/4' 8"		4' 2-1/2"/1' 2-1/4"	2'-1 1/4"		1'-8"	1'-8"	3'-1"	3'-1"	3'-10"	3'-10"
8' - 0"	6' 3"/3' 5"		2'-11" (9408 Only)	10 3/4"		0'-5"	0'-5"	2'-1"	2'-1"	3'-5"	3'-5"
COLOR	White Powdercoat Std. (Other Colors Available)	White Powdercoat Std. (Other Colors Available)	White Powdercoat Std. (Other Colors Available)	White Powdercoat Std. (Other Colors Available)		White Powdercoat	White Powdercoat	White Powdercoat	White Powdercoat	White Powdercoat	White Powdercoat
PLAY WEIGHT (LBS)	3000 Lbs	3100 Lbs	2200 Lbs	1700 Lbs		1555	1525	1008	1000	395/385	290
BALLAST (MIN LBS)	Factory Supplied 1200	Factory Supplied 1000	Factory Supplied 1000	Factory Supplied 950		Factory Supplied 600	Factory Supplied 600	Customer Supplied 500 (Brick)	Customer Supplied 500 (Brick)	Customer Supplied 300 (Brick)	Customer Supplied 300 (Brick)
BASE DIMENSIONS (LENGTH X WIDTH)	6' 4-3/4" x 4' 0"	6' 2-1/2" x 3' 9"	6' 4-3/4" x 4 1/4"	6' 7" x 4' 1-3/8"		66' 1/2" X 40' 3/8"	66' 1/2" X 40' 3/8"	52' 3/4" X 31'	52' 3/4" X 31'	49' 3/4" X 32' 1/2"	49' 3/4" X 32' 1/2"
STORAGE DIMENSIONS (LENGTH X HEIGHT)	17'-8-7/8" (9618/9618W) 15'-7/8" (9616/9616W)	13' 4" (5018/5018W) 12' 4-1/4" (5016/5016W)	14'-3-5/8" (9408) 12'-0" (9405)	11' 6" x 6' 4"		10' 1" X 6' 6"	10' 1" X 6' 6"	9' 10" X 4' 5"	9' 10" X 4' 5"	7' 4" X 4' 6"	7' 4" X 4' 6"
MINIMUM PLAY HEIGHT	8'-0"	8'-0"	8'-0"	8'-0"		7' 6"	7' 6"	6' 6"	6' 6"	6' 6"	6' 6"
MINIMUM DISTANCE BEHIND END LINE											
10' PLAY POSITION (DIM C)	12'-11 1/2"/10' 3-1/2"	12'-10 1/2" (5018) 10'-2 1/2" (5016)	10' 4-3/4" (9408) 7' 4-3/4" (9405)	8' 1"		6'-7"	6'-7"	6'-5"	6'-5"		
STORAGE POSITION (DIM D)	17' 6" (9618) 14' 10" (9616)	19' 1" (5018) 16' 5" (5016)	15' 3" (9408) 12' 3" (9405)	11' 9"		10' 3"	10 3"	8' 10"	8' 10"		
BACKBOARD	Glass 42" X 72"	Glass 42" X 72"	Glass 42" X 72"	Glass 42" X 72"		Glass 42" X 72"	Glass 42" X 54"	Acrylic 36" X 60"	Acrylic 32" X 54"	Acrylic 32" X 54" (MZ54) Acrylic 32" X 48" (MZ)	Acrylic 32" X 48"
BACKBOARD MODEL	LXP4200	LXP4200	LXP4200	BB72G50		BB72G50	3050	GP6036	GP5432	GP5432	GP48321SQ
GOAL/RIM	Breakaway	Breakaway	Breakaway	Breakaway		Breakaway	Breakaway	Breakaway	Breakaway	Breakaway (MZ54) Fixed (MZ)	Fixed
GOAL/RIM MODEL	3500/3500I	3500/3500I	2500/2500I	2000+		2000+	2000+	1000	1000	724 (MZ54) 26WO (MZ)	26WO
ANCHOR SYSTEM	In-Ground Anchors With Locator Pins	In-Ground Anchors With Locator Pins	Floor Pad System	Optional		Optional	Optional	N/A	N/A	N/A	N/A
FLOOR LOAD											
TRAVEL FRONT CASTER	160	176	176	119		80	77	286	286	71	58
TRAVEL REAR CASTER	163	225	265	239		169	168	167	167	82	68
PLAY FRONT LEVELING PAD	89	105	62	57		76	71	76	76	20	17
PLAY REAR CASTER	72	65	62	98		105	109	117	117	26	21
WARRANTIES & ACCESSORIES											
BACKSTOP	10 Year Limited	10 Year Limited	10 Year Limited	10 Year Limited		10 Year Limited	10 Year Limited	2 Year Limited	2 Year Limited	2 Year Limited	2 Year Limited
BACKBOARD	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited		Lifetime Limited	Lifetime Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited
PRO-MOLD(R) PAD	5 Year Limited	5 Year Limited	5 Year Limited	5 Year Limited		5 Year Limited	N/A	N/A	N/A	N/A	N/A
GOAL/RIM	4 Year Limited	4 Year Limited	4 Year Limited	4 Year Limited		4 Year Limited	4 Year Limited	2 Year Limited	2 Year Limited	1 Year Limited	1 Year Limited
WHEEL LIFT OPTION	Yes	No	No	No		No	No	No	No	No	No
QUICK CONNECT OPTION	Yes	Yes	Yes	No		No	No	No	No	No	No
ACCESSORIES	Shot Clocks, Led Lights, Graphics, Camera Mounts	Shot Clocks, Led Lights, Graphics, Camera Mounts	Shot Clocks, Led Lights, Graphics, Camera Mounts	Led Lights, Graphics		Led Lights, Graphics	Graphics	N/A	N/A	N/A	N/A
PRICE	\$\$\$\$	\$\$\$\$\$	\$\$\$	\$\$		\$\$	\$\$	\$	\$	\$	\$
IDEAL PLAY ENVIRONMENT	Professional Arena Division I & II Collegiate Facility	Professional Arena Division I & II Collegiate Facility	Division II & III Facility High School Facility Practice Facility Recreation Center	Division II & III Facility High School Facility Practice Facility Recreation Center		Division II & III Facility High School Facility Practice Facility Recreation Center	K-12 Facility Recreation Center Outdoor Court	K-12 Facility Recreation Center Outdoor Court	K-12 Facility Recreation Center Outdoor Court	K-12 Facility Recreation Center Outdoor Court	K-12 Facility Recreation Center Outdoor Court


GARED PRO S FOOTPRINT & STORAGE DIMENSIONS




GARED HOOPMASTER FOOTPRINT & STORAGE DIMENSIONS



GARED PRO H FOOTPRINT & STORAGE DIMENSIONS



GARED HOOPMASTER LT FOOTPRINT & STORAGE DIMENSIONS



MICRO-Z/Z54 AND MINI-EZ FOOTPRINT & STORAGE DIMENSTIONS

Technical drawings of the GARED basketball system showing side, front, and rear views with dimensions in feet and inches, and meters in brackets.

Side View Dimensions:

- Playing Height: 10'-0" [3.05]
- Base Line: DIM "A"
- Base Line: DIM "C"
- Base Line: DIM "B"
- Base Line: 5'-6 1/2" [1.69]
- Base Line: 4'-0" [1.22]
- Base Line: 10'-1 1/8" [3.08]
- Base Line: 3'-8 1/2" [1.13]
- Base Line: 5'-6 1/2" [1.69]

Front View Dimensions:

- Backboard Width: 6'-0" [1.83]
- Backboard Height: 3'-6" [1.07]
- Backboard Mounting Height: 6'-6 5/8" [2.00]
- Backboard Mounting Width: 3'-4 3/8" [1.0]

Rear View Dimensions:

- Backboard Width: 4'-6" [1.37]
- Backboard Height: 3'-6" [1.07]
- Backboard Mounting Height: 6'-6 5/8" [2.00]
- Backboard Mounting Width: 3'-4 3/8" [1.03]

[illegible]

Technical diagrams of basketball hoops showing side and front views with dimensions.

Side View Dimensions:

- Backboard: 54.00" (1.37 M)
- Goal Height Adjustment: 6'-6" TO 10'-0" (1.98 M TO 3.05 M)
- Goalpost Base: 4'-1 1/2" (1.26 M)
- Goalpost Height: 1'-11 1/4" (.59 M)
- Goalpost Width: 4'-1 1/2" (1.26 M)
- Goalpost Material: ALUMINUM FRAMED CLEAR ACRYLIC BACKBOARD
- Goalpost Label: SEE CHART
- Goalpost Feature: PROTECTIVE PADDING

Front View Dimensions:

- Backboard: 4'-0" (1.22 M)
- Goalpost Base: 2'-9" (.84 M)
- Goalpost Height: 2'-8" (.81 M)
- Goalpost Material: PROTECTIVE PADDING

FINISHED FLOOR LINE

Technical drawing of a basketball hoop system, showing side and front views with dimensions.

Side View Dimensions:

- Backboard: ALUMINUM FRAMED CLEAR ACRYLIC BACKBOARD
- Backboard Size: 4'-0" (1.22 M) wide, 2'-8" (.81 M) high
- Goal Height Adjustment: 6'-6" TO 10'-0" (1.98 M TO 3.05 M)
- SEE CHART (referring to height adjustment)
- Protective Padding: Indicated on the base and support structure.
- Base Width: 3'-5" (1.04 M)
- Base Height: 1'-7 3/4" (.50 M)

Front View Dimensions:

- Base Width: 2'-6" (.76 M)
- Protective Padding: Indicated on the base.

Common Labels:

- FINISHED FLOOR LINE

Technical drawings of a basketball hoop system showing side, front, and top views with dimensions.

Side View Dimensions:

- 9' PLAYING HEIGHT (2.74 M)
- 8' PLAYING HEIGHT (2.44 M)
- 10'-0" (3.05 M)
- DIM "A"
- DIM "B"
- DIM "C"

Front View Dimensions:

- 4'-6" (1.37 M)
- 2'-9"
- 4'-0" (1.22 M)



GYMNASIUM EQUIPMENT

Are you having trouble configuring your gym court set up? Unsure about what equipment to use, given your existing building conditions and space constraints? Not sure how to begin writing product specifications for a new building project? Let GARED help you! Our experienced team of engineers and draftsmen can assist you in deciding which equipment options best fit your facility, help you write product specifications, and decide how to configure your courts for multiple sports and activities. We can even provide 3-D CAD drawings that diagram your chosen equipment in a floor plan layout. And not to worry, because your equipment options are endless with GARED's extensive line of gym products, including basketball backstops, divider curtains, flooring, wall padding, batting cages, scoreboards, and much more!

Count on GARED to transform your indoor court ideas into reality!

WHY BUY GARED?

CUSTOM EQUIPMENT FOR ANY TYPE OF FACILITY AND BUDGET!

GARED's skilled engineering team will design gymnasium equipment that is specific to your building requirements! Whether you need to retrofit an existing building or create an exciting new indoor sports court, we can help you in creating the perfect indoor gym environment!

THE FASTEST TURNAROUND IN THE INDUSTRY!



We can generally ship your custom gym equipment within 4-6 weeks of receiving accurate and complete building information! From concept to completion, you can rely on GARED to exceed your project timeframe expectations!


CHECK OUT OUR NEW AND IMPROVED PRODUCTS!

We're continually adding new products and improving existing designs to keep up with the dynamic games and athletes of the sports we serve! These include our new center-drive gym divider curtain, redesigned basketball height adjuster, and improved touch-screen equipment control pad, just to name a few!


PLAYRX™ PRODUCT GUIDES

Take a look at our PlayRX Product Guide to help you choose the gymnasium equipment models to fit the needs of your program and facility!





- ADJUSTABLE MAST HANGER**
Engineered hangers designed for strength and safety at critical attachment points, provide unequalled performance and reliability.
- CHANNEL SUPPORT**
4" Structural steel top spreader supports our welded frames design allowing the weight of the backstop to assist with the locking of the brace.
- OFFSET DESIGN**
Our vertical support mast has an offset design allowing the weight of the backstop to assist with the locking of the brace.
- FULLY WELDED FRAME**
All single post designs under 31' incorporate a 6 5/8" diameter vertical support mast with fully welded frame for maximum rigidity. The mast is stabilized by rectangular tube side sway braces welded to the support channel and the mast. The sways are precision cut to match up perfectly to the vertical mast and horizontal top channel.
- DIRECT GOAL ATTACHMENT**
All designs incorporate a direct goal mount feature to distribute all stress or load on the goal directly to the vertical support mast. Basketball backstops utilizing this feature are backed by a lifetime backboard warranty.
- CUSTOMIZED POWDERCOAT**
Overhead ceiling mast structures standard color is a matte black finish. Additional custom powdercoat colors available.



1. 50% MORE WELD THAN THE COMPETITION
2. 1" WIDE BEARING SURFACE, TWICE AS MUCH AS THE COMPETITION
3. 1/2" DIAMETER NON-ROTATING PIN
4. 7/8" DIAMETER FORGED STEEL THREADED HANGER

We offer many options to provide each facility designer choices to best meet the needs and requirements of their customer. Our engineers have developed high performance equipment with structural integrity and versatility for all levels of competition.

TESTED STRUCTURAL DESIGN STRENGTHS:
UNEQUALED STRENGTH AND SAFETY

FIBA Certification – All single post backstops have been tested and approved by FIBA meeting the requirements of stability and safety. Contract No. NP36-2007

SEISMIC TESTING

All our equipment and hardware designs have been approved by the state of California for meeting and/or exceeding all seismic testing requirements.

OVERHEAD DESIGN HARDWARE

Clean overhead designs are built to accommodate many building conditions, while providing the strength to handle the load of the equipment and the stress caused by years of competitive use.



CEILING HUNG BACKSTOP POWDERCOAT COLORS

FOREST GREEN

YELLOW

ORANGE


RED

ROYAL BLUE

WHITE

GREY






BLACK








FIBA
EQUIPMENT
& VENUE

FIBA (Fédération Internationale de Basketball) hereby declares, by means of certification, that **GARED'S CEILING SUSPENDED MODELS 3102; 3103; 3104; 3105; 3106; 3107; 3108; 3109; 3111; 3115** fulfils the Competition Level II standards specified in the latest edition of the Equipment & Venue Approval Programme and **GARED** is therefore qualified as an **OFFICIAL TECHNICAL PARTNER**.

PLAYRX™ SINGLE POST CEILING STRUCTURES PRODUCT GUIDE

MODEL NUMBER	MODELS 3103/3102/3102HD	MODELS 3105/3104/3104HD	MODELS 3107/3106/3106HD	MODELS 3109/3108/3108HD	MODEL S 3111/3110/3110HD
STRUCTURE					
DESIGN APPLICATION	Best for facilities with adequate space behind the backboard to brace the structure and no obstructions or clearance issues in front of the structure. This design offers maximum clearance above the court.	Great choice for those facilities with clearance issues over the court that will not allow front fold design, yet offers adequate space behind the backstop to allow rear folding for storage.	Best used in facilities designed without adequate space behind the backstop structure for rear bracing, and with no clearance issues over the court for front bracing to fold forward and up for storage.	This model is the perfect solution for the fieldhouse or gymnasium with large amounts of equipment, and limited space behind the backboard and/or other conditions that don't allow front fold, but still require folding the backstop up to a stored position.	Non-folding design with ceiling brace for those projects not requiring backstops to be moved and will not allow bracing to the wall.
BRACE DIR	REAR BRACED	REAR BRACED	FRONT BRACED	SIDE BRACED	FRONT CEILING BRACED
FOLD DIR	FORWARD FOLD	REAR FOLD	FORWARD FOLD	SIDE FOLD	STATIONARY
MAST TYPE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
MAXIMUM & MINIMUM HEIGHT RESTRICTIONS BY MODEL					
31' MAX, 18' MIN	3103	3105	3107	3109	3111
32' MIN	3102/3102HD	3104/3104HD	3106/3106HD	3108/3108HD	3110/3110HD
MAST CONSTRUCTION BY MODEL					
WELDED	3103	3105	3107	3109	3111
CLAMPED	3102, 3102HD	3104/3104HD	3106/3106HD	3108/3108HD	3110/3110HD

MODEL NUMBER	MODELS 3205/3204/3204HD	MODEL 3305	MODEL 3207, 3206, 3206HD	MODEL 3209/3208/3208HD	MODELS 3115/3114/3114HD
STRUCTURE					
DESIGN APPLICATION	A bent single post rear braced rear folding design reducing the space required behind the backstop for the brace	Roll-Fold a compact design that utilizes a track system to move the backstop forward as it is raised up and back, great for those facilities lacking space for a standard backfold and clearance issues for a standard front fold backstop.	A bent single post front braced forward fold design reducing the space required in front of the backboard for the brace.	A bent single post side braced side folding design reducing the space required to the side of the backstop for the brace	Non-folding backstop design with rear wall brace for those projects not requiring backstops to be moved. Maximum distance from wall to face of backboard is 14'
BRACE DIR	REAR BRACED		BENT FRONT BRACED	BENT SIDE BRACED	REAR CEILING BRACED
FOLD DIR	REAR FOLD	ROLL FOLD	FORWARD FOLD	SIDE FOLD	STATIONARY
MAST TYPE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
MAXIMUM & MINIMUM HEIGHT RESTRICTIONS BY MODEL					
31' MAX, 18' MIN	3205	3305	3207	3209	3115
32' MIN	3204, 3204HD		3206/3206HD	3208/3208HD	3114/3114HD
MAST CONSTRUCTION BY MODEL					
WELDED	3205	3305	3207	3209	3115
CLAMPED	3204, 3204HD		3206/3206HD	3208/3208HD	3114/3114HD

WHEN CHOOSING THE RIGHT WALL MOUNT FOR YOUR FACILITY THERE ARE SEVERAL FACTORS TO TAKE INTO CONSIDERATION INCLUDING: pre-existing structures or equipment, facility gymnasium space, condition of facility walls and budgetary constraints. Our telescopic, modular design allows installation ease and “quick ship” policy. GARED® offers a full line of basketball wall mounts to customize your space for an optimal and safe play environment.



THREE POINT WALL MOUNT

GARED'S THREE-POINT WALL MOUNT SYSTEM provides the strongest wall mount structure available for facilities with budget constraints • Incorporates direct-goal attachment that transfers the load of heavy play through the backboard to the structure • Three point wall mount series is compatible with GARED'S complete backboard line • 4/0 upper safety chains with heavy malleable turnbuckles provide additional support • Telescopic design allows for complete adjustability and ease of installation • Structural wood mounting pads included • Mounting hardware provided by others • Board and goal are not included unless wall mount package is purchased • Height adjuster is optional.

2350 SERIES: THREE POINT STATIONARY WALL MOUNT SERIES

WEIGHT: VARIES, TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP

- Stationary non-folding unit
- Standard extension length available: 2' - 12'

FOUR POINT WALL MOUNT SERIES

GARED FOUR-POINT WALL MOUNT SYSTEMS incorporate four point attachment for backboards with 36" x 63" or 20" x 35" mounting centers, which is compatible with GARED'S complete backboard line • 4/0 upper safety chains with heavy malleable turnbuckles provide additional support • Telescopic design allows for complete adjustability and ease of installation • Structural wood mounting pads included • Mounting hardware provided by others • Board and goal are not included unless wall mount package is purchased • Height adjuster is optional.

2300 SERIES: FOUR POINT STATIONARY WALL MOUNT SERIES

WEIGHT: VARIES, TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP

- Stationary non-folding unit
- Offers the ability to mount around any obstructions
- Offers a direct goal attachment when height adjuster is purchased.
- Standard extension length available: 2'-12'
- Custom extension lengths of 13'-16' available, allow 4-6 week for delivery



2400 SERIES: FOUR POINT FOLD UP WALL MOUNT SERIES

WEIGHT: VARIES, TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP

- Stores in fold-up vertical, compact position against wall to prevent interference with other court activities.
- In play position, unit locks into stationary 4 point position.
- Includes manual winch with crank handle; electric hoist and safstop are optional.
- Offers a direct goal attachment when height adjuster is purchased.
- Standard extension length available: 4'-12'



2500 SERIES: FOUR POINT SIDE FOLD WALL MOUNT SERIES

WEIGHT: VARIES, TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP

- Stores in side fold, horizontal position against wall to prevent interference with other court activities.
- In play position, unit locks into stationary four point position.
- Includes electric hoist.
- Allow 14"-18" between wall mount in stored position and wall, depending on extension length.
- Offers a direct goal attachment when height adjuster is purchased.
- Standard extension length available: 4'-12'
- Custom extension lengths of 13'-16' available, allow 4-6 week



FIBA
EQUIPMENT
& VENUE

FIBA (Fédération Internationale de Basketball) hereby declares, by means of certification, that **WALL MOUNTED MODELS 2300-9124; 2400-9124; 2500-9124** fulfills the Competition Level II and **WALL MOUNTED MODEL S 2300; 2400 AND 2500** fulfils the Compeition Level III standards specified in the latest edition of the Equipment & Venue Approval Programme and **GARED** is therefore qualified as an **OFFICIAL TECHNICAL PARTNER**.

BUILD YOUR OWN WALL MOUNT

GARED® has made the complicated process of choosing the correct wall mount as easy as 1-2-3-4!

PART NUMBER FORMULA:

1

2

3

4

I. CHOOSE A WALL MOUNT TYPE:

2350: 3 Pt. Stationary
2300: 4 Pt. Stationary
2400: 4 Pt. Fold Up
2500: 4 Pt. Side Fold

2. CHOOSE EXTENSION LENGTH:

203: 2' to 3'
(only available for 2350 & 2300)
304: 3' to 4'
(only available for 2350 & 2300)
406: 4' to 6'
609: 6' to 9'
912: 9' to 12'

3. CHOOSE A BOARD:

0: 35" x 20" Mounting
Includes GARED® Models:
All Front Mount Fan-Shaped, Steel Rectangular & Fiberglass Rectangular Backboards

4: 63" x 36" Mounting
Includes GARED® Models:
GARED® Rectangular Glass & Wood Backboards

4. HEIGHT ADJUSTER:

A: With height adjuster

BLANK: Without height adjuster

**Please note that height adjusters are not included in the pricing of the wall mount. Only mounting kits are included.

PART NUMBER FORMULA EXAMPLE:

GARED® Part Number:

2400 - 406 0 = 4 Pt. Fold Up Wall Mount with 4' - 6' extension for a backboard with a 35" x 20" mounting, no adjust-a-goal

2400 - 406 0 A = 4 Pt. Fold Up Wall Mount with 4' - 6' extension for a backboard with a 35" x 20" mounting, with adjust-a-goal

	GLASS						WOOD	FIBERGLASS		ALUMINUM	STEEL		
0: 35" x 20" Mounting			ARG	3050RG	*FSG II			1301B	1342B	1750B	1245T	*1266B	1260B 1272B
4: 63" x 36" Mounting	LXP4200	AFRG42				BB72G50FC	1442B						

* Board cannot be used with AAG

WALL MOUNT PACKAGES

BUILD YOUR OWN WALL MOUNT COMPLETE GYMNASIUM PACKAGE

GARED® has made the process of building a wall mount package as easy as 1-2-3!



P

1

2

3

I. CHOOSE A WALL MOUNT TYPE:

2350: 3 Pt. Stationary
2300: 4 Pt. Stationary
2400: 4 Pt. Fold Up
2500: 4 Pt. Side Fold

2. CHOOSE EXTENSION LENGTH:

203: 2' to 3'
(only available for 2350 & 2300)
304: 3' to 4'
(only available for 2350 & 2300)
406: 4' to 6'
609: 6' to 9'
912: 9' to 12'

3. BACKBOARD & GOAL:

0ST: FAN-SHAPED PACKAGE
1245T Steel Fan-Shaped Backboard & 1000 Scholastic Breakaway Goal

4GL: GLASS PACKAGE
AFRG42 – 42" x 72" Aluminum Framed Glass Backboard, 2000+ Positive Lock Collegiate Breakaway Goal & PMCE Bolt-On Padding

WALL MOUNT PACKAGE PART NUMBER FORMULA EXAMPLE:

GARED® PART NUMBER:

P 2400 - 406 0ST = 4 Pt. Fold Up Wall Mount with 4' - 6' extension with 1245T backboard and 1000 rim.

P 2400 - 406 4GL = 4 Pt. Fold Up Wall Mount with 4' - 6' extension with AFRG42 backboard, 2000+ rim and PMCE bolt-on padding.



HEIGHT ADJUSTERS

Bring all ages into the game, and make your facility user friendly to even the youngest players giving them the ability to compete at heights that are fair and fun for them • Our height adjusters lower your backboards to any height between 8' and 10' • The Goal height indicator is located on the unit for accurate adjustment • All our height adjusters feature direct goal attachment to transfer any stress and load from the goal to the backstop's structure instead of depending on the backboard for support • Please note, adding GARED's height adjuster to an existing basketball structure may affect the court dimensions.

I 130: MANUAL SINGLE POST HEIGHT ADJUSTER SERIES
2 YEAR LIMITED WARRANTY,
WEIGHT: 73 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

I 170: ELECTRIC SINGLE POST HEIGHT ADJUSTER SERIES
2 YEAR LIMITED WARRANTY,
WEIGHT: 84 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

I 140: MANUAL DUAL POST HEIGHT ADJUSTER SERIES
2 YEAR LIMITED WARRANTY,
WEIGHT: 73 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

I 180: ELECTRIC DUAL POST HEIGHT ADJUSTER SERIES
2 YEAR LIMITED WARRANTY,
WEIGHT: 84 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP



I 179: MANUAL TO ELECTRIC HEIGHT ADJUSTER CONVERSION KIT

Manual height adjusters can be converted to electric by adding a motor kit. This can be done on location.



UNIQUE FEATURE

Spring activated manual locking mechanism is designed to lock the rod in place eliminating any "drifting" of the backboard height on all manual height adjusters. (Patent 8043174)

MANUAL AAG	ELECTRIC AAG	TYPE OF ATTACHMENT
I 131	I 171	Basic Adjust-A-Goal (No Mounting Brackets)
SINGLE POST BACKSTOPS		
I 132	I 172	Single Post Adjust-A-Goal for 6 5/8" Diameter Single Post for Rectangular Backboard with 63" x 36" Board Mounting; Includes Basic Adjust-A-Goal and kits I 408 & 4404
I 133	I 173	Single Post Adjust-A-Goal for 6 5/8" Diameter Single Post for Fan-Shape Backboard with 35" x 20" Board Mounting; Includes Basic Adjust-A-Goal and kits I 408 & 4405
I 134	I 174	Single Post Adjust-A-Goal for Rectangular Backboard with 63" x 36" Board Mounting, Single Post Other Than 6 5/8"; Includes Basic Adjust-A-Goal and kit 4404. Does not include AAG to Post mtg. parts. (For custom size posts)
I 135	I 175	Single Post Adjust-A-Goal for Fan-Shape Backboard with 35" x 20" Board Mounting, Single Post Other Than 6 5/8"; Includes Basic Adjust-A-Goal and kit 4405. Does not include AAG to Post mtg. parts. (For custom size posts)
DUAL POST BACKSTOPS		
I 142	I 182	Adjust-A-Goal for 3 1/2" Diameter Dual Post for Rectangular Backboard with 63" x 36" Board Mounting; Includes Basic Adjust-A-Goal and kits 2110 & 4404
I 143	I 183	Adjust-A-Goal for 3 1/2" Diameter Dual Post for Rectangular Backboard with 35" x 20" Board Mounting; Includes Basic Adjust-A-Goal and kits 2110 & 4405
I 144	I 184	Adjust-A-Goal for 2 3/8" Diameter Dual Post for Rectangular Backboard with 63" x 36" Board Mounting; Includes Basic Adjust-A-Goal and kits 2108 & 4404
I 145	I 185	Adjust-A-Goal for 2 3/8" Diameter Dual Post for Rectangular Backboard with 35" x 20" Board Mounting; Includes Basic Adjust-A-Goal and kits 2108 & 4405
WALL MOUNTED BACKSTOPS		
I 146	I 186	Adjust-A-Goal for GARED Wall Mounts for Rectangular Backboard with 63" x 36" Board Mounting; Includes Basic Adjust-A-Goal and kits 5741 & 4404
I 147	I 187	Adjust-A-Goal for GARED Wall Mounts for Rectangular Backboard with 35" x 20" Board Mounting; Includes Basic Adjust-A-Goal and kits 5742 & 4405
NON-STANDARD AND NON-SINGLE POST BACKSTOPS		
I 148	I 188	Adjust-A-Goal for Rectangular Backboard with 63" x 36" Board Mounting; Non-Standard Non-Single post; Includes Basic Adjust-A-Goal and kits 4404
I 149	I 189	Adjust-A-Goal for Fan Shape Backboard with 35" x 20" Board Mounting; Non-Standard Non-Single post; Includes Basic Adjust-A-Goal and kits 4405



I 194: ELECTRIC HOIST WITH KEY SWITCH,
5 YEAR LIMITED WARRANTY, WEIGHT: 73 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

I 197: ELECTRIC HOIST WITH WIRELESS REMOTE RECEIVER, 5 YEAR LIMITED WARRANTY
WEIGHT: 77 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

THE MANUAL WINCH is engineered and built for high strength and durability for those facilities on a budget • The I123 Manual Winch is cast, built, and tested to meet the increased needs of your gym • Heavy-duty Capacity for 1,000 lb loads • Grooved Drum for accurate winding, with a constant pressure roller preventing the cable from climbing the drum ends • Efficient 40:1 Worm gear ratio • Precision Thrust Bearings provide smooth operation under load • Maintenance-free Gear Case that offers a lifetime of lifting with the hassle • Optimized Cable Routing close to the wall to reduce stress to the winch mounts during use to ensure a long and safe cable life • Supplied with wood buck for mounting to wall and removable handle for operation.

- Precision interlocking steel frame for rigidity and precise alignment
- Semi-enclosed, self lubricating worm gear with load rating of 1000 lbs.
- Grooved drum, for accurate winding, with a constant pressure roller preventing the cable from climbing the drum ends
- Braking is provided by double self-locking worm gearing with a passive uni-directional brake
- Winch is supplied with a cover and mounted directly to the wall
- Winch is supplied with a removable handle with a free turning sleeve that provides an easy, no friction grip

I 123: MANUAL WINCH
2 YEAR LIMITED WARRANTY, WEIGHT: 36 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP



The **SAFSTOP SAFETY LOCKING STRAP** is the industry standard for overhead gymnasium safety


- Protect your facility with a tested product designed to catch a backstop in the slight chance of winch or cable failure.
- The Safstop Safety Strap is uniquely manufactured using a multi-pawl design with inertia plate to promote safety in your gymnasium
- Attaches to a fixed position on your ceiling or wall mounted backstops to prevent the apparatus from falling if the unit should fail
- Universal mounting clamp allows for installation parallel or 90 degrees to the backboard
- Positive locking steel pawls simultaneously engage the teeth in the all-steel plate housing

I 100: SAFSTOP SAFETY LOCKING STRAP
10 YEAR LIMITED WARRANTY, WEIGHT: 20 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP



The **PORTABLE ELECTRIC WINCH WINDER** is the most economic means to power all up fold backstops with manual winches installed • Buy only one portable winch winder and use it for any number of backstops • Features reversing switch enabling the backstop to be raised or lowered without disengaging winder • Geometric right angle drive allows for easy handling • Winch winder has heavy-duty single-phase 115-volt motor.

I 119: PORTABLE ELECTRIC WINCH WINDER
1 YEAR LIMITED WARRANTY, WEIGHT: 26 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP




When it comes to maximizing your gym space no one does it better than GARED! Keeping with our history of innovation and expanding customer choice we are adding to our already vast lineup of **GYM DIVIDER CURTAINS**, the **4050 CENTER-DRIVE CURTAIN SYSTEM**! The Center Drive offers the same great features of our Top Roll Curtain such as maximum clearance when in the stored position, operation without belts, cables, or exposed wires, guide systems but goes a step further by eliminating the need for large rollers which require extensive overhead structure attachment • Our Center Drive is a unique design that uses internal tubular motors and a counterweight that eliminates the need for costly extension arms with straps connected at the upper structure to resist the torque of the motor • **GARED'S CENTER DRIVE** also utilizes a larger drive tube raising and lowering the curtain 25% faster than the competition • Whether it's speed, clearance, or aesthetics you're looking for the **CENTER DRIVE** has it all!

FEATURES:


MATERIAL-LOWER half can be either 19 or 22 oz polyester reinforced, fire retardant and mildew resistant vinyl fabric • Seams are electronically welded with a full contact weld • A padded pocket is formed in bottom edge of curtain to accommodate a 1.9" O.D • bottom batten while a similar pocket of vinyl or mesh houses the top batten of the same size • Upper half of curtain shall be 9 oz • vinyl coated polyester mesh •

DRIVE STRUCTURE: Depending on the curtain size, it is operated by one or two internal tubular motors (120 volt, 60 hertz, single phase) • Each motor has a max torque of 700 inch pounds with a speed of 14 rpm • Each motor is equipped with integral up and down limit switches with locking push buttons and electromagnetic disk brakes for smooth and accurate stop without slippage and allows full braking power in the event of power failure • Drive tube is 4" O.D • and is affixed in center of curtain allowing for increased speed of operation.



INTERNAL MOTOR SYSTEM

- Clean look with no wires or cables exposed
- Internal driveshaft motors enable lower power requirement and lower torque to move with similar speed as standard external motors
- Standard motors pull 15 amps, ours only 3.5 amps
- Internal motors allow for larger variation of building configurations with space constraints
- Used on Models 4050, 4040XL



TORQUE COUNTER WEIGHT

GARED's Torque Counter-Weight feature is new technology which does not require any connection to the structure to resist the torque of the motors providing a much cleaner and less complicated installation than the competition • Once positioned in the drive tube and attached to the motor, no belts, structure attachments, or further adjustment are required.



The **4020 FOLD-UP GYM CURTAIN** is the most cost effective solution in the market. The fold up divider curtain offers a great solution for dividing your space for better utilization by providing years of worry free service.

FEATURES:

- Easy installation
- 1HP electric operation – key switch, key pad, wireless remote
- Independent cast aluminum drums - easily adjustable
- 19oz. or 20 oz. Vinyl lower section and 9oz. Vinyl coated mesh upper section with welded seams and fully padded batten – no exposed hardware
- 2 3/8" Diameter Centerline continuous drive shaft for even curtain balance and load distribution
- Straight or curve design available
- Curtain Lock safety device locks drive shaft if speed exceeds 1-1/2" per second.





1108 CURTAIN LOCK



4020R RADIUS FOLD-UP CURTAIN


The 4040XL TOP ROLL GYM DIVIDER CURTAIN

provides a solution for those facilities with height clearance issues – This low profile divider curtain is designed to operate without belts, cables, exposed wires or guide systems. Fabric rolls within 13.5" of ceiling overhead for maximum clearance • Innovative and extremely quiet internal tubular motor with all electrical components neatly packaged inside the drive tube. • Newly designed expandable roller system • Larger drive tube with vented ends for cooling of the motors • 19oz. or 22oz. Vinyl lower section and 9 oz. vinyl coated mesh upper section • Curtain has welded seams, fully padded bottom batten, no exposed hardware • Mounting assemblies allow for easy installation and leveling.



INTERNAL MOTOR SYSTEM

- Clean look with no wires or cables exposed
- Internal driveshaft motors enable lower power requirement and lower torque to move with similar speed as standard external motors
- Standard motors pull 15 amps, ours only 3.5 amps
- Internal motors allow for larger variation of building configurations with space constraints
- Used on Models 4050, 4040XL



DESIGNED CARRIER SYSTEM

Increased diameter aluminum drive pipe for speeding up the roll time and prolonging the vinyl life

- New ball bearing roller assembly designed with longer rollers to distribute the vinyl load, reducing stress on the material
- Hardened steel rollers eliminate dirt buildup and tracking marks on vinyl that wood or rubber rollers create
- 13.5" compact profile for height clearance issues

4030 ROLL-UP CURTAIN

The roll-up divider curtain features the automatic operation of a fold-up curtain without the cables.

FEATURES:

- Curtain rolls on the 3 1/2" diameter bottom batten for a smooth wrinkle free surface when rolled and stored
- Curtain is driven with 4" wide black polyester webbing
- Compact 24" clearance in stored position
- Curtain Lock safety device locks drive shaft if speed exceeds 1-1/2" per second.



1108 CURTAIN LOCK



4025 PEAK-FOLD CURTAIN

Precision designed to fold to exact ceiling contour of most buildings. When sloped ceilings require creative use of space, the peak-fold curtain is the best solution. This precision designed curtain folds to the exact contour of nearly any ceiling slope.

FEATURES:

- Equipped with 1/8" cables, spaced not more than 10' apart, ending in individual hoist drums
- Custom engineered variable diameter cable drums match individual cable travel to the ceiling slope
- Hoist driven by 1HP, 115 V AC gear motor with overload thermal protection, single-keyed toggle key switch
- No exposed hardware



4013 WALK-DRAW CURTAIN

Economically functional. This convenient track-style curtain offers an economical answer to your space dividing needs.

FEATURES:

- Easy installation
- Manual operation with 1 7/16" wide enclosed galvanized steel track
- Carriers spaced no more than 12" apart with 1" diameter polyurethane wheels
- Can be stored flat against a wall or in small corners of a facility



Customize your divider with school pride by adding a GARED's customized **GRAPHIC** option.

GRAPHIC: ADD GRAPHICS TO DIVIDER CURTAIN ORDER



PLAYRX™ GYMNASIUM DIVIDER CURTAIN PRODUCT GUIDE

MODEL NUMBER	MODEL 4050	MODEL 4040 XL	MODEL 4020	MODEL 4030	MODEL 4025	MODEL 4013
STRUCTURE						
DESIGN APPLICATION	Great for all facilities and especially for those with limited clearance height over volleyball courts	Great for all facilities and especially for those with limited clearance height.	Great for all facilities, especially for those not concerned with clearance height issues.	Great for all facilities, especially for those with limited clearance height.	Great for Facilities with pitched or sloped roof structure	Great for facilities with wall space for stacking curtain when opened
RECOMMENDED HEIGHT:	20' to 40'	15' to 36'	15' to 60'	15' to 30'	3:12 pitch or under	10' to 30'
RECOMMENDED WIDTH:	20' to 120'	20' to 130'	20' to 130'	20' to 120'	40' to 120'	10' to 80'
PLEASE NOTE: MAXIMUM CURTAIN WIDTH AND HEIGHT IS DETERMINED BY THE WEIGHT OF THE STRUCTURE. ALL CURTAIN DESIRED DIMENSIONS SHOULD BE SENT TO GARED FOR APPROVAL PRIOR TO SPECIFICATION CONSTRUCTION.						
STORAGE DIMENSION:	14"	13.5"	48" (Varies)	36"	48" (Varies)	10% of (Curtain Width + 10%)
AVERAGE RUN SPEED:	36 ft per min	18.4 ft per min	6.9 ft per min	8.3 ft per min	18.1 ft per min	N/A
STORAGE TYPE	Roll Up	Roll Up	Curtain Stack	Roll Up	Curtain Stack	Wall Stack
DESIGN FEATURE	No Cables, Belts, Or Rollers, Speed	No Cables Or Belts	Cable Pull	Belt Pull	Stacks Level With Roof	
COST	\$\$\$\$	\$\$\$	\$\$	\$\$	\$\$\$\$	\$

STANDARD CURTAIN VINYL COLORS


19 OZ. VINYL COLORS									
MARINE	ROYAL	YELLOW	KELLY	ORANGE	NAVY	FOREST	PURPLE	RED	BURGUNDY
WHITE	BEIGE	BLACK	GREY						

22 OZ VINYL COLORS			9OZ. MESH COLORS						
ROYAL	RED	GREY	WHITE	YELLOW	GREEN	RED	BLUE	BLACK	GREY


MAT CARRIER SYSTEMS



The stationary **MODEL 4090/4091 MAT STORAGE SYSTEM** easily stores 1 or 2 mats at ceiling level • Optional sling configurations will store one 42' to 45' mat in a single sling, two 42' mats in one large single sling or two 42' mats in two individual slings, stacked either vertically or horizontally • Operated by 2 horsepower, 208/220 volt, 60 cycle, single or three phase or 460/480V 3-phase instant reverse motors • Features 50-l industrial C-face inline helical gear speed reducer and a 20 ft./lbs electric brake • Please specify voltage, phase, and sling type.




The traveling **MODEL 4095 MAT CARRIER SYSTEM** offers all of the same features as our standard system, but with the advantage of mobility • Allows mats to be raised and transported for ceiling level storage or transported to and from balcony or second level storage areas • Optional sling configurations same as stationary model, plus the ability to transport three 14' x 42' mat sections in an oversize single sling.



The Model **4080 MULTI SPORT CAGES** and **MODEL 4081 BATTING CAGES** are electrically operated practice cages that conveniently suspend from the ceiling structure • Offered in standard sizes listed below, custom sizes are available to fit your facility needs • Drive shaft raises and lowers system powered by our curtain hoist • Square mesh with Velcro® corners on sidewall to be raised for entry and exit on all multi-sport nets • Standard net color is black. Radius pipe on top of the net is custom.

4080-70 MULTI SPORT CAGE 10'H X 12'W X 70'L
4087 NET: 12'H X 12'W X 70'L - 3/4" SQUARE MESH - BLACK
4081-70 BATTING CAGE 10'H X 12'W X 70'L
4089 NET: 12'H X 12'W X 70'L - 1 3/4" SQUARE MESH - BLACK

4080-55 MULTI SPORT CAGE 10'H X 12'W X 55'L
4086 NET: 12'H X 12'W X 55'L - 3/4" SQUARE MESH - BLACK
4081-55 BATTING CAGE 10'H X 12'W X 55'L
4088 NET: 12'H X 12'W X 55'L - 1 3/4" SQUARE MESH - BLACK



TAKE ADVANTAGE OF THE MOST ADVANCED GROUP CONTROLLERS IN THE MARKET.

Operate your equipment individually, in pairs, or groups. Set the desired height on your electric height adjuster between 8' & 10'.

TSC MODEL	2000	2000X	2000XL
Key Pad Programmable	X	X	
Touch Screen Programmable			X
Multiple Level Password Control Protection	X	X	X
Operate Individually	X	X	X
Operate in Pairs or in Groups	X	X	X
Low Voltage Wiring from Relay Panel to Key Pad	X	X	X
Self Diagnostic with Screen Readout	X	X	X
Soft Interlocks permit Sequential Operation	X	X	X
Operate Auxiliary Devices, Lighting, Scoreboards, Bleachers, etc.	X	X	X
Interactive Diagnostics w/Instant Feedback & Repair Information	X	X	X
In Field Upgrade Capability (Compact Flash Card)	X	X	X
Full Color Interactive LCD Touch Display			X
Control Box Secondary Operation Available	X	X	X
Protective Cover Available	X	X	X
On Screen Instructions	X	X	X
Event Log	X	X	X



Our **WALL PADDING** provides the ultimate protection against minor impact or contact with the walls, beams, or columns. A must behind basketball backstops, in wrestling rooms, or workout areas. Our specifications meet and/or exceed the industry safety standards.

MODEL	SIZE	TYPE	WT	U/M	FOAM
4110-STD	2' x 6' x 2"	STANDARD	25	EA	POLYURETHANE
4115-STD	2' x 6' x 2"	STANDARD	25	EA	POLY/VONAR®
4120-STD	2' x 6' x 2"	STANDARD	30	EA	BONDED
4125-STD	2' x 6' x 2"	STANDARD	30	EA	BONDED/VONAR®
4130-STD	2' x 6' x 2"	STANDARD	27	EA	NEOPRENE
4606-STD	8" x 6' x 2"	"I" BEAM	26	EA	POLYURETHANE
4608-STD	8" x 6' x 2"	"I" BEAM	26	EA	BONDED
4210-STD	10" x 6' x 2"	"I" BEAM	27	EA	POLYURETHANE
4610-STD	10" x 6' x 2"	"I" BEAM	27	EA	BONDED
4310-STD	6" x 6" x 6' x 2"	CORNER PAD	20	EA	POLYURETHANE
4315-STD	6" x 6" x 6' x 2"	CORNER PAD	20	EA	POLY/VONAR®
4320-STD	6" x 6" x 6' x 2"	CORNER PAD	20	EA	BONDED
4325-STD	6" x 6" x 6' x 2"	CORNER PAD	20	EA	BONDED/VONAR®
4330-STD	6" x 6" x 6' x 2"	CORNER PAD	20	EA	NEOPRENE
4510-NSD	SPECIFY	COLUMN PAD	VAR	EA	POLYURETHANE
4515-NSD	SPECIFY	COLUMN PAD	VAR	EA	POLY/VONAR®
4520-NSD	SPECIFY	COLUMN PAD	VAR	EA	BONDED
4525-NSD	SPECIFY	COLUMN PAD	VAR	EA	BONDED/VONAR®
4530-NSD	SPECIFY	COLUMN PAD	VAR	EA	NEOPRENE
GRAPHICS	SPECIFY	SPECIFY	VAR	EA	SPECIFY



EASY MOUNT OPTIONS:
4196: "Z" Clip – model
4195: "J" Channel – model
4199: Velcro® Attachment

FOAM OPTIONS:
4110: 2" Polyurethane
4120: 2" Bonded Foam
4130: 2" Neoprene Class "A" Foam



Want to pad your wall but still need access to outlets or other obstructions? GARED offers an extensive line up of **CUT OUT KITS** to make padding around obstructions a breeze!

4701-MOLDED SINGLE OUTLET CUT OUT KIT, 24 PCS PER KIT
4702 MOLDED DOUBLE OUTLET CUT OUT KIT, 12 PCS PER KIT
4700-UNV-CUSTOM CUT OUT KIT, 63" LONG X 1'-1" WIDE PIECE OF BEADED EDGE 14 OZ VINYL, VINYL ADHESIVE NOT INCLUDED



DON'T LOSE TRACK OF GAME ACTION WITH GARED'S NEW LINE OF INDOOR ALPHATEC™ SCOREBOARDS. For competitive sports programs, reliable scoring is an absolute necessity. That's why GARED is proud to expand our line of elite sports equipment to include state-of-the-art scoreboards and accessories, engineered and manufactured with the same level of quality and precision that you've come to expect from GARED for the past 80 years. With our heavy-duty steel cabinets, premium powdercoat finish, and brilliant led displays rated at 100,000 hours, your facility will enjoy maintenance-free scoring for years to come! GARED is truly your one-stop source for all the sports equipment you need to play and score your favorite games!

Complete your arena with our top-of-the-line **FOUR-SIDED BASKETBALL AND HOCKEY SCOREBOARDS** • Cabinet constructed of 22-gauge galvaneal steel with superior powdercoat finish for maximum protection in demanding athletic environments • Standard powdercoat colors are royal blue, navy blue, green, purple, red, maroon, and black • Brilliant LED digits are 15" and 7" tall in red, amber, and green • May be mounted on wall or suspended from ceiling • Scoreboard package for cable models includes hand-held controller with operator's keyboard, loud buzzer horn, junction box cover, signal cable, and control cable • Electrical requirements: 20-amp, 120-volt, 60-hertz, grounded AC • INDOOR USE ONLY.

GS-272: 14' X 7' FOUR-SIDED BASKETBALL SCOREBOARD

5-YEAR WARRANTY, WEIGHT: 3200 LBS, TRUCK, FREIGHT CLASS 85
Dimensions: 14' 2" L x 6' 6" W (per each side) • Will score basketball, volleyball, wrestling (optional conversion kits needed).

GS-190: 14' X 6' FOUR-SIDED HOCKEY SCOREBOARD

5-YEAR WARRANTY, WEIGHT: 3000 LBS, TRUCK, FREIGHT CLASS 85
Dimensions: 14' 2" L x 6' 6" W (per each side) • Will score hockey only.



GS-255

GS-255: 12' BASKETBALL SCOREBOARD

5-YEAR WARRANTY, WEIGHT: 450 LBS, TRUCK, FREIGHT CLASS 85
• Dimensions: 12' L x 5' W x 8" D
• Will score basketball, volleyball, wrestling (optional conversion kits needed).

GS-234: 9' BASKETBALL SCOREBOARD

5-YEAR WARRANTY, WEIGHT: 250 LBS, TRUCK, FREIGHT CLASS 85
• Dimensions: 9' L x 5' W x 8" D
• Will score basketball, volleyball, wrestling (optional conversion kits needed).

GS-231: 9' BASKETBALL SCOREBOARD

5-YEAR WARRANTY, WEIGHT: 220 LBS, TRUCK, FREIGHT CLASS 85
• Dimensions: 9' L x 3' W x 8" D
• Will score basketball, volleyball, wrestling (NO conversion kits needed).




GS-231

GS-220: 7' BASKETBALL SCOREBOARD

5-YEAR WARRANTY, WEIGHT: 200 LBS, TRUCK, FREIGHT CLASS 85
• Dimensions: 7' L x 3' 6" W x 8" D
• Will score basketball, volleyball, wrestling (NO conversion kits needed)



GS-220



GS-272

GS-190

Choose one of our deluxe **7' – 12' BASKETBALL SCOREBOARDS** for all your scoring needs • 22-gauge galvaneal steel cabinet covered with premium powdercoat finish for lasting durability • Standard powdercoat colors are royal blue, navy blue, green, purple, red, maroon, and black • Brilliant LED digits are 15" and 9" tall in red, amber, and green • May be mounted on wall or suspended from ceiling • Scoreboard package for cable models includes hand-held controller with operator's keyboard, loud buzzer horn, junction box cover, signal cable, and control cable • Electrical requirements: 20-amp, 120-volt, 60-hertz, grounded AC • INDOOR USE ONLY.



GS-234

ALPHATEC™ PORTABLE AND SMALL-SIZE BASKETBALL SCOREBOARDS

Our portable basketball scoreboards provide convenient scoring for budget-conscious facilities or programs on the go • These models are lightweight and versatile, making them perfect for any size organization • Will score basketball, volleyball, and wrestling without the need for conversion kits • All models available in black only • Scoreboard package for cable models includes controller with operator's keyboard, loud buzzer horn, and control cable • Model GS-LED4 has keyboard on backside of the unit • Electrical requirements: Wall transformer Input – 120 volts AC; Output – 10 volts AC.

GS-SK2: 52" X 28" PORTABLE BASKETBALL SCOREBOARD

2-YEAR WARRANTY, WEIGHT: 45 LBS, GROUND COURIER SERVICE
Dimensions: 52" L x 28" W x 8" D • 22-gauge galvaneal steel construction (black only) • 9" and 6" tall digits in red.

GS-LED4: 22" X 15" PORTABLE BASKETBALL SCOREBOARD WITH BACKSIDE CONTROLLER

1-YEAR WARRANTY, WEIGHT: 15 LBS, GROUND COURIER SERVICE
Dimensions: 22" L x 15" W x 8" D • Constructed of heavy-duty plastic (black only) • 4" tall digits in red, amber, and green • Includes controller with operator's keyboard on backside of the unit.

GS-207: 4' WALL MOUNT BASKETBALL SCOREBOARD,

2-YEAR WARRANTY, WEIGHT: 20 LBS, GROUND COURIER SERVICE
Dimensions: 4' L x 2' W x 4" D • Constructed of heavy-duty plastic (black only) • 6" tall digits in red, amber, and green.



GS-SK2



GS-207



GS-LED4 FRONT



GS-LED4 BACK

ALPHATEC™ GAME TIMERS AND SHOT CLOCKS



GS-700

GS-700: DELAY OF GAME CLOCKS,

5-YEAR WARRANTY, WEIGHT: 170 LBS, TRUCK, FREIGHT CLASS 85
Dimensions: 4' L x 4' W x 8" D (each clock) • 22-gauge galvaneal steel construction (black only) • 26" tall digits in red • Set includes two clocks and control console.

Allows the operator to easily change the timer configuration for consecutive drills and varying drill times, making it extremely versatile for countless practice styles and session lengths • Dimensions: 52" L x 28" W x 4" D • Includes a handle for convenient transport • Outer cabinet constructed of 22-gauge galvaneal steel with powdercoat finish (available in black only) • Brilliant LED digits are 13" tall in red • Timer includes controller with control cable and 25' extension cable, loud horn, 110 volt AC power cord, and controller inserts.

GS-FB15: PRACTICE SEGMENT TIMER

2-YEAR WARRANTY, WEIGHT: 45 LBS, GROUND COURIER SERVICE



GS-FB15

REVIEW GARED'S FULL LINE OF INDOOR/OUTDOOR ALPHATEC SCOREBOARDS ONLINE AT WWW.GAREDSPORTS.COM!



BASKETBALL EQUIPMENT

At GARED, we love basketball. No one knows basketball better than us. For almost a century, our dedication to the sport keeps us constantly innovating and improving our equipment - for the safety of the players, and to better the game itself. So it's no surprise that we have the most comprehensive selection of basketball equipment and accessories in the industry – for every budget, skill level, and play setting! With GARED being the undisputed leader in the design and manufacturer of elite basketball products for over 80 years, you can trust that our basketball backboards, rims, padding, and training aids are the strongest and most dependable on the market today. Check us out, and see why thousands of satisfied customers choose GARED for all of their basketball needs!

WHY BUY GARED?

HOT NEW PRODUCTS YOU'RE LOOKING FOR!

We now carry deluxe LED lights for your competition backboard! Our LEDs are priced competitively, easy to install, and are a great looking addition to your basketball system!

COUNT ON OUR TRUSTED NAME AND REPUTATION!

GARED has been proudly leading the way in the innovation, design, and manufacture of superior basketball equipment for schools, arenas, parks, playgrounds, churches, and recreational facilities for over 80 years!

RUGGED EQUIPMENT FOR THE MOST DEMANDING ATHLETES!

From the steel frames and shatterproof glass used in our competition backboards to the unyielding welded steel rings and sophisticated breakaway mechanisms in our rims, GARED guarantees that you are purchasing the strongest basketball equipment in the industry!

EQUIPMENT FOR EVERY PLAY ENVIRONMENT!

We offer a huge assortment of basketball equipment for every type of athlete and sports facility, from recreational play and outdoor playground courts to professional arena competition!



WHEN CHOOSING THE RIGHT GLASS BACKBOARD FOR YOUR FACILITY, CHOOSE GARED®. OUR LINE FEATURES THE MOST COMPREHENSIVE OPTIONS FOR EVERY PLAY ENVIRONMENT. NOT ALL GLASS BACKBOARDS ARE CREATED EQUALLY, WHICH IS WHY ALL INDOOR GARED® GLASS BACKBOARDS FEATURE 1/2" TEMPERED GLASS, FIRED- IN TARGET AND BORDER AND 'MADE IN THE USA' STAMP OF APPROVAL. REGARDLESS OF SIZE, SHAPE, FRAME TYPE OR APPLICATION - WE CAN ENSURE THAT YOU WILL BE CREATING PREMIUM LEVEL OF PLAY. WHEN PAIRING GLASS BACKBOARDS AND RIMS, GARED® RECOMMENDS THAT YOU CHOOSE ONE OF OUR UNIVERSALLY COMPATIBLE BREAKAWAY RIMS TO PROTECT THE LIFE OF YOUR BACKBOARD.

STEEL FRAMED GLASS BACKBOARDS

Why is Steel different from Aluminum? Steel's inherent qualities of strength and durability create the ultimate support structure for the tempered glass. While most aluminum framed boards fail at about 700 lbs of pressure - **GARED® STEEL FRAME REGULATION BACKBOARDS** can withstand in excess of 1100 lbs of direct force. Additionally, the steel frames are powder-coated to prevent oxidation and increase the board's longevity. Our steel framed line includes regulation 42 x 72, tall 48 x 72, and a conversion 42 x 72. All backboard meet NCAA, NAIA & NFHS specifications. **GARED'S LIMITED LIFETIME & 10 YEAR WARRANTIES** cover all steel-framed glass backboards.



ARG


LXP4200: 42" X 72" REGULATION OR SHORT STEEL FRAMED GLASS BACKBOARD, LIMITED LIFETIME WARRANTY, 4" X 5" HOLE SPACING, WEIGHT: 201 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

LXP4200CD: 42" X 72" REGULATION STEEL FRAMED GLASS BACKBOARD WITH GLASS RETENTION SYSTEM, LIMITED LIFETIME WARRANTY, 4" X 5" HOLE SPACING, WEIGHT: 201 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

LXP4200LED: 42" X 72" REGULATION SHORT STEEL FRAMED GLASS BACKBOARD, LIMITED LIFETIME WARRANTY, SAME AS LXP4200 WITH OUR PERIMETER LED LIGHT SYSTEM, LIMITED LIFETIME WARRANTY ON GLASS BACKBOARD ONLY, 4" X 5" HOLE SPACING, WEIGHT: 218 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

RG: 48" X 72" TALL STEEL FRAMED GLASS BACKBOARD, LIMITED LIFETIME WARRANTY 5" X 5" HOLE SPACING, WEIGHT: 218 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

ARG: 42" X 72" CONVERSION STEEL FRAMED BACKBOARD, LIMITED LIFETIME WARRANTY 4" X 5" HOLE SPACING, WEIGHT: 220 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP



LXP4200

ALUMINUM FRAMED GLASS BACKBOARDS

Exceeding our competitor's aluminum framed board 650 lb pressure breaking point - **GARED'S ALUMINUM FRAMED BACKBOARD SERIES** is the strongest in the industry and relieves the worries of rusting. In addition, GARED'S elite aluminum OuterLimit Pro backboards have never broken - even under the pressure of two decades of play in NBA arenas. Our aluminum framed line includes regulation and pro level 42" x 72" and 48" x 72" backboards. All backboards meet NCAA, NAIA & NFHS specifications. **GARED'S LIMITED LIFETIME & 10 YEAR WARRANTIES** cover all aluminum-framed glass backboards.


AFRG42: 42" X 72" REGULATION ALUMINUM FRAMED GLASS BACKBOARD, LIMITED LIFETIME WARRANTY, 4" X 5" HOLE SPACING, WEIGHT: 184 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

AFRG42E: 42" X 72" REGULATION ECONOMY ALUMINUM FRAMED GLASS BACKBOARD, 10 YEAR LIMITED WARRANTY, 4" X 5" HOLE SPACING, WEIGHT: 201 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

AFRG42CD: 42" X 72" REGULATION ALUMINUM FRAMED GLASS BACKBOARD WITH GLASS RETENTION SYSTEM, LIMITED LIFETIME WARRANTY, 4" X 5" HOLE SPACING, WEIGHT: 184 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

AFRG42LED: 42" X 72" REGULATION ALUMINUM FRAMED GLASS BACKBOARD, LIMITED LIFETIME WARRANTY SAME AS AFRG42 WITH OUR PERIMETER LED LIGHT SYSTEM, LIMITED LIFETIME WARRANTY ON GLASS BACKBOARD ONLY

AFRG48: 48" X 72" REGULATION ALUMINUM FRAMED GLASS BACKBOARD, LIMITED LIFETIME WARRANTY 5" X 5" HOLE SPACING, WEIGHT: 184 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP



3010RG

3010RG: 42" X 72" PRO OUTERLIMIT™ ALUMINUM UNI-FRAMED GLASS BACKBOARD WITH CENTER STRUT, UNCONDITIONAL LIFETIME WARRANTY, 4 1/2" X 5" HOLE SPACING, WEIGHT: 210 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP



3011RG

3011RG: 42" X 72" PRO OUTERLIMIT™ ALUMINUM UNI-FRAMED GLASS BACKBOARD WITHOUT CENTER STRUT, UNCONDITIONAL LIFETIME WARRANTY, 4 1/2" X 5" HOLE SPACING, WEIGHT: 200 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

GLASS RETENTION SYSTEM




FACTORY INSTALLED GLASS RETENTION SYSTEMS

We offer the largest and most complete family of regulation size glass backboards utilizing the GARED® Glass Retention System. This remarkable application greatly reduces the dangerous shower of glass pieces typical when backboards shatter – and greatly reduces the chance of injury to players, spectators, coaches and officials.

Our Glass Retention System is as simple as it is effective: A clear polymer laminate is applied to the backside of the backboard and does not affect play in any way. Purchase new boards with the Glass Retention System factory installed – **LXP4200CD & AFRG42CD**.

EVEN THE BEST-MANUFACTURED GLASS BACKBOARDS WILL BREAK OCCASIONALLY – USUALLY BECAUSE OF ABUSE, VANDALISM OR IMPROPER INSTALLATION.

PERIMETER LED LIGHT SYSTEM



2137 INSTALLED

LED INTENSITY

2137 KIT

2137: BUZZER BEATER™ PERIMETER LED LIGHT KIT
The **GARED® BUZZER BEATER™ PERIMETER LED LIGHT STRIPS**, neatly housed inside custom PVC extrusions, are cleanly interconnected to eliminate the clutter usually found in competitors' systems • Affixed to the outermost part of the back of the glass backboard, the LED lights are easily seen without blocking the view from behind the glass or interfering with the play • They comply with the most recent recommendations from FIBA, NCCA and NBA • The kit includes LED light strips, adapter cable and 120 or 220 Volt AC power supply with 24 Volt AC output • The lights are turned on and off from a signal sent from the shot clock and scoreboard • Please specify shot clock and score board manufacturer and model number • Purchase new board with the perimeter LED lights factory installed – **LXP4200LED & AFRG42LED**. Please mention shot clock model and manufacturer when ordering **PERIMETER BUZZER BEATER™ LED LIGHT LIGHT KIT**.

2137: PERIMETER BUZZER BEATER™ LED LIGHT KIT
1 YEAR LIMITED WARRANTY
WEIGHT: 14 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

GYMNASIUM BACKBOARD EASY BUY PACKAGES

Are you trying to match your level of play with the right equipment? Gared® has put together the top selling **INDOOR GYMNASIUM PACKAGES** configurations to make the right choice an easy one. All configurations meet NCAA, NAIA & NFHS specifications.



PKAFR40PMLED: BUZZER BEATER™ GYMNASIUM PACKAGE
WEIGHT: 220 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP
• Ideal for regulation play with highly skilled players
• LED Perimeter Lighting System
• AFRG42: 42" x 72" Regulation Aluminum Framed Glass Backboard
• 4000+ Multi-Directional Rim
• PMCE: Bolt-On Pro-Mold® Backboard Padding



PKLXP20PM : COLLEGIATE GYMNASIUM PACKAGE
WEIGHT: 236 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP
• Ideal for heavy duty, unsupervised play
• LXP4200: 42" x 72" Regulation Steel-Framed Glass Backboard
• Collegiate 2000+ Breakaway Rim
• PMCE: Bolt-On Pro-Mold® Backboard Padding



PKLXP10PS : BUDGET GYMNASIUM PACKAGE
WEIGHT: 236 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP
• Ideal for heavy duty, unsupervised play
• LXP4200E: 42" x 72" Regulation Steel-Framed Glass Backboard
• Scholastic 1000 Flex Breakaway Rim
• PSCE: Grey Stick-On Backboard Padding



PKAFR30PM: MASTER GYMNASIUM PACKAGE
WEIGHT: 220 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP
• Ideal for regulation play with highly skilled players
• AFRG42: 42" x 72" Regulation Aluminum Framed Glass Backboard
• Master 3000® Breakaway Rim
• PMCE: Bolt-On Pro-Mold® Backboard Padding



PKRG20PM: SCHOLASTIC GYMNASIUM PACKAGE
WEIGHT: 253 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP
• Traditional tall board package
• Ideal for heavy duty, unsupervised play
• RG: 48" x 72" Steel-Framed Glass Backboard
• Collegiate 2000+ Breakaway Rim
• PMCE: Bolt-On Pro-Mold® Backboard Padding



PK305010PM: CONVERSION GYMNASIUM PACKAGE
WEIGHT: 205 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP
• Ideal for side-court play
• 3050RG: 42" x 54" Auxiliary Glass Backboard
• Scholastic 1000 Breakaway Rim
• PSCE: Grey Stick-On Backboard Padding

SPECIALTY GLASS

Interested in updating your side courts? Love the play of glass, but don't have room for a 42" x 72" backboard structures won't support the weight of a tall or short glass board? Gared® offers a **RECTANGULAR AND FAN-SHAPED GLASS** alternative. Using the same quality of glass as our competition line of product, our special glass backboard line will fit your side court needs. Each backboard features steel frame to provide optimal strength and 20" x 35" mounting patterns. *GARED'S LIMITED LIFETIME WARRANTY COVERS ALL SPECIALTY GLASS BACKBOARDS.*



3050RG: 42" X 54" AUXILIARY RECTANGULAR GLASS SIDE COURT BACKBOARD,
LIMITED LIFETIME WARRANTY, 4" X 5" HOLE SPACING,
WEIGHT: 175 LBS,TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

3050: 42" X 54" RECTANGULAR GLASS BACKBOARD WITH CORNER BRACKETS WITHOUT STRUTS,
LIMITED LIFETIME WARRANTY, 4" X 5" HOLE SPACING,
WEIGHT: 168 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP



FSGII: 39" X 54" AUXILIARY FAN-SHAPE GLASS BACKBOARD,
LIMITED LIFETIME WARRANTY, 4" X 5" HOLE SPACING,
WEIGHT: 109 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

OUTDOOR GLASS BACKBOARDS

SHATTER-RESISTANT OUTDOOR GLASS BACKBOARDS designed especially for playgrounds and residential systems • Comprised of 1/2" thick tempered glass permanently attached to a 3/4" x 1 1/2" welded steel tubular frame • 60" models are comprised of 3/8" thick tempered glass • Designed to allow for direct mounting with integral holes to permanently attach board to post and allow for goal replacement without removing board • Compatible Mounting: Gooseneck & Straight-Arm Posts, Endurance Playground Systems • Recommended Rims: 4000+, 3000, 2500, 2000+, 1000, 726, 5500 • For indoor or outdoor use.



BB72G50HH: 42" X 72" OUTDOOR GLASS RECTANGULAR BACKBOARD,
2 YEAR LIMITED WARRANTY, 5" X 5" HOLE SPACING,
WEIGHT: 195 LBS, TRUCK, FREIGHT CLASS 85, 24-HOUR SHIP
• 42" x 72" x 1/2" Glass Backboard
• Clear View Design

BB60G38HH: 42" X 60" OUTDOOR GLASS RECTANGULAR BACKBOARD,
2 YEAR LIMITED WARRANTY, 5" X 5" HOLE SPACING,
WEIGHT: 195 LBS, TRUCK, FREIGHT CLASS 85, 24-HOUR SHIP
• 42" x 60" x 3/8" Glass Backboard
• Clear View Design



BB72G50: 42" X 72" OUTDOOR GLASS RECTANGULAR BACKBOARD,
2 YEAR LIMITED WARRANTY, 5" X 5" HOLE SPACING,
WEIGHT: 195 LBS, TRUCK, FREIGHT CLASS 85, 24-HOUR SHIP
• 42" x 72" x 1/2" Glass Backboard
• Struted Design

BB60G38: 42" X 60" OUTDOOR GLASS RECTANGULAR BACKBOARD,
2 YEAR LIMITED WARRANTY, 5" X 5" HOLE SPACING,
WEIGHT: 143 LBS, TRUCK, FREIGHT CLASS 85, 24-HOUR SHIP
• 42" x 60" x 3/8" Glass Backboard
• Struted Design

WHEN CHOOSING A BACKBOARD NOT CONSTRUCTED WITH GLASS, UNDERSTANDING THE INHERENT CHARACTERISTICS OF THE MATERIAL WILL ENSURE YOU ARE PICKING THE CORRECT BACKBOARD TO CREATE AN OPTIMAL PLAY ENVIRONMENT.

POLYCARBONATE BACKBOARDS

GARED'S unbreakable **RECTANGULAR POLYCARBONATE BACKBOARD** is designed for the roughest indoor or outdoor play • Comprised of 1/2" thick UV-resistant polycarbonate permanently attached to a heavy duty welded steel tubular uni-frame with struts for added board support • Designed to allow for direct mounting with integral holes to permanently attach board to post and allow for goal replacement without removing board • Compatible mounting: Gooseneck & Straight-Arm Posts, Endurance Playground Systems • Recommended Rims: 4000+, 3000, 2500, 2000+, 1000, 726, 5500 • For indoor or outdoor use.

BB72P50: 42" X 72" POLYCARBONATE RECTANGULAR BACKBOARD, LIMITED LIFETIME WARRANTY, 5" X 5" HOLE SPACING, WEIGHT: 195 LBS, TRUCK, FREIGHT CLASS 85, 24-HOUR SHIP



BB72P50

POLYCARBONATE & ACRYLIC BACKBOARDS



BB72A38



BB60A38

GARED'S line of durable **RECTANGULAR ACRYLIC BACKBOARDS** are versatile for indoor and outdoor use • Comprised of 3/8" thick UV-resistant acrylic permanently attached to a heavy duty welded steel tubular uni-frame with struts for added board support • Designed to allow for direct mounting with integral holes to permanently attach board to post and allow for goal replacement without removing board • Compatible mounting: Gooseneck & Straight-Arm Posts, Endurance Playground Systems • Recommended Rims: 4000+, 3000, 2500, 2000+, 1000, 726, 5500 • For indoor or outdoor use.

BB72A38: 42" X 72" ACRYLIC RECTANGULAR BACKBOARD, 2 YEAR LIMITED WARRANTY 5" X 5" HOLE SPACING, WEIGHT: 111 LBS, TRUCK, FREIGHT CLASS 85, 24-HOUR SHIP

BB60A38: 42" X 60" ACRYLIC RECTANGULAR BACKBOARD, 2 YEAR LIMITED WARRANTY 5" X 5" HOLE SPACING, WEIGHT: 90 LBS, TRUCK, FREIGHT CLASS 85, 24-HOUR SHIP

BB48A38: 36" X 48" ACRYLIC RECTANGULAR BACKBOARD, 2 YEAR LIMITED WARRANTY 5" X 5" HOLE SPACING, WEIGHT: 78 LBS, TRUCK, FREIGHT CLASS 85, 24-HOUR SHIP

FIBERGLASS BACKBOARDS

Looking for superior rebounds on a non-glass surface? **GARED'S FIBERGLASS FAN-SHAPED & RECTANGULAR BACKBOARDS** are the answer for indoor/outdoor play • Features molded fiberglass for strength & superior rebounding surface • Screen printed target and border • Fan-shaped and rectangular backboard molded inserts are positioned at 20" vertically by 35" horizontal centers for mounting • Compatible Mounting: Ceiling & Wall Mounted systems, Gooseneck & Straight-Arm Posts • Recommended Rims: 8550, 5500, 8800, 7550, 240, 39WO • For indoor or outdoor use.



I342B

I342B: 42" X 72" FIBERGLASS RECTANGULAR BACKBOARD, 10 YEAR INDOOR/5 YEAR OUTDOOR LIMITED WARRANTY 5" X 5" TO 4 1/2" X 5" HOLE SPACING, WEIGHT: 86 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

I342B- BLK: 42" X 72" FIBERGLASS RECTANGULAR BACKBOARD WITH BLACK TARGET AND BORDER, 10 YEAR INDOOR/5 YEAR OUTDOOR LIMITED WARRANTY 5" X 5" TO 4 1/2" X 5" HOLE SPACING, WEIGHT: 86 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP



I301B

I301B: 39" X 54" FIBERGLASS FAN-SHAPED BACKBOARD, 10 YEAR INDOOR/5 YEAR OUTDOOR LIMITED WARRANTY 5" X 5" & 3" X 4" HOLE SPACING, WEIGHT: 57 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

ALUMINUM BACKBOARDS



I750B

GARED'S ALUMINUM FAN-SHAPED BACKBOARDS are the perfect solution for those concerned with backboard longevity • Constructed of casted aluminum, GARED'S backboards provide a light-weight alternative for every indoor and playground setting • To help eliminate rim replacement injuries, our backboards feature two additional mounting holes to hold the backboard in place • **EACH ALUMINUM BACKBOARD QUALIFIES FOR GARED'S LIMITED LIFETIME WARRANTY.**

FEATURES:

- Front mounted rim compatible
- 20" x 35" mounting pattern
- 12 reinforced mounting points
- Threaded inserts
- Safety mounting holes
- Natural and powder-coated finishes available

I701: 35 1/2" X 54" BRUSHED ALUMINUM FAN-SHAPED BACKBOARD, LIMITED LIFETIME WARRANTY, 4 1/2" X 5" HOLE SPACING, WEIGHT: 49 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

I750: 35 1/2" X 54" WHITE POWDER-COATED ALUMINUM FAN-SHAPED BACKBOARD, LIMITED LIFETIME WARRANTY, 4 1/2" X 5" HOLE SPACING, WEIGHT: 49 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

I750B: 35 1/2" X 54" WHITE POWDER-COATED ALUMINUM WITH TARGET & BORDER FAN-SHAPED BACKBOARD, LIMITED LIFETIME WARRANTY, 4 1/2" X 5" HOLE SPACING, WEIGHT: 49 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP




I701



I750

STEEL BACKBOARDS

GARED'S **STEEL LINE OF BACKBOARDS** are ideal for unsupervised and urban play environments. Steel provides an unweilding foundation for your outdoor system. Although the rebound effect of steel is the least similar to glass, the sturdiness of the material will stand up to the toughest competition. Our line of steel backboards feature every standard size.



1245T

GARED'S FRONT MOUNT FAN-SHAPE STEEL BACKBOARD provides the strongest backboard available for rugged playground use. • 12 gauge steel shell with white powder-coat finish and optional screened target and border • Keyhole slots are positioned at 20" vertically by 35" horizontal centers for mounting • Feature reinforced mounting points, including 2 safety mount holes, reduces vibration • Compatible Mounting: Ceiling & Wall Mounted systems, Gooseneck & Straight-Arm Posts • Recommended Rims: 8550, 5500, 8800, 7550, 240, 39WO • For indoor or outdoor use.

1245: 35" X 54" FRONT-MOUNT STEEL FAN-SHAPE BACKBOARD,
10 YEAR LIMITED WARRANTY
4 1/2" X 5" HOLE SPACING, WEIGHT: 83 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1245T: 35" X 54" FRONT-MOUNT STEEL FAN-SHAPE BACKBOARD WITH ORANGE TARGET, 10 YEAR LIMITED WARRANTY
4 1/2" X 5" HOLE SPACING, WEIGHT: 83 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP




1266B

Our **REAR MOUNT FAN-SHAPE STEEL BACKBOARD** provide the sturdiest option for the playground • 12 gauge steel shell with white powder-coat finish and optional screened target and border • Keyhole slots are positioned at 20" vertically by 35" horizontal centers for mounting • Featured reinforced mounting points, including 2 safety mount holes, reduces vibration • Compatible Mounting: Rear Mount Gooseneck & Straight-Arm Posts • Recommended Rims: 6600, 8566, 266, 66T • For outdoor use.

1266: 35" X 54" REAR MOUNTED FAN-SHAPE BACKBOARD,
5 YEAR LIMITED WARRANTY, 3 5/8" X 4" HOLE SPACING,
WEIGHT: 83 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1266B: 35" X 54" REAR MOUNTED FAN-SHAPE BACKBOARD WITH ORANGE TARGET & BORDER, 5 YEAR LIMITED WARRANTY, 3 5/8" X 4" HOLE SPACING,
WEIGHT: 83 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP



1260PS

GARED'S **PERFORATED STEEL BACKBOARD** is designed especially for outdoor use and ideal in windy locations • 11 gauge steel with 1/4" staggered perforations 1/2" apart allow increased airflow through the board for a truer ball bounce • Board is attached to a steel tubular frame for added support • Direct mounting design with integral holes allow permanent attachment of board to post and allow for goal replacement without removing board • Compatible Mounting: Gooseneck & Straight-Arm Posts • Recommended Rims: 8550, 5500, 8800, 7550, 240, 39WO • For outdoor use.

1260PS: 42" X 60" PERFORATED STEEL RECTANGULAR BACKBOARD,
10 YEAR LIMITED WARRANTY, 5 X 5 HOLE SPACING,
WEIGHT: 111 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1260PSB: 42" X 60" PERFORATED STEEL RECTANGULAR BACKBOARD WITH TARGET & BORDER, 10 YEAR LIMITED WARRANTY, 5 X 5 HOLE SPACING,
WEIGHT: 111 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1272PS: 42" X 72" PERFORATED STEEL RECTANGULAR BACKBOARD,
10 YEAR LIMITED WARRANTY, 5 X 5 HOLE SPACING,
WEIGHT: 134 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1272PSB: 42" X 72" PERFORATED STEEL RECTANGULAR BACKBOARD WITH TARGET & BORDER, 10 YEAR LIMITED WARRANTY, 5 X 5 HOLE SPACING,
WEIGHT: 134 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

Our durable **STEEL RECTANGULAR BACKBOARDS** are built strong for rugged playground use. • 12 gauge steel shell with white powder-coat finish and optional target and border • Constructed with an integral reinforcing steel channel on reverse side for mounting and increased board support • 20" x 35" mounting centers for attaching board to structure • Capable of direct mounting with integral keyhole slots to permanently attach board to post and allow for goal replacement without removing board • Compatible Mounting: Gooseneck & Straight-Arm Posts • Recommended Rims: 8550, 5500, 8800, 7550, 240, 39WO • For indoor or outdoor use.



1272B

1260: 42" X 60" WHITE STEEL RECTANGULAR BACKBOARD,
10 YEAR LIMITED WARRANTY, 5 X 5 HOLE SPACING,
WEIGHT: 112 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1260B: 42" X 60" STEEL RECTANGULAR BACKBOARD WITH TARGET & BORDER,
10 YEAR LIMITED WARRANTY, 5 X 5 HOLE SPACING,
WEIGHT: 112 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1272: 42" X 72" WHITE STEEL RECTANGULAR BACKBOARD,
10 YEAR LIMITED WARRANTY, 5 X 5 HOLE SPACING,
WEIGHT: 131 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1272B: 42" X 72" STEEL RECTANGULAR BACKBOARD WITH TARGET & BORDER, 10 YEAR LIMITED WARRANTY
5 X 5 HOLE SPACING,
WEIGHT: 131 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

1270: 48" X 72" WHITE STEEL RECTANGULAR BACKBOARD,
10 YEAR LIMITED WARRANTY, 5 X 5 HOLE SPACING,
WEIGHT: 147 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP


1270B: 48" X 72" STEEL RECTANGULAR BACKBOARD WITH TARGET & BORDER, 10 YEAR LIMITED WARRANTY
5 X 5 HOLE SPACING, WEIGHT: 147 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP




1272



1260B



1270



1270B

WOOD BACKBOARDS

Our retro **WOOD RECTANGULAR BACKBOARDS** are the traditional, economic alternative to other non-glass backboards • 1 1/2" thermally fused melamine with durable screened target and border • Keyhole slots are positioned at 42" vertically by 63" horizontal centers for mounting • Compatible Mounting: Ceiling & Wall Mounted systems • Recommended Rims: 2000+, 1000, 240, 39WO • For indoor use only.



1442B

1442B: 42" X 72" WOOD RECTANGULAR BACKBOARD,
2 YEAR LIMITED WARRANTY, 4" X 5" HOLE SPACING, WEIGHT: 145 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP



PMCE



SAFEGUARD YOUR PLAYERS WITH GARED'S PRO MOLD® BOLT-ON BACKBOARD PADDING.
GARED'S BACKBOARD PADDING offers a unmatched combination of softness to touch, yet durability to last • Better yet - GARED'S padding passes the flexibility test • You can bend it and the corners won't tear unlike our competitors product • With an array of 16 vibrant colors - we cover a component of every institution's school color scheme • Our padding will universally fit any 72" backboard with a 2" channel. • Our bolt-on padding's installation is simple with the included durable bolt hardware and sag-resistant center rod • One pad kit protects one backboard, order a pair for a court • The padding meets all FIBA, NCAA, NBA, NFHS & CSPC specifications.

PMCE: GARED PRO-MOLD® BACKBOARD PADDING
NOW WITH 10 YEAR LIMITED WARRANTY
WEIGHT: 10 LBS/EACH, GROUND COURIER SERVICE, 24 HOUR SHIP

CENTER CONNECTION POINT



DO YOU WANT TO PROTECT YOUR PLAYERS FROM INJURY, BUT YOUR FACILITY'S BUDGET A LITTLE TIGHT? GARED® OFFERS AN EASY ALTERNATIVE. OUR PSCE PEEL AND STICK PADDING IS ATTACHED WITH A SELF ADHESIVE TAPE STRIP.

The **PEEL AND STICK PADDING** is the non-glue, economic alternative to GARED'S Pro-Mold® padding • Attaches to bottom of backboards with peel off adhesive tape, no bolting required • High-density open cell foam rubber pad • Mitered corners for exact fit • Extends 18" up on each side of a backboard • Meets NCAA and NFHS specifications • For indoor use • Available in grey only

PSCE-PR: PEEL AND STICK BACKBOARD PADDING,
1 YEAR LIMITED WARRANTY
WEIGHT: 13 LBS/PAIR, GROUND COURIER SERVICE, 24 HOUR SHIP



PSCE

PSCE AVAILABLE
IN GREY ONLY



The **CUSHION EDGE BACKBOARD PADDING** is an economic alternative to Gared's Pro-Mold® padding • Attaches to bottom of backboards with brushed on adhesive, no bolting required • High-density open cell foam rubber pad • Mitered corners for exact fit • Extends 18" up on each side of a backboard • Meets NCAA and NFHS specifications • For indoor use • Available in grey only

CE-PR: GLUE-ON BACKBOARD PADDING,
1 YEAR LIMITED WARRANTY, WEIGHT: 13 LBS/PAIR
GROUND COURIER SERVICE, 24 HOUR SHIP

The **NARROW CHANNEL BACKBOARD PADDING** fits rectangular fiberglass, steel and wood backboards • Attaches to bottom of backboards with brushed on adhesive, no bolting required • High-density open cell foam rubber pad • Mitered corners for exact fit • Extends 18" up on each side of a backboard • Meets NCAA and NFHS specifications • For indoor use • Available in grey only.

NCE-PR: NARROW CHANNEL BACKBOARD PADDING,
1 YEAR LIMITED WARRANTY, WEIGHT: 14 LBS/PAIR
GROUND COURIER SERVICE, 24 HOUR SHIP



LSCE

The **PRO-MOLD® RECREATIONAL BACKBOARD PADDING** is made specifically for outdoor use • Durable polyurethane foam designed for long life in heavy play environments and resistance to weather elements • Bolts to metal framing using self tapping screws on outdoor rectangular backboards • Available for 48", 54", 60", and 72" boards • Available in black only.

LSCE48: 48" PRO-MOLD RECREATIONAL BACKBOARD PADDING,
1 YEAR LIMITED WARRANTY, WEIGHT: 7 LBS
GROUND COURIER SERVICE, 24 HOUR SHIP

LSCE54: 54" PRO-MOLD RECREATIONAL BACKBOARD PADDING,
1 YEAR LIMITED WARRANTY, WEIGHT: 7 LBS
GROUND COURIER SERVICE, 24 HOUR SHIP

LSCE60: 60" PRO-MOLD RECREATIONAL BACKBOARD PADDING,
1 YEAR LIMITED WARRANTY, WEIGHT: 8 LBS
GROUND COURIER SERVICE, 24 HOUR SHIP

LSCE72: 72" PRO-MOLD RECREATIONAL BACKBOARD PADDING,
1 YEAR LIMITED WARRANTY, WEIGHT: 9 LBS
GROUND COURIER SERVICE, 24 HOUR SHIP

PLAYRX™ BACKBOARD PADDING PRODUCT GUIDE

MODEL	PMCE	PSCE	CE	NCE	LSCE	MODEL	PMCE	PSCE	CE	NCE	LSCE
GLASS BACKBOARDS						STEEL BACKBOARDS					
3010RG	X					I245					
3011RG	X					I245T					
AFRG42	X	X	X			I266					
AFRG42E	X	X	X			I266B					
AFRG48	X	X	X			I260				X	X
LXP4200	X	X	X			I260B				X	X
LXP4200E	X	X	X			I260PS				X	X
RG	X	X	X			I272				X	X
ARG	X	X	X			I272B				X	X
3050/RG			X			I272PS				X	X
FSGII			X			I270				X	X
OUTDOOR GLASS BACKBOARDS						I270B				X	X
BB60G38HH					X	FIBERGLASS BACKBOARDS					
BB72G50HH					X	I301B					
BB60G38					X	I342B				X	
BB72G50					X	WOOD BACKBOARDS					
ACRYLIC & POLYCARBONATE BACKBOARDS						I442B				X	
BB48A38					X	I401B				X	
BB60A38					X	ALUMINUM BACKBOARDS					
BB72A38					X	I701					
BB72P50					X	I750/B					

COMPETITION BREAKAWAY RIMS

From Pro Arenas to your local YMCA, **GARED'S LINE OF BREAKAWAY RIMS** offer high quality engineering to fit every player's & facility's need • Each of our competition rims share basic features of 5/8" single ring goal, strengthening full steel wing braces, CPSC tested orange powder-coat, an adjustable internal spring, and breakaway mechanism - meeting NBA, NCAA, NFHS specifications • Additionally, the hole pattern configurations allow for nearly universal compatibility with all other 42" x 72" backboards regardless of manufacture • Each rim is shipped with mounting hardware and official anti-whip net within 24 hours of order • While sharing a solid engineer foundation, each rim has sophisticated features to match your facility's specific needs, such as positive lock pressure settings, net attachment type and fly back control.



Breakaway from the competition with **GARED'S 180 MDG (MULTI-DIRECTIONAL) RIM** •Our exclusive 3-way positive lock mechanism makes GARED'S revolutionary MDG the top pick for any facility looking for a non-traditional breakaway rim • Putting the safety of your players first, the MDG will not dangerously break upward if a player inadvertently hits it from underneath the ring • Our internal sophisticated torque mechanism will withstand the rigors of constant, high energy play • The rim's tube-tie net attachment helps lengthen the life of our anti-whip nets • Meets NCAA, NFHS & NAIA specifications • Adjustable positive lock mechanism complies with NCAA rim elasticity rule.

4000+: GARED® 4000+ MDG BREAKAWAY GOAL FOR 42" BACKBOARD ONLY,
5 YEAR LIMITED WARRANTY ON RIM, 4" X 5" HOLE SPACING,
WEIGHT: 24 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE


4000I: GARED® 4000 INTERNATIONAL MDG BREAKAWAY GOAL,
5 YEAR LIMITED WARRANTY ON RIM, 4" X 5" HOLE SPACING,
WEIGHT: 24 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



Our **SNAP BACK BREAKAWAY GOALS** have been a staple in pro arenas for over 2 decades • These top of the line goals feature a positive lock mechanism that can't be matched in quality nor duplicated in functionality •Pressure set at 210 lbs - the **GARED SNAP BACKS®** are designed to withstand the rigors of abuse from highly skilled players •Each rim features a tie-cord net attachment to help prevent hand injuries •The Snap B backplate universally fits 42" backboards; Snap A backplate universally fits 48" boards.

SNAP B: GARED SNAP BACK®, PRO ARENA GOAL FOR 42" X 72" GLASS BACKBOARDS, 10 YEAR LIMITED WARRANTY ON BREAKAWAY MECHANISM, 5 YEAR LIMITED WARRANTY ON RIM, 4 1/2" X 5" HOLE SPACING, WEIGHT: 26 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE

SNAP A: GARED SNAP BACK®, PRO ARENA GOAL FOR 48" X 72" GLASS BACKBOARDS, 10 YEAR LIMITED WARRANTY ON BREAKAWAY MECHANISM, 5 YEAR LIMITED WARRANTY ON RIM, 5" X 5" HOLE SPACING, WEIGHT: 26 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



If you are planning to cut down your nets this season, **GARED'S MASTER 3000® BREAKAWAY SERIES** is a great backdrop • A court champion selection outside of NBA arenas – the 3000's breakaway mechanism is set to break at 160 lbs of pressure •The hefty construction and architecture of the goal creates an unparalleled playing surface for any facility environment • Heat treated ball bearings and steel hardened springs create a positive lock pressure setting allowing precise fly-back action •The popular 3000 offers the ease of net installation with its no-tie net attachment •The 3500 & 3500I's tube-tie net attachment helps prevent hand injury.

3000: GARED MASTER 3000® BREAKAWAY GOAL,
10 YEAR LIMITED WARRANTY ON BREAKAWAY MECHANISM,
4 YEAR LIMITED WARRANTY ON RIM, 4" X 5" HOLE SPACING,
WEIGHT: 26 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE

3500: GARED MASTER 3500® BREAKAWAY GOAL,
10 YEAR LIMITED WARRANTY ON BREAKAWAY MECHANISM,
4 YEAR LIMITED WARRANTY ON RIM, 4" X 5" HOLE SPACING,
WEIGHT: 26 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE

3500I: GARED MASTER 3500I® FIBA INTERNATIONAL BREAKAWAY GOAL,
10 YEAR LIMITED WARRANTY ON BREAKAWAY MECHANISM, 4 YEAR LIMITED WARRANTY ON RIM, 4" X 5" HOLE SPACING,
WEIGHT: 26 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



GARED'S CELEBRATED COLLEGIATE SERIES OF GOALS can be found in almost every facility around the world • Superbly constructed, the **2000+, 2500 & 2500I** stand-up to the rigors of power players – making them our most popular line of rims • Each rim features an effective positive lock mechanism duplicating precision fly-back action dunk after dunk • The best-selling **2000+** offers the ease of net installation with its no-tie net attachment • The **2500 & 2500I'S** tube-tie net attachment helps prevent hand injury • Due to their universal backplates, the collegiate goal series seamless fits on any size glass backboard.

2000+: GARED® COLLEGIATE 2000 BREAKAWAY GOAL,
4 YEAR LIMITED WARRANTY, 4" X 5" HOLE SPACING,
WEIGHT: 25 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE


2500: GARED® TOURNAMENT BREAKAWAY GOAL,
4 YEAR LIMITED WARRANTY, 4" X 5" HOLE SPACING,
WEIGHT: 25 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE

2500I: FIBA INTERNATIONAL TOURNAMENT BREAKAWAY GOAL,
4 YEAR LIMITED WARRANTY, 4" X 5" HOLE SPACING,
WEIGHT: 25 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



Sporting an accordion-like breakaway action, the **SCHOLASTIC FLEX RIM** is a great alternative to a facility needing an institutional quality breakaway rim without a positive lock mechanism •Superiorly constructed, the **1000 BREAKAWAY FLEX GOAL** fits perfectly in every setting from playground to elementary courts to recreational facilities •The Scholastic rim's no-tie attachment and universal backplate make it the most compatible optional for any play situation.

1000: GARED® SCHOLASTIC FLEX BREAKAWAY GOAL,
2 YEAR LIMITED WARRANTY, 4" X 5" HOLE SPACING,
WEIGHT: 23 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



RECREATIONAL INDOOR/PLAYGROUND GOALS

If your play environment does not need to follow the sanctioned rules of the NCAA, NFHS, FIBA or NBA – GARED’S extensive line of recreational indoor/outdoor rims will exceed your needs • Constructed to last through every storm, all of our rims feature CSPC compliant powder-coated finish • Regardless of budget, application or climate – we will help you score!

RECREATIONAL FRONT MOUNT BREAKAWAY GOALS

GARED’S LINE OF RECREATIONAL FLEX BREAKAWAYS are designed with challenges of outdoor elements in mind •Understanding that everyone wants to dunk regardless of setting, our recreational breakaways will protect your backboards from the stress of heavy, unsupervised play.

The **8800 ENDURANCE BREAKAWAY SLAM** is the last playground goal you will ever need • 18” Double Rings • Unique ¾” top ring & 5/8” bottom ring • Thick & continuous wing-brace • Double spring flex breakaway mechanism • T-Tie Net Attachment protects players from hand injuries & increases net security • GGN nylon net & hardware.

8800: ENDURANCE BREAKAWAY SLAM GOAL WITH GGN NYLON NET,
2 YEAR LIMITED WARRANTY, 5” X 4” HOLE SPACING
WEIGHT: 30 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



The **5500 DOUBLE RING PLAYGROUND BREAKAWAY GOAL** is a durable, double rim goal for playground environments. • 18” Double Rings • Dual 5/8” rings • Extended wing brace • Double spring flex breakaway mechanism • No-Tie Net Attachment for installation ease • GGN nylon net & hardware.

5500: PLAYGROUND BREAKAWAY GOAL WITH GGN NYLON NET,
2 YEAR LIMITED WARRANTY, 4-5” X 5” HOLE SPACING
WEIGHT: 27 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE

The **TITAN POWER BREAKAWAY GOAL** is an affordable goal that provides durability and performance • 18” Single Ring • 5/8” ring • Extended wing brace • Single spring flex breakaway mechanism • No-Tie Net Attachment for installation ease.

726: TITAN POWER BREAKAWAY GOAL WITH NYLON NET,
1 YEAR LIMITED WARRANTY, 4-5” X 5” HOLE SPACING
WEIGHT: 20 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE

724: TITAN POWER BREAKAWAY GOAL WITH NYLON NET,
1 YEAR LIMITED WARRANTY, 4-5” X 5” HOLE SPACING
WEIGHT: 20 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



FRONT MOUNT FIXED GOALS

Understanding the anatomy of a front mounted fixed rim is the first step in choosing the correct fit for your needs • A fixed rim is comprised of 4 basic components: ring, bracing, net attachment and back-plate • As you add rings, ring diameter and strengthen bracing – you are building a stronger rim • Most of **GARED’S FIXED GOALS** are double ringed rims, with various levels of bracing • All rims feature universal backplates and ship with an outdoor quality net • While all of our fixed goals feature universal hole patterns, we do not encourage putting fixed rims on glass backboards.

The **8550 ENDURANCE SLAM GOAL** is the toughest rim for hard hitting players • 18” Double Rings • Unique ¾” top ring & 5/8” bottom ring • Thick & continuous wing-brace • T-Tie Net Attachment protects players from hand injuries & increases net security • GGN nylon net & hardware.

8550: ENDURANCE SLAM GOAL WITH GGN NYLON NET,
LIMITED LIFETIME WARRANTY, 5” X 5” HOLE SPACING
WEIGHT: 27 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



The **7550 & 7555 TITAN PLAYGROUND SUPER GOALS** are the most durable rims in the industry • 18” Double Rings • ½” top ring & 3/4” bottom ring • 5/8” wing plates and 5/8” x 15” bracing.

7550: TITAN SUPER GOAL WITH GGN NYLON NET,
LIMITED LIFETIME WARRANTY, 5” X 5” HOLE SPACING
WEIGHT: 23 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE

7555: TITAN SUPER GOAL WITH GGN CHAIN NET,
LIMITED LIFETIME WARRANTY, 5” X 5” HOLE SPACING
WEIGHT: 23 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



The **240 & 140 FRONT MOUNTED SUPER GOALS** offer affordable and yet superior playground performance • 18” Double Rings • 5/8” top ring & 1/2” bottom ring • Dual 1/2” x 15” bracing • No-Tie Net Attachment for installation ease.

240: SUPER GOAL WITH GGN NYLON NET,
2 YEAR LIMITED WARRANTY, 5” X 5” HOLE SPACING
WEIGHT: 18 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE


140: SUPER GOAL WITH CHAIN NET,
2 YEAR LIMITED WARRANTY, 5” X 5” HOLE SPACING
WEIGHT: 19 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



The **39WO & 4039 INSTITUTIONAL FRONT MOUNT GOALS** are the best selling, economical, multi-use stationary goals • 18” Single Ring • 5/8” ring • Single 5/8” x 15” bracing • No-Tie Net Attachment for installation ease

39WO: INSTITUTIONAL GOAL WITH GGN NYLON NET
1 YEAR LIMITED WARRANTY, 5” X 5” HOLE SPACING
WEIGHT: 13 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE

4039: HIGH STRENGTH INSTITUTIONAL GOAL WITH GGN NYLON NET
3 YEAR LIMITED WARRANTY, 5” X 5” HOLE SPACING
WEIGHT: 13 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



REAR MOUNT GOALS

REAR MOUNT BASKETBALL GOALS are designed to increase the life span of rear mounted backboards • With a backward “L” design, the rim connects to the backboard from behind, eliminating the chance of damaging the protective powder-coat on the front of the board •When connected to a gooseneck or straight-armed post, the rear-mount configuration is the strongest available on the playground •Due to their unique design, rear-mount goals are only compatible with rear-mounted backboards •To make ordering easy, GARED’S rear mount backboards & goals include a “66” in the product part number.

The **6600 SCHOLASTIC REAR MOUNT BREAKAWAY GOAL** is the brawniest rear mount goal available for playgrounds • Single 5/8” rings • Extended wing brace • Double spring flex breakaway mechanism • No-Tie Net Attachment for installation ease • GGN nylon net & hardware.

6600: SCHOLASTIC REAR MOUNT BREAKAWAY GOAL WITH GGN NYLON NET,
2 YEAR LIMITED WARRANTY, 3 5/8” X 4” HOLE SPACING
WEIGHT: 26 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



266

The **266 REAR MOUNT SUPER GOAL** is an affordable yet superior performance playground goal • 18” Double Rings • 5/8” top ring & 1/2” bottom ring • Dual 5/8” x 15” bracing • No-Tie Net Attachment for installation ease • 240: GGN nylon net & hardware.

266: REAR MOUNT SUPER GOAL WITH GGN NYLON NET,
2 YEAR LIMITED WARRANTY, 3 5/8” X 4” HOLE SPACING
WEIGHT: 20 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



6600



66T

The **66T AND 4066 INSITUTIONAL REAR MOUNT FIXED GOALS** are the best selling, economical, multi-use fixed goals •18” Single Ring • 5/8” ring • Single 5/8” x 15” bracing • No-Tie Net Attachment for installation ease

66T: INSTITUTIONAL REAR MOUNT GOAL WITH GGN NYLON NET,
1 YEAR LIMITED WARRANTY, 3 5/8” X 4” HOLE SPACING
WEIGHT: 18 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE

4066: HIGH STRENGTH INSTITUTIONAL REAR MOUNT GOAL WITH GGN NYLON NET,
3 YEAR LIMITED WARRANTY, 3 5/8” X 4” HOLE SPACING
WEIGHT: 18 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE

SPECIALTY GOALS



26WO

The **26WO SPECIALTY PORTABLE GOAL** is the replacement goal for Mini-EZ and Micro-Z portable units • Front mount 5/8” x 18” single rim • Continuous no-tie net attachment • Goal is powder-coated to protect from environmental elements • Includes GGN and mounting hardware •Recommended Backboards: GP48321SQ.

26WO: GARED® SPECIALTY PORTABLE GOAL WITH NYLON NET,
1 YEAR LIMITED WARRANTY, 4” X 3 1/2” HOLE SPACING
WEIGHT: 9 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP



15P

PRACTICE GOALS are is the perfect novelty goals for carnivals and accuracy drills • Continuous no-tie net attachment • Goal is powder-coated to protect from environmental elements • Includes GGN and mounting hardware.

13P: 13” PRACTICE GOAL WITH NYLON NET,
1 YEAR LIMITED WARRANTY, 2” X 4 1/2” HOLE SPACING
WEIGHT: 8 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

15P: 15” PRACTICE GOAL WITH NYLON NET,
1 YEAR LIMITED WARRANTY, 2” X 4 1/2” HOLE SPACING
WEIGHT: 9 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

MULTI-LEVEL OF PLAY BASKETBALL NETS



AWP



GAW



GGN



WCN



SCN

GARED® BASKETBALL NETS are pre-packaged for attractive retail display.

GARED’S AWP is the net of choice for professional play • 120 count nylon, hourglass design • Stiffened upper loops helps keep net from whipping up through goal • Includes tie cord • For use with the Snap A & B rims.

AWP: ANTI-WHIP PRO BASKETBALL NET
WEIGHT: 1 LB, GROUND COURIER SERVICE, 24 HOUR SHIP

THE GAW is the top quality net used for collegiate & recreational play • 120 count nylon, hourglass design•Fits all 12 loop, no-tie goals•Stiffened upper loops helps keep net from whipping up through goal.

GAW: ANTI-WHIP BASKETBALL NET
WEIGHT: 1 LB, GROUND COURIER SERVICE, 24 HOUR SHIP

The **GGN** is the leading net used in recreational play. • 120 count nylon, hourglass design • Fits all 12 loop, no-tie goals

GGN: RECREATIONAL BASKETBALL NET
WEIGHT: 1 LB, GROUND COURIER SERVICE, 24 HOUR SHIP

GARED’S CHAIN NET SERIES are designed to be used in rugged play environments • Will not stretch, tangle, shrink or break easily.


WCN: WELDED STEEL CHAIN BASKETBALL NET FOR DOUBLE RING GOALS
WEIGHT: 1 LB, GROUND COURIER SERVICE, 24 HOUR SHIP

SCN: STEEL CHAIN BASKETBALL NET FOR DOUBLE BUMPED-RING GOALS
WEIGHT: 1 LB, GROUND COURIER SERVICE, 24 HOUR SHIP

CN: STEEL CHAIN BASKETBALL NET FOR GOALS WITH NO-TIE NET ATTACHMENT
WEIGHT: 1 LB, GROUND COURIER SERVICE, 24 HOUR SHIP


The **WEB NET** offers a safer alternative to chain nets on playgrounds • Nylon web design•Fits all 12 loop, no-tie goals • Won’t rot or decay•Includes “S” hooks for rim attachment.

WN: WEB NYLON PLAYGROUND BASKETBALL NET
WEIGHT: 3 LB, GROUND COURIER SERVICE, 24 HOUR SHIP



WN





VARSITY

VARSITY
BRAKE

The **VARSITY TOSS BACK®** is recognized as the best piece of equipment for use as a basketball training aid and for skill development • The Varsity Toss Back® can dramatically improve a player's quickness, strength, stamina and passing accuracy • Many coaches use multiple units for drills and some of the best programs in the country own as many as 14 Toss Backs®, for individual player workouts • Net frame adjusts to varying angles for different types of practice drills • The roll around base uses casters for easy mobility and stability • Unit easily locks into place using a hand lever brake • Net frame is 38 x 51 and height can be adjusted from 4'5 to 7'4 • DVD and skill development books on using **TOSSBACKS®** are available upon request.

VARSITY: VARSITY TOSS BACK®, 2 YEAR LIMITED WARRANTY
WEIGHT: 141 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

VRK: VARSITY REPLACEMENT NET & BANDS
WEIGHT: 2 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP



MASTER

MASTER NET
ATTACHMENT

The **MASTER TOSS BACK®** unit offers the same durability and training benefits as the Varsity Toss Back® at an economical price • Designed primarily for basketball it can be used for many sports and physical education programs • Wide legs with suction cups make the unit stable • Unit folds tight for efficient storage • Can be adjusted for many different drills • DVD and skill development books on using Tossbacks® are available upon request.

MASTER: MASTER TOSS BACK®
1 YEAR LIMITED WARRANTY
WEIGHT: 35 LBS, TRUCK, GROUND COURIER SERVICE,
24 HOUR SHIP



PLAYMAKER

PLAYMAKER NET
ATTACHMENT

The **PLAYMAKER TOSS BACK®** is an economical home and recreational skill development tool • Great for developing skills for many sports • Fully adjustable multi-sport ball return • Wide legs weighted foot pads make the unit stable • DVD and skill development books on using Tossbacks® are available upon request.

PLAYMAKER: PLAYMAKER TOSS BACK®, 1 YEAR LIMITED WARRANTY
WEIGHT: 31 LBS, TRUCK, GROUND COURIER SERVICE, 24 HOUR SHIP



The **JUNIOR JAMMER**, is designed to convert your regulation height goal to lower heights for younger players • Fits all breakaway and stationary goals • Attaches to indoor and outdoor goals quickly and easily • Heavy duty hand knobs secure Mini Goal to existing goal • Lowers rim to official youth height of 8' 6" and moves goal 2' closer to foul line • The **JJ5 ADJUSTABLE JUNIOR JAMMER** is similar to the JJ1, but it can be adjusted up to 5 different fixed heights.

JJ1: JUNIOR JAMMER BACKBOARD ADAPTER, LOWERS TO 8' 6",
2 YEAR LIMITED WARRANTY
WEIGHT: 45 LBS, GROUND COURIER SERVICE, 72 HOUR SHIP


JJ5A: ADJUSTABLE JUNIOR JAMMER BACKBOARD ADAPTER,
LOWERS TO 5 DIFFERENT HEIGHTS, 2 YEAR LIMITED WARRANTY
WEIGHT: 50 LBS, GROUND COURIER SERVICE, 72 HOUR SHIP

The **STEEL PRACTICE RING** reduces the size of the basket goal to help improve shooting accuracy • Reduces goal from standard 18" to 17" • Attaches to any 18" rim • Goal is powder-coated to protect from environmental elements.

PR: PRACTICE RING, 1 YEAR LIMITED WARRANTY
WEIGHT: 4 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

The **REBOUND RING** is designed to develop rebounding skills, and keep ball from easily falling through basketball goal • Reduces goal from standard 18" to 10 1/2" • Attaches to any 18 goal with 3 screws • Ball falls through only on perfect shot • Goal is powder-coated to protect from environmental elements.

RB: REBOUND RING, 1 YEAR LIMITED WARRANTY
WEIGHT: 4 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP



PR

RB



DBC

BASKETBALL BALL STORAGE & SCOREBOOKS

The **DELUXE BALL CAGE** is a robust construction of chrome plated steel, welded wire ball locker • Heavy chrome plated steel frame • Lockable hinged cover • Non-marring swivel casters • Overall dimensions: 36" high x 41" wide x 24" deep

DBC: DELUXE BALL CAGE, 1 YEAR LIMITED WARRANTY
WEIGHT: 37 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

GARED'S BALL RACKS are sturdy storage options, made of 1" O.D., 18 gauge chrome plated steel tubing • offering lifetime rust protection and a bright appearance • Unit rolls easily on 4 non-marring 2" casters for use on hardwood and synthetic floors.

BR-16: 16 BALL CAPACITY, 4 TIER BALL RACK,
1 YEAR LIMITED WARRANTY, 51 3/4" H X 41" W X 24" D
WEIGHT: 18 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

BR-12: 12 BALL CAPACITY, 3 TIER BALL RACK,
1 YEAR LIMITED WARRANTY, 39 3/4" H X 41" W X 14" D
WEIGHT: 14 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

The **MARK V BASKETBALL SCOREBOOK** is the industry standard for accurate basketball scoring • Simplified scoring instructions for basketball • 8 1/2 x 12 spiral bound hard back, horizontal layout • Order in quantities of 4 dozens.

MARKV: MARK V SCOREBOOKS
WEIGHT: 8 LBS/DOZEN, GROUND COURIER SERVICE, 24 HOUR SHIP



BR-12



BR-16

PLAYRX™ BASKETBALL BACKBOARD PRODUCT GUIDE

MODELS	3010RG	3011RG	AFRG42	AFRG42E	AFRG48	LXP4200	LX4200E	RG	ARG
MATERIAL	GLASS	GLASS	GLASS	GLASS	GLASS	GLASS	GLASS	GLASS	GLASS
FRAME	ALUM	ALUM	ALUM	ALUM	ALUM	STEEL	STEEL	STEEL	STEEL
PLAY LEVEL	PRO, DIV I	PRO, DIV I	PRO, DIV I	INTL	PRO, DIV I	INTL	PRO, DIV I - III, HS	DIV I - III, HS	K-8, HS, REC
SPECS	42" X 72"	42" X 72"	42" X 72"	42" X 72"	48" X 72"	42" X 72"	42" X 72"	48" X 72"	42" X 72"
SHAPE	REC	REC	REC	REC	REC	REC	REC	REC	REC
IDEAL PLAY ENVIRONMENT	PRO ARENA	PRO ARENA	NCAA , HS ARENA	HS ARENA	HS ARENA	NCAA, HS ARENA	HS ARENA	HS ARENA	SIDE COURT
REBOUND EFFECT	PREMIUM	PREMIUM	PREMIUM	SUPERIOR	SUPERIOR	PREMIUM	SUPERIOR	SUPERIOR	SUPERIOR
WARRANTY	LIFETIME	LIFETIME	LIMITED LIFETIME	5 YEAR	LIMITED LIFETIME	LIMITED LIFETIME	10 YEAR	LIMITED LIFETIME	LIMITED LIFETIME

PLAY ENVIRONMENT SOLUTION COMPATIBILITY

CAMPS		X	X	X	X	X	X	X	X
CHURCH		X	X	X	X	X	X	X	X
COASTAL									
COUNTRY CLUB		X	X	X	X	X	X	X	X
CORRECTIONS									
DAYCARE									
HOSPITALITY		X	X	X	X	X	X	X	X
MILITARY		X	X	X	X	X	X	X	X
PAY-TO-PLAY		X	X	X	X	X	X	X	X
PLAYGROUND									
REC CENTERS		X	X	X	X	X	X	X	X
RESIDENTIAL									
URBAN									
WINDY									

COLLEGIATE PLAY COMPATIBILITY

ELEMENTARY (K-5)				X			X		X
JR. HIGH (6-8)			X	X		X	X		X
HIGHSCHOOL (9-12)	X	X	X	X	X	X	X	X	X
COLLEGE	X	X	X	X	X	X	X	X	X
PRO ARENAS	X	X	X	X	X	X	X	X	X

MOUNTING COMPATIBILITY

WALL MOUNT			X	X	X	X	X	X	
GNA35									
GNA45									
GNA35R									
GNA45R									
GN35									
GN45									
GN60									
AAB35									
AAB45									
AAB60									
AABS65									
DP35									
AAB35R									
AAB45R									

3050/RG	FSGII	BB60G38-H	BB72G50-H	BB60G38	BB72G50	BB48A38	BB60A38	BB72A38	BB72P50
GLASS	GLASS	GLASS	GLASS	GLASS	GLASS	ACRYLIC	ACRYLIC	ACRYLIC	POLY
STEEL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL
K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC
42" X 54"	39" X 54"	42" X 60"	42" X 72"	42" X 60"	42" X 72"	42" X 48"	42" X 60"	42" X 72"	42" X 72"
REC	FAN	REC	REC	REC	REC	REC	REC	REC	REC
SIDE COURT	SIDE COURT	OUTDOOR, SUPERVISED	OUTDOOR, SUPERVISED	OUTDOOR, SUPERVISED	OUTDOOR, SUPERVISED	OUTDOOR	OUTDOOR	OUTDOOR	OUTDOOR
GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	MODERATE	MODERATE	GOOD	GOOD
LIMITED LIFETIME	LIMITED LIFETIME	2 YEAR	2 YEAR	2 YEAR	2 YEAR	2 YEAR	2 YEAR	2 YEAR	LIMITED LIFETIME

PLAY ENVIRONMENT SOLUTION COMPATIBILITY

X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X
									X
						X	X	X	
X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X
		X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X
		X	X	X	X	X	X	X	X
						X	X	X	X
		X	X	X	X	X	X	X	X

COLLEGIATE PLAY COMPATIBILITY

		X	X	X	X	X	X	X	X
	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X

MOUNTING COMPATIBILITY

X									
							X		
							X		
							X		
							X	X	
				X	X	X	X	X	X
						X			
						X	X		

PLAYRX™ BASKETBALL BACKBOARD PRODUCT GUIDE











MODELS	I245T	I245	I266B	I266	I260B	I260	I260PS	I260PSB	I272B
MATERIAL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL
FRAME	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
PLAY LEVEL	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC
SPECS	35" X 54"	35" X 54"	35" X 54"	35" X 54"	42" X 60"	42" X 60"	42" X 60"	42" X 60"	42" X 72"
SHAPE	FAN	FAN	FAN	FAN	REC	REC	REC	REC	REC
IDEAL PLAY ENVIRONMENT	INNER CITY	INNER CITY	INNER CITY	INNER CITY	INNER CITY	INNER CITY	INNER CITY	INNER CITY	INNER CITY
REBOUND EFFECT	DULL	DULL	DULL	DULL	MODERATE	MODERATE	MODERATE	MODERATE	MODERATE
WARRANTY	10 YEAR	10 YEAR	5 YEAR	5 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR
PLAY ENVIRONMENT SOLUTION COMPATIBILITY									
CAMPS	X	X	X	X	X	X	X	X	X
CHURCH	X	X	X	X	X	X	X	X	X
COASTAL									
COUNTRY CLUB	X	X							
CORRECTIONS	X	X	X	X	X	X	X	X	X
DAYCARE	X	X	X	X	X	X	X	X	X
HOSPITALITY	X	X	X	X	X	X	X	X	X
MILITARY	X	X	X	X	X	X	X	X	X
PAY-TO-PLAY	X	X	X	X	X	X	X	X	X
PLAYGROUND	X	X	X	X	X	X	X	X	X
REC CENTERS	X	X	X	X	X	X	X	X	X
RESIDENTIAL	X	X	X	X	X	X	X	X	X
URBAN	X	X	X	X	X	X	X	X	X
WINDY							X	X	
COLLEGIATE PLAY COMPATIBILITY									
ELEMENTARY (K-5)	X	X	X	X	X	X	X	X	X
JR. HIGH (6-8)	X	X	X	X	X	X	X	X	X
HIGHSCHOOL (8-12)	X	X	X	X	X	X	X	X	X
COLLEGE									
PRO ARENAS									
MOUNTING COMPATIBILITY									
WALL MOUNT	X	X							X
GNA35	X	X							
GNA45	X	X							
GNA35R			X	X					
GNA45R			X	X					
GN35	X	X							
GN45	X	X			X	X	X	X	
GN60	X	X			X	X	X	X	X
AAB35	X	X							
AAB45	X	X			X	X	X	X	
AAB60	X	X			X	X	X	X	X
AABS65	X	X			X	X	X	X	X
DP35	X	X							
AAB35R			X	X					
AAB45R			X	X					












I272	I272PS	I272PSB	I270B	I270	I342B	I301B	I701	I750	I750B	I442B
STEEL	STEEL	STEEL	STEEL	STEEL	FIBERGLASS	FIBERGLASS	ALUMINUM	ALUMINUM	ALUMINUM	WOOD
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC
42" X 72"	42" X 72"	42" X 72"	48" X 72"	48" X 72"	42" X 72"	39" X 54"	35 1/2" X 53 1/2"			42" X 72"
REC	REC	REC	REC	REC	REC	FAN	FAN	FAN	FAN	REC
INNER CITY	INNER CITY	INNER CITY	INNER CITY	INNER CITY	INDOOR/ OUTDOOR	INDOOR/ OUTDOOR	COASTAL	COASTAL	COASTAL	K-6
MODERATE	MODERATE	MODERATE	MODERATE	MODERATE	GOOD	GOOD	MODERATE	MODERATE	MODERATE	DULL
10 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR IN/ 5 YEAR OUT	LIMITED LIFETIME	LIMITED LIFETIMER	LIMITED LIFETIME	2 YEAR
PLAY ENVIRONMENT SOLUTION COMPATIBILITY										
X	X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X	X
					X	X	X	X	X	
X	X	X	X	X						
X	X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X	X
X	X	X	X	X			X	X	X	
X	X	X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X	
X	X	X	X	X						
X	X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X	X
X					X	X				X
						X	X	X	X	
						X	X	X	X	
						X	X	X	X	
X	X	X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	X	X	
						X	X	X	X	

PLAYRX™ BASKETBALL GOAL PRODUCT GUIDE












MODELS	4000+	SNAPA	SNAPB	3000	3000I	3500	3500I	2500	2500I	2000+	I000	8800	5500	726		8550	7550	7555	240	140	39WO	6600	266	66T	
SPRING TYPE	POSITIVE LOCK										FLEX	FLEX	FLEX	FLEX		NON-SPRING, FIXED FRONT MOUNT						SPRING REAR	NON-SPRING, FIXED REAR MOUNT		
FACTORY SETTING	NCAA	NBA	NBA	NCAA	FIBA	NCAA	FIBA	NCAA	FIBA	NCAA	NFHS	N/A	N/A	N/A		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
NET ATTACH	TUBE TIE	TIE CORD	TIE CORD	NO TIE	TUBE TIE	TUBE TIE	TUBE TIE	TUBE TIE	TUBE TIE	NO TIE	NO TIE	T-TIE	NO TIE	NO TIE		N/A	T-TIE	NO TIE	CHAIN	NO TIE	CHAIN	NO TIE	NO TIE	NO TIE	NO TIE
PLAY LEVEL	PRO, DIV I - III, HS	PRO, DIV I	PRO, DIV I	PRO, DIV I	INTL	PRO, DIV I	INTL	DIV I - III, HS	INTL	DIV I - III, HS, REC	K-12, REC	K-12, REC	K-12, REC	K-12, REC		K-12, REC	K-12, REC	K-12, REC	K-12, REC	K-12, REC	K-12, REC	K-12, REC	K-12, REC	K-12, REC	K-12, REC
SPECS	NBA, NCAA, NFHS	NBA, NCAA, NFHS	NBA, NCAA, NFHS	NBA, NCAA, NFHS	FIBA	NBA, NCAA, NFHS	FIBA	NCAA, NFHS	FIBA	NCAA, NFHS	NFHS	REC, CPSC	REC, CPSC	REC, CPSC		N/A	REC, CPSC	REC, CPSC	REC, CPSC	REC, CPSC	REC, CPSC	REC, CPSC	REC, CPSC	REC, CPSC	REC, CPSC
NO. OF RINGS	I	I	I	I	I	I	I	I	I	I	I	2	2	I		N/A	2	2	2	2	2	I	I	2	I
RING OD	5/8"	5/8"	5/8"	5/8"	3/4"	5/8"	5/8"	5/8"	5/8"	5/8"	5/8"	3/4", 5/8"	5/8", 5/8"	5/8"		N/A	3/4", 5/8"	1/2", 3/4"	1/2", 3/4"	5/8", 1/2"	5/8", 1/2"	5/8"	5/8"	5/8", 1/2"	5/8"
STRENGTH	+++++	+++++	+++++	+++++	+++++	+++++	+++++	++++	++++	++++	+++	+++	++	+	N/A	+++	+++	+++	++	++	+	+++	++	+	
HOLE PATTERN	4" x 5" 4-1/2"x5"	5" x 5"	4-1/2"x5"	4" x 5" 5" x 5"	4" x 5" 4-1/2"x5"	4" x 5" 5" x 5"	4" x 5" 4-1/2"x5"	4" x 5" 5" x 5"	4" x 5" 4-1/2"x5"	4" x 5" 5" x 5"	4" x 5" 5" x 5"	5" x 4" 5" x 5"	4-1/2"x5"	4-1/2"x5"	N/A	5" x 5"	5" x 5"	5" x 5"	5" x 5"	5" x 5"	5" x 5"	4"x 3-7/8"	4"x 3-7/8"	4"x 3-7/8"	
WARRANTY	5 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR	4 YEAR	4 YEAR	4 YEAR	2 YEAR	2 YEAR	2 YEAR	1 YEAR	N/A	LIMITED LIFETIME	LIMITED LIFETIME	LIMITED LIFETIME	2 YEAR	2 YEAR	1 YEAR	2 YEAR	2 YEAR	1 YEAR	
BACKBOARD COMPATIBILITY															BACKBOARD COMPATIBILITY										
3010RG	X		X	X	X	X	X	X	X	X	X														
3011RG	X		X	X	X	X	X	X	X	X	X														
AFRG42/E	X		X	X	X	X	X	X	X	X	X														
AFRG48		X	X	X	X	X	X	X	X	X	X														
LXP4200/E	X		X	X	X	X	X	X	X	X	X														
RG		X	X	X	X	X	X	X	X	X	X														
ARG	X		X	X	X	X	X	X	X	X	X														
3050/RG	X		X	X	X	X	X	X	X	X	X														
FSGII	X			X	X	X	X	X	X	X	X														
BB60G38HH										X	X														
BB72G50HH										X	X														
BB60G38										X	X														
BB72G50										X	X														
BB48A38										X	X														
BB60A38										X	X														
BB72A38										X	X														
BB72P50										X	X														
I245/I245T										X	X	X	X	X		X	X	X	X	X	X				
I260/I260B										X	X	X	X	X		X	X	X	X	X	X				
I260PS										X	X	X	X	X		X	X	X	X	X	X				
I272										X	X	X	X	X		X	X	X	X	X	X				
I272B										X	X	X	X	X		X	X	X	X	X	X				
I272PS										X	X	X	X	X		X	X	X	X	X	X				
I270										X	X	X	X	X		X	X	X	X	X	X				
I270B										X	X	X	X	X		X	X	X	X	X	X				
I301B										X	X	X	X	X		X	X	X	X	X	X				
I342B										X	X	X	X	X		X	X	X	X	X	X				
I442B										X	X	X	X	X		X	X	X	X	X	X				
I701										X	X	X	X	X		X	X	X	X	X	X				
I750/B										X	X	X	X	X		X	X	X	X	X	X				
I266/I266B																						X	X	X	

HOLE PATTERNS





FULL ARCHITECTURAL AND UPDATED SPECIFICATION FILES ARE AVAILABLE AT WWW.GAREDSPORTS.COM.



FULL ARCHITECTURAL AND UPDATED SPECIFICATION FILES ARE AVAILABLE AT WWW.GAREDSPORTS.COM.



INDOOR VOLLEYBALL AND NET SPORTS

Did you know that volleyball is second only to the game of soccer in popularity worldwide? For decades, those millions of passionate athletes and elite volleyball programs in the U.S. and all over the world have trusted their games to GARED's SSI Volleyball brand. Now GARED

is continuing SSI's tradition of excellence and innovation with our newly redesigned and improved Rallyline™ and Libero™ brands of competition and recreational indoor volleyball systems, all of which have many added safety and convenience features. If you're looking for versatility, look no further than our new arena portable unit or our ceiling-suspended system!

Both eliminate the need for expensive drilling of large holes in your floor, and are a great option for courts being used for several different sports. No matter what your volleyball program requirements are, you can rely on GARED's line of premium volleyball systems, accessories, and storage equipment to take on your most demanding games!

WHY BUY GARED?

NEW PRODUCT!

GARED is proud to introduce our brand new Go Court™ Portable Arena Volleyball System, which eliminates the expense and hassle of drilling large sleeve holes in your court flooring!

TONS OF ADDED SAFETY FEATURES!


We design our volleyball systems with safety in mind! From our ratchet winch folding handle to our seatbelt-style safety straps instead of dangerous cables, GARED is always searching for innovations to keep players safe during a game!

VERSATILE EQUIPMENT FOR YOUR MULTI-USE SPORT COURTS!

Check out our Skymaster® Ceiling-Suspended Volleyball System and our Go Court™ Portable Arena Volleyball System – both are great options for indoor facilities that are used for several different sports!

FIND THE SYSTEM THAT'S RIGHT FOR YOUR FACILITY!

Take a look at our PlayRX™ Volleyball System Product Guide to quickly compare the features of our indoor volleyball systems to pick the one that fits your volleyball program needs!





THE SKYMASTER® Is a ceiling-suspended volleyball system that eliminates the need for hauling heavy volleyball uprights in and out of storage • This innovative design allows you to electrically raise and lower your entire system up and out of the way of other court activities in just minutes! • Everything you need to play is included with the system, including upright pads and a premium net • Optional padded referee stand is available • The SkyMaster® can be custom-manufactured to meet the specific requirements of any facility and is available in one, two, or three-court configurations • **25 YEAR LIMITED WARRANTY ON STRUCTURE, 5 YEAR LIMITED WARRANTY ON WINCH ASSEMBLY.**

THE SKYMASTER® CEILING-SUSPENDED VOLLEYBALL SYSTEM FEATURES:

- 4" O.D. Powder Coated Steel Support Structure
- IHP Dual Drum Direct Drive Electric Hoist
- Rail System for net attachment providing infinite net height adjustment for volleyball, badminton, and tennis.
- Easy-to-operate ratchet winch with folding handle for safe adjustment
- Fully Padded Uprights
- Unique adjustable foot pad for added stability
- Available in 1, 2, or 3-court configurations
- SafStops, for added safety

8001: SKYMASTER®, ONE-COURT VOLLEYBALL SYSTEM

WEIGHT: VARIES, TRUCK, FREIGHT CLASS 85,
6-8 WEEK SHIP AFTER FIELD DIMENSION VERIFICATION

- (1) 4" O.D. SET OF ALUMINUM UPRIGHTS
- (1) COMPETITION NET
- (1) PAIR OF ANTENNAS AND SIDELINE MARKERS
- (2) UPRIGHT SAFETY PADS
- (1) SET OF FOUR CABLE COVERS

8001R: SKYMASTER®, ONE-COURT VOLLEYBALL SYSTEM AND REFEREE STAND


WEIGHT: VARIES, TRUCK, FREIGHT CLASS 85,
6-8 WEEK SHIP AFTER FIELD DIMENSION VERIFICATION
• SAME AS ABOVE WITH PADDED REFEREE STAND

8002: SKYMASTER®, TWO-COURT VOLLEYBALL SYSTEM

WEIGHT: VARIES, TRUCK, FREIGHT CLASS 85,
6-8 WEEK SHIP AFTER FIELD DIMENSION VERIFICATION

8002R: SKYMASTER®, TWO-COURT VOLLEYBALL SYSTEM AND REFEREE STAND

WEIGHT: VARIES, TRUCK, FREIGHT CLASS 85, 6-8 WEEK SHIP AFTER FIELD DIMENSION VERIFICATION



SKYMASTER PLAY POSITION



SKYMASTER POST



SKYMASTER REFEREE STAND SHOWN WITHOUT INCLUDED PADDING

GO COURT PLATFORM WITH PADS



The **GO COURT®** are sleeveless and portable volleyball systems that eliminates the need drilling and installing sleeves into your gym floor • This innovative design allows you to easily wheel your entire system in and out of the way of other court activities in just minutes! • Everything you need to play is included with the system, including safety pads and a premium net • The padded referee stand is included as part of the system • The Go Court® can be custom-manufactured to meet the specific requirements of any facility and is available in one or two court configurations • **LIMITED LIFETIME WARRANTY ON UPRIGHTS AND PORTABLE BASE**

8500: GO COURT®, ONE-COURT PORTABLE VOLLEYBALL SYSTEM

WEIGHT: VARIES, TRUCK, FREIGHT CLASS 85, 6-8 WEEK SHIP

- (1) Set of Aluminum Uprights on Portable Base
- (1) Competition Net
- (1) Pair of Antennas and Sideline Markers
- (2) Safety Pads

8502: GO COURT®, TWO-COURT PORTABLE VOLLEYBALL SYSTEM

WEIGHT: VARIES, TRUCK, FREIGHT CLASS 85, 6-8 WEEK SHIP

- (1) Set of Aluminum Upright on Portable Base
- (2) Competition Net
- (2) Pair of Antennas and Sideline Markers
- (3) Safety Pads



GO COURT PLATFORM FROM BACK



GO COURT PLATFORM WITHOUT PADS

8535: GO COURT® JR, ONE-COURT PORTABLE VOLLEYBALL SYSTEM

WEIGHT: VARIES, TRUCK, FREIGHT CLASS 85,
6-8 WEEK SHIP

- (1) Set of Aluminum Uprights on Portable Base
- (1) Competition Net
- (1) Pair of Antennas and Sideline Markers
- (2) Safety Pads
- Available for 4", 3 1/2" or 3" Pre-existing Systems
- Must Use Collapsible Referee Stand



GO COURT JR WITH POST



7300 LIBERO™ SYSTEM INSTALLED

7300 LIBERO™ MASTER TELESCOPIC SYSTEM

Top-of-the-line, premium volleyball system designed for competition play • 4" O.D. telescopic uprights are constructed of a strong, yet lightweight, anodized extruded aluminum for superior support and long life • Features an internal spring assist guide which allows the telescoping posts to glide easily up or down for precise height adjustment without having to remove the net • Easy-to-operate ratchet winch sets net tension • New 3-point net attachment makes set up quick and easy • Height indicator decal includes Men's (7' 11 5/8"), Women's (7' 4 1/8"), and Junior's (7') net heights – applied in the field to your facility conditions • Exclusive wedge lock holds sliding rail system securely • One, two, and three-court systems available • Meets USVBA, NCAA, and NFHS competition specifications. **10 YEAR LIMITED WARRANTY ON POSTS AND 3 YEAR LIMITED WARRANTY ON WINCH ASSEMBLY, LOCKING RAILS, FLOOR SLEEVES AND COVERS.**

7300: MASTER TELESCOPIC ONE-COURT VOLLEYBALL SYSTEM

WEIGHT: 133 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

ONE-COURT SYSTEM INCLUDES:

- (1) 4" O.D. Master Telescopic Upright
- (1) 4" O.D. Master Telescopic Upright with Winch
- (2) 4" Floor Sleeves
- (2) Swivel Brass or Chrome Cover Plates
- (1) Competition Net
- (1) Pair of Antennas and Sideline Markers
- (2) Upright Safety Pads
- (1) Set of Four Cable Covers

7305: MASTER TELESCOPIC ONE-COURT VOLLEYBALL SYSTEM, LESS FLOOR SLEEVES AND COVERS

WEIGHT: 111 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

7302: MASTER TELESCOPIC TWO-COURT VOLLEYBALL SYSTEM

WEIGHT: 208 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

7307: MASTER TELESCOPIC TWO-COURT VOLLEYBALL SYSTEM, LESS FLOOR SLEEVES AND COVERS

WEIGHT: 171 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP




DIRECT NETGUIDE™ ATTACHMENT SYSTEM



EASY GLIDE RAIL SYSTEM

7300 SYSTEM FEATURES

1. Competition volleyball system with telescopic post
2. Telescopic design will keep net at top of post no matter what height off the floor
3. GARED'S exclusive direct attach winch strap for hassle free set-up. No additional cables or chains required.
4. Heavy duty ratchet winch for smooth and easy net tension adjustment handle that folds for added safety
5. Cam lever with exclusive GARED® wedge lock design holds net securely with no "creeping"
6. Internal spring assist to easily adjust the telescopic post
7. Lightweight 4" O.D. aluminum posts with inset grooves for added strength



7200 LIBERO™ SYSTEM INSTALLED

7200 LIBERO™ COLLEGIATE SYSTEM

Top-quality multi-use system • Features infinite net height adjustment to 8', allowing volleyball, tennis, and badminton play – ideal for multi-purpose facilities • 4" O.D. uprights are constructed of a strong, yet lightweight anodized extruded aluminum for superior support and long life • Net height is achieved by sliding the inside post rails to desired setting • Easy-to-operate ratchet winch sets net tension • New 3-point net attachment makes set up quick and easy • Height indicator decal includes Men's (7' 11 5/8"), Women's (7' 4 1/8"), and Junior's (7') net heights – applied in the field to your facility conditions • Exclusive wedge lock holds sliding rail system securely • One, two, and three-court systems available • Meets USVBA, NCAA, and NFHS competition specifications. **10 YEAR LIMITED WARRANTY ON POSTS AND 3 YEAR LIMITED WARRANTY ON WINCH ASSEMBLY, LOCKING RAILS, FLOOR SLEEVES AND COVERS.**

7200: COLLEGIATE ONE-COURT VOLLEYBALL SYSTEM

WEIGHT: 109 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

ONE-COURT SYSTEM INCLUDES:

- (1) 4" O.D. COLLEGIATE UPRIGHT
- (1) 4" O.D. COLLEGIATE UPRIGHT WITH WINCH
- (2) 4" FLOOR SLEEVES
- (2) SWIVEL BRASS OR CHROME COVER PLATES
- (1) COMPETITION NET
- (1) PAIR OF ANTENNAS AND SIDELINE MARKERS
- (2) UPRIGHT SAFETY PADS
- (1) SET OF FOUR CABLE COVERS

7205: COLLEGIATE ONE-COURT VOLLEYBALL SYSTEM, LESS FLOOR SLEEVES AND COVERS

WEIGHT: 87 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

7202: COLLEGIATE TWO-COURT VOLLEYBALL SYSTEM

WEIGHT: 183 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

7207: COLLEGIATE TWO-COURT VOLLEYBALL SYSTEM, LESS FLOOR SLEEVES AND COVERS

WEIGHT: 146 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

7200 SYSTEM FEATURES

1. Multi-use system with infinite net height adjustment for volleyball, tennis, or badminton
2. GARED'S exclusive direct attach winch strap for hassle free set-up, no additional cables or chains required
3. Easy glide rail for quick height adjustment without ever removing the net
4. Heavy duty ratchet winch for smooth and easy net tension adjustment handle that folds for added safety
5. Cam lever with GARED'S exclusive wedge lock design holds the net securely with no "creeping"
6. Lightweight 4" O.D. aluminum posts with inset grooves for added strength



EASY GLIDE RAIL SYSTEM



4" O.D. CROSS SECTION



6100 RALLYLINE™ SYSTEM INSTALLED

6100 RALLYLINE™ SCHOLASTIC TELESCOPIC SYSTEM

Best-selling competition volleyball system with quick and easy set up with preset heights utilizing our unique pin-lock mechanism • The telescopic tube raises and lowers easily with the spring assist operation for men's, women's and junior's play • Our innovative top cap allows the winch strap to move effortlessly over the post for easy to reach attachment to the net • The 3 1/2" O.D. telescopic uprights are constructed of a strong, yet lightweight anodized extruded aluminum for superior support and long life • Unique pin-lock mechanism with Spring Assist allows posts to adjust to Men's (7' 11 5/8"), Women's (7' 4 1/8"), and Junior's (7') net heights • Easy-to-operate ratchet winch sets net tension • New 3-point net attachment makes set up quick and easy • Bottoms of uprights feature adjustable, non-marking pads • Meets USVBA, NCAA, and NFHS competition specifications. **10 YEAR LIMITED WARRANTY ON UPRIGHTS AND 3 YEAR LIMITED WARRANTY ON WINCH ASSEMBLY, FLOOR SLEEVES AND COVERS**

6100: SCHOLASTIC TELESCOPIC ONE-COURT VOLLEYBALL SYSTEM,
WEIGHT: 153 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

ONE-COURT SYSTEM INCLUDES:

- (1) 3 1/2" O.D. SCHOLASTIC TELESCOPIC UPRIGHT
- (1) 3 1/2" O.D. SCHOLASTIC TELESCOPIC UPRIGHT WITH WINCH
- (2) 3 1/2" FLOOR SLEEVES
- (2) SWIVEL BRASS OR CHROME COVER PLATES
- (1) COMPETITION NET
- (1) PAIR OF ANTENNAS AND SIDELINE MARKERS
- (2) UPRIGHT SAFETY PADS
- (1) SET OF FOUR CABLE COVERS

6105: SCHOLASTIC TELESCOPIC ONE-COURT VOLLEYBALL SYSTEM, LESS FLOOR SLEEVES AND COVERS
WEIGHT: 127 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

6102: SCHOLASTIC TELESCOPIC TWO-COURT VOLLEYBALL SYSTEM
WEIGHT: 178 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

6103: SCHOLASTIC TELESCOPIC TWO-COURT VOLLEYBALL SYSTEM, LESS SLEEVES AND COVERS
WEIGHT: 152 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP



DIRECT NETGUIDE™ ATTACHMENT SYSTEM

6100 SYSTEM FEATURES

1. GARED'S exclusive direct NetGuide® system for hassle free set-up. No additional cables or chains required
2. Heavy duty ratchet winch for smooth and easy net tension adjustment
3. Easy glide slide collars for infinite netheight adjustment
4. Winch Handle that folds for added safety
5. Lightweight high strength 3.5" O.D. aluminum post
6. Adjustable foot pad for achieving precise height requirements



RATCHET WINCH WITH FOLDING HANDLE



6000 RALLYLINE™ SYSTEM INSTALLED

6000 RALLYLINE™ SCHOLASTIC SYSTEM

Durable and economical, designed for any size budget • Extremely versatile aluminum volleyball system offering the most complete line of net sports all within just one system • With easy to use slide collars the net is infinitely raised and lowered from men's height to tennis and anywhere in between within a matter of minutes • Unique pin-lock mechanism allows posts to adjust to Men's (7' 11 5/8"), Women's (7' 4 1/8"), and Junior's (7') net heights • The 3 1/2" O.D. lightweight high strength aluminum post with anodized finish is designed for the facility requiring a product that will withstand years of abuse and always provide dependable performance • Bottoms of uprights feature adjustable, non-marking pads • Meets USVBA, NCAA, and NFHS competition specifications. **10 YEAR LIMITED WARRANTY ON UPRIGHTS AND 3 YEAR LIMITED WARRANTY ON WINCH ASSEMBLY, FLOOR SLEEVES AND COVERS**

6000: SCHOLASTIC ONE-COURT VOLLEYBALL SYSTEM
WEIGHT: 122 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

ONE-COURT SYSTEM INCLUDES:

- (1) 3 1/2" O.D. Scholastic Upright
- (1) 3 1/2" O.D. Scholastic Upright with Winch
- (2) 3 1/2" Floor Sleeves
- (2) Swivel Brass or Chrome Cover Plates
- (1) Competition Net
- (1) Pair of Antennas and Sideline Markers
- (2) Upright Safety Pads
- (1) Set of Four Cable Covers


6005: SCHOLASTIC ONE-COURT VOLLEYBALL SYSTEM, LESS FLOOR SLEEVES AND COVERS
WEIGHT: 96 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

6002: SCHOLASTIC TWO-COURT VOLLEYBALL SYSTEM
WEIGHT: 199 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

6003: SCHOLASTIC TWO-COURT VOLLEYBALL SYSTEM, LESS FLOOR SLEEVES AND COVERS
WEIGHT: 175 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

6000 SYSTEM FEATURES

1. GARED'S exclusive direct NetGuide® system for hassle free set-up. No additional cables or chains required
2. Heavy duty ratchet winch for smooth and easy net tension adjustment
3. Easy glide slide collars for infinite netheight adjustment
4. Winch Handle that folds for added safety
5. Lightweight high strength 3.5" O.D. aluminum post
6. Adjustable foot pad for achieving precise height requirements



RATCHET WINCH WITH FOLDING HANDLE



ADJUSTABLE FOOT PAD



5100 OMNISTEEL™ SYSTEM INSTALLED

5100 OMNISTEEL™ SCHOLASTIC TELESCOPIC SYSTEM

Steel competition volleyball system offers a traditional design with unmatched strength for all levels of volleyball play • Durable 3”O.D. telescopic steel posts for competition regulation games provide unyielding strength and support • Sleek black powder coat finish • Features hassle-free net height adjustment with our pin-lock mechanism designed to quickly set the net to men’s, women’s, and juniors heights • Engraved markings on telescopic post indicate height • Internal spring system keeps telescopic post from free falling inside the base post when the pin lock is removed •Pulley at the top of the post easily glides the net cable over the post to the ratchet winch for tensioning • Meets USVBA, NCAA, and NFHS competition specifications, **LIMITED LIFETIME WARRANTY ON UPRIGHTS AND 3 YEAR LIMITED WARRANTY ON WINCH ASSEMBLY, FLOOR SLEEVES AND COVERS**

5100: OMNISTEEL™ ONE-COURT VOLLEYBALL SYSTEM
WEIGHT: 186 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

ONE-COURT SYSTEM INCLUDES:

- (1) 3” O.D. Scholastic Upright
- (1) 3” O.D. Scholastic Upright with Winch
- (2) 3” Floor Sleeves
- (2) Swivel Brass or Chrome Cover Plates
- (1) Competition Net
- (1) Pair of Antennas and Sideline Markers
- (2) Upright Safety Pads
- (1) Set of Four Cable Covers

5105: OMNISTEEL™ ONE-COURT VOLLEYBALL SYSTEM LESS FLOOR SLEEVES AND COVER PLATES
WEIGHT: 168 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

5102: OMNISTEEL™ TWO-COURT SYSTEM
WEIGHT: 272 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

5103: OMNISTEEL™ THREE-COURT SYSTEM
WEIGHT: 246 LBS, TRUCK, FREIGHT CLASS 100, 48 HOUR SHIP

5100 SYSTEM FEATURES

1. Engraved height settings on each post
2. Stop pin for fast adjustment of net height
3. Cable holds pin securely to post
4. Heavy duty ratchet winch for smooth and easy net tension adjustment
5. Winch Handle that folds for added safety
6. Internal spring assist for easy net height adjustment
7. 3” O.D. steel uprights
8. Adjustable foot pad for achieving precise height requirements



HASSLE FREE NET HEIGHT ADJUSTMENT PIN LOCK SYSTEM



RATCHET WINCH WITH FOLDING HANDLE



PLAYRX™ INDOOR VOLLEYBALL SYSTEM PRODUCT GUIDE

PRODUCT NAME	SKYMASTER	GO COURT	GO COURT JR	LIBERO SYSTEMS		RALLYLINE SYSTEMS		OMNISTEEL
MODEL NUMBER	800I	8500	8535	7300	7200	6100	6000	5100
POST TYPE	Telescopic Rail	Telescopic Pin	Telescopic Pin	Telescopic Rail	Rail	Telescopic Collar	Collar	Telescopic
POST O.D.	4” Square	3” Round	3 1/2” Round	4” Round	4” Round	3 1/2” Round	3 1/2” Round	3” Round
POST MATERIAL	Aluminum/ Steel	Steel	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Steel
POST WEIGHT	N/A	N/A	41 LBS	40 LBS	31 LBS	41 LBS	38.5 LBS	55 LBS
POST COLOR	Powdercoat	Black	Anodized	Anodized	Anodized	Anodized	Anodized	Black
PLAY LEVELS	NFHS	NCAA, NFHS	NCAA, NFHS,	AVCA,NCAA, NFHS, Olympics	REC	AVCA,NCAA, NFHS, Olympics	REC	AVCA,NCAA, NFHS, Olympics
PLAY HEIGHTS								
COMPETITION	X	X	X	X		X		X
MENS	X	X	X	X	X	X	X	X
WOMENS	X	X	X	X	X	X	X	X
JUNIORS	X	X	X	X	X	X	X	X
TENNIS	X				X		X	
BADMINTON	X				X		X	
ACCESSORIES								
REFEREE STAND & PAD	X	X	X	X	X	X	X	X
UPRIGHT PAD	X	X	X	X	X	X	X	X
EQUIPMENT CART	X	X	X	X	X	X	X	X
STORAGE BRACKET	X			X	X	X	X	X
CUSTOM NET	X	X	X	X	X	X	X	X
NET WINDER	X	X	X	X	X	X	X	X
NET BAND	X	X	X	X	X	X	X	X
NET LETTERING	X	X	X	X	X	X	X	X
WARRANTY	25 Year Limited Warranty on Structure, 5 Year Limited Warranty On Winch Assembly	Limited Lifetime Warranty on Uprights and Portable Base	Limited Lifetime Warranty on Uprights and Portable Base	10 Year Limited Warranty on Posts and 3 Year Limited Warranty on Winch Assembly	10 Year Limited Warranty on Posts and 3 Year Limited Warranty on Winch Assembly	10 Year Limited Warranty on Posts and 3 Year Limited Warranty on Winch Assembly	10 Year Limited Warranty on Posts and 3 Year Limited Warranty on Winch Assembly	Limited Lifetime Warranty on Uprights and 3 Year Limited Warranty on Winch Assembly
PRICE	\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$	\$\$\$	\$\$\$	\$	\$

ANCHOR STYLE	STYLE B	STYLE BX	STYLE C	STYLE E
	Style B anchors are used on wood floors when one layer of wood is directly on concrete. Style B anchors are also used on portable wood basketball floors such as arena floors that are 3” or more thick for anchoring Gared portable units.	Style BX anchors are used on wood floor when the floor is over a subfloor directly on concrete.	Style C anchors are used of concrete floors or synthetic floors.	Style E anchors are used on permanent style floating floors. Style E is not recommended for portable floating floors such as arena floors because of the permanent location of the anchor. However, if requested by the customer, the style E could be used on portable arena floors.



VOLLEYBALL UPRIGHT SAFETY PADDING

VOLLEYBALL UPRIGHT SAFETY PADDING protects players from injury during play • 6' high pads are comprised of 1 1/4" thick urethane foam covered in 14-oz. vinyl-coated nylon • See color chart for color availability • Meets NCAA, NFHS, and International specifications.

6010: VOLLEYBALL UPRIGHT SAFETY PAD (SPECIFY COLOR),
10 YEAR LIMITED WARRANTY, WEIGHT: 8 LBS,
GROUND COURIER SERVICE, 24 HOUR SHIP, FOR STOCK COLORS

6020: VOLLEYBALL CENTER UPRIGHT SAFETY PAD (SPECIFY COLOR),
10 YEAR LIMITED WARRANTY, WEIGHT: 8 LBS,
GROUND COURIER SERVICE, 24 HOUR SHIP FOR STOCK COLORS

STOCK VOLLEYBALL REFEREE STAND & POST PAD COLORS

ROYAL	NAVY	PURPLE	RED	BLACK	FOREST	BURGUNDY

NON-STOCK VOLLEYBALL REFEREE STAND & POST PAD COLORS

MARINE	YELLOW	ORANGE	KELLY	GREY	BEIGE	WHITE

REFEREE STANDS AND PADDING

Our versatile **REFEREE PLATFORM** is designed for use with any system and will function as fixed or free standing • Each platform is shipped with “V” brackets (not shown) to attach directly to your post (via Velcro® straps) and an extra set of sturdy legs should you prefer the platform to be free standing • Legs are fully height adjustable and bottoms have protective end caps • Two non-marring wheels allow easy transport to and from storage area • Durable white powder coat finish • Optional safety padding available.

6446: REFEREE STAND,
1 YEAR LIMITED WARRANTY, WEIGHT: 67 LBS,
GROUND COURIER SERVICE, 24 HOUR SHIP

6448: COLLAPSIBLE REFEREE,
1 YEAR LIMITED WARRANTY, WEIGHT: 68 LBS,
GROUND COURIER SERVICE, 24 HOUR SHIP (FOR STOCK COLORS)

REFEREE STAND SAFETY PADDING is constructed of dense foam covered with reinforced vinyl to provide maximum protection • Velcro® attachment allows for quick and easy set up • See color chart for color availability • Meets NCAA, NFHS, and International specifications.

6040: REFEREE STAND SAFETY PAD,
1 YEAR LIMITED WARRANTY, WEIGHT: 12 LBS,
GROUND COURIER SERVICE, 24 HOUR SHIP (FOR STOCK COLORS)

6040SQ: SQUARE REFEREE STAND SAFETY PAD,
1 YEAR LIMITED WARRANTY, WEIGHT: 66 LBS,
GROUND COURIER SERVICE, 24 HOUR SHIP (FOR STOCK COLORS)



6446 WITH 6040 PADS



6446 WITH 6040SQ PADS BACK AND FRONT



VOLLEYBALL FLOOR SLEEVES are constructed of heavy-gauge steel for increased support of volleyball uprights in indoor facilities • Allow uprights to be removed and stored out of the way of other court activities • Designed for use with floating and non-floating synthetic floors • Choose 4", 3 1/2", or 3" inside diameter, depending on your facility's requirements.

6405: 4" I.D. X 12" DEEP FLOOR SLEEVE
WEIGHT: 7 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP


6400: 3 1/2" I.D. X 10" DEEP FLOOR SLEEVE
WEIGHT: 8 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6404: 3" I.D. X 9" DEEP FLOOR SLEEVE
WEIGHT: 6 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

COVER PLATES are constructed of a durable brass or chrome alloy with a concealed hinge for covering existing floor sleeves • All attachment screws are concealed when cover plate is in closed position, allowing for a completely flat and safe playing surface • Standard cover plates have a 5" I.D., with a total diameter of 6 1/4" • Oversized cover plates have a 6 5/8" I.D., with a total diameter of 8" • Please reference chart for cover plate size and finish.

COVER PLATES
SEE CHART FOR WEIGHTS, GROUND COURIER SERVICE, 24 HOUR SHIP

MODEL#	TOTAL DIAMETER	INSIDE DIAMETER	FINISH	LOCK	WEIGHT (LBS)
6430	6 1/4"	5"	Brass	Yes	3
6431	6 1/4"	5"	Chrome	Yes	3
6423	6 1/4"	5"	Brass	No	4
6429	6 1/4"	5"	Brass	Yes	4
6426	6 1/4"	5"	Chrome	No	4
6428	6 1/4"	5"	Chrome	Yes	4
6432	8"	6 5/8"	Brass	Yes	4
6433	8"	6 5/8"	Chrome	Yes	4
6424	8"	6 5/8"	Brass	No	6
6422	8"	6 5/8"	Brass	Yes	6
6427	8"	6 5/8"	Chrome	No	6
6425	8"	6 5/8"	Chrome	Yes	6



FLOOR ANCHORS allow installation of above floor sleeves for existing facilities where access or floor structure is not ideal for installation of in ground floor sleeves • Anchors are installed flush with top of playing surface to allow for safe play • Choose from four anchor types, depending on the type of specialty flooring of your facility.

1015-12-00: STYLE B FLOOR ANCHOR (FOR WOOD FLOORS INSTALLED DIRECTLY OVER CONCRETE)
WEIGHT: 1 LB, GROUND COURIER SERVICE, 24 HOUR SHIP

1026-12-00: STYLE BX FLOOR ANCHOR (EXTENDED 3 1/4" ANCHOR FOR WOOD FLOORS INSTALLED DIRECTLY OVER CONCRETE) WEIGHT: 2 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

1020-12-00: STYLE C FLOOR ANCHOR (FOR CONCRETE OR SYNTHETIC FLOORS INSTALLED DIRECTLY OVER CONCRETE) WEIGHT: 1 LB, GROUND COURIER SERVICE, 24 HOUR SHIP

9112: STYLE E FLOOR ANCHOR (FOR FLOATING WOOD FLOORS RESTING ON SLEEPERS OR METAL CLIP FASTENERS) WEIGHT: 1 LB, GROUND COURIER SERVICE, 24 HOUR SHIP



ABOVE FLOOR SLEEVES are used with floor anchors when floor will not accept traditional in ground floor sleeves • T-type base provides superior support and eliminates the need for dangerous cables or rigid supports • Anchor included; choose from four floor anchors styles • Compatible with all GARED® volleyball systems.



6414: ABOVE FLOOR END BASE SLEEVE, 3 1/2"
WEIGHT: 26 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6406: ABOVE FLOOR END BASE SLEEVE, 3 1/2"
WEIGHT: 26 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6407: ABOVE FLOOR END BASE SLEEVE, 4"
WEIGHT: 26 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6050: ABOVE FLOOR END BASE SLEEVE PAD
WEIGHT: 8 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6415: ABOVE FLOOR CENTER BASE SLEEVE, 3"
WEIGHT: 18 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6411: ABOVE FLOOR CENTER BASE SLEEVE, 3 1/2"
WEIGHT: 18 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6408: ABOVE FLOOR CENTER BASE SLEEVE, 4"
WEIGHT: 18 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6060: ABOVE FLOOR CENTER BASE SLEEVE PAD
WEIGHT: 8 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

BOLT-ON SECOND STORY FLOOR SLEEVE ADAPTER allows for standard floor sleeves on every level of your facility • Unit bolts to underside of concrete or beam and allows for normal installation of floor sleeves • Constructed of 6 5/8" O.D. heavy-gauge steel and .156 wall tubing and steel channels for ultimate support and stability • Adapter measures 6" I.D. and is for use with all sleeves • Compatible with all GARED® volleyball systems.

6401: SECOND STORY FLOOR SLEEVE ADAPTER
WEIGHT: 29 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP



6283

CUSTOM BASE ADAPTERS allow your facility to upgrade to GARED® volleyball systems without the added expense of replacing your existing floor sleeves • Custom-designed to retrofit virtually any floor sleeve • Specify the diameter and depth of your existing floor sleeve when ordering.

6283: 3" CUSTOM BASE ADAPTER
WEIGHT: 8 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6284: 3 1/2" CUSTOM BASE ADAPTER
WEIGHT: 8 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6289: SPECIAL CUSTOM BASE ADAPTER
WEIGHT: 8 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

COMPETITION VOLLEYBALL NETS

Our **COMPETITION VOLLEYBALL NETS** are constructed of quality materials designed for quick and easy set-up • Features a fully enclosed fiberglass dowel and 4" square #36 nylon mesh for superior performance and durability • Free floating net along a 1/8" steel cable allows for easy centering of the net above the court lines • Extremely strong Velcro® straps work with a "D" ring design to tighten the net and hold until released • All nets are covered by 1 year limited warranty

7600: COMPETITION NET FOR USE WITH GARED NET GUIDE™ SYSTEMS
WEIGHT: 10 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

7610: CUSTOM LENGTH VOLLEYBALL NET, MAX LENGTH IS 40'
WEIGHT: VARIES, GROUND COURIER SERVICE, 24 HOUR SHIP

7500: EXTENDED CABLE VOLLEYBALL NET FOR PULLEY CAPPED POSTS
WEIGHT: 10 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP



NET CABLE COVERS are made of heavy-duty vinyl with Velcro® attachments to ensure maximum player safety • Designed to be easily fitted to exact conditions • Sold in sets of four.

6251: NET CABLE COVERS, SET OF FOUR
WEIGHT: 1 LB, GROUND COURIER SERVICE, 24 HOUR SHIP

2 1/2" wide **SIDELINE MARKERS** are constructed of heavy-duty 18-oz. vinyl and fasten easily to the net with Velcro® attachments • Each sideline marker includes a full-length pocket to insert antenna and is sold in pairs only • Antennas are 72" long x 3/8" O.D. solid fiberglass rods with alternating 4" bands of red and white striping on top half • Bottoms of antennas feature rounded edges to prevent snagging or tearing of sideline marker • Antennas are sold in pairs only and can be used separately or with sideline markers.

6410: NET ANTENNA AND SIDELINE MARKER COMBO (INCLUDES A PAIR OF EACH)
WEIGHT: 4 LBS/SET, GROUND COURIER SERVICE, 24 HOUR SHIP

6412: NET ANTENNAS ONLY, 1 PAIR
WEIGHT: 2 LBS/PR, GROUND COURIER SERVICE, 24 HOUR SHIP

6413: SIDELINE MARKERS ONLY, 1 PAIR
WEIGHT: 2 LBS/PR, GROUND COURIER SERVICE, 24 HOUR SHIP

VBNB: SCHOOL SPIRIT NET BAND, 1 NET
WEIGHT: 2 LBS/PR, GROUND COURIER SERVICE, 24 HOUR SHIP



VBNB



6412

VOLLEYBALL STORAGE EQUIPMENT

VOLLEYBALL BALL CARRYING CART holds up to 30 volleyballs • Cart easily and quickly folds up and fits into the included carry bag • Constructed of a heavy-gauge steel frame with coated nylon basket for long-lasting durability.

VBCC: VOLLEYBALL BALL CARRY CART, 1 YEAR LIMITED WARRANTY
WEIGHT: 18 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

STURDY VOLLEYBALL BALL RACKS are constructed of 1" O.D., 18-gauge chrome-plated steel tubing to provide rust protection and a bright appearance • 4-tier rack holds up to 16 volleyballs; 3-tier rack holds up to 12 volleyballs • Four 2" hardened rubber swivel castors are non-marring and will not damage hardwood or synthetic floors.

BR-16: 4-TIER BALL RACK, 16 BALL CAPACITY, 1 YEAR LIMITED WARRANTY
WEIGHT: 18 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

BR-12: 3-TIER BALL RACK, 12 BALL CAPACITY, 1 YEAR LIMITED WARRANTY
WEIGHT: 14 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP



6295



6292



6291



6293

VOLLEYBALL UPRIGHT TRANSPORTER allows for easy portability of volleyball posts • Compact steel cup transports one upright at a time into storage area.

6290: VOLLEYBALL UPRIGHT TRANSPORTER, 3"
WEIGHT: 5 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6294: VOLLEYBALL UPRIGHT TRANSPORTER, 3 1/2"
WEIGHT: 5 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6293: VOLLEYBALL UPRIGHT TRANSPORTER, 4"
WEIGHT: 5 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

STORE-IT STORAGE RACKS are freestanding movable trolleys which easily and neatly store volleyball nets while using minimal floor space • Constructed of steel with a black powder-coat finish for long-lasting durability • Non-marring castors allow multi-directional movement of unit • Available for single, double, or triple net capacity.

9930: STORE-IT, SINGLE NET STORAGE RACK
WEIGHT: 30 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

9940: SUPER STORE-IT, DOUBLE NET STORAGE RACK
WEIGHT: 35 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

9933: SUPER STORE-IT, TRIPLE NET STORAGE RACK
WEIGHT: 40 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP



VBCC



BR-12



BR-16

VOLLEYBALL EQUIPMENT STORAGE CART

Quickly and easily store your entire volleyball system with our equipment storage cart • This handy cart stores up to six volleyball uprights, referee stand and pads • The convenient basket also holds net, antennas and balls • The non-marring casters roll easily to store your entire system in your storage area in one trip.

6295: VOLLEYBALL EQUIPMENT STORAGE CART
WEIGHT: 70 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

VOLLEYBALL UPRIGHT STORAGE BRACKETS

save valuable floor space when system is not in use • Holds a pair of uprights either vertically or horizontally on any wall.

6291: VERTICAL UPRIGHT STORAGE BRACKET
WEIGHT: 3 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6292: HORIZONTAL UPRIGHT STORAGE BRACKET
WEIGHT: 7 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP



9933



9930



9940

INDOOR BADMINTON

SLEEVE-TYPE BADMINTON SYSTEM is ideal for competition or recreational use • Constructed of 1 ½” square steel-tubed uprights • Powder-coated white for durability and long life • Designed to be installed into permanent floor sleeves for easy removal when not in use • Includes adjustable foot pad to gain accurate net height.

6619: ONE-COURT SLEEVE-TYPE BADMINTON SYSTEM,
1 YEAR LIMITED WARRANTY, WEIGHT: 40 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

ONE-COURT BADMINTON SYSTEM INCLUDES:

- (2) 1 ½” Square Badminton Uprights
- (2) 1 ½” Square Floor Sleeves
- (2) Swivel Brass Cover Plates
- (1) Badminton Net

6617: SLEEVE-TYPE BADMINTON UPRIGHT
6618: SLEEVE-TYPE BADMINTON CENTER UPRIGHT
6620: BADMINTON NET, 21’ X 2’ 6”


PORTABLE BADMINTON SYSTEM is an economical and versatile alternative to sleeve-type badminton systems • Constructed of 1 ½” square steel-tubed uprights • Powder-coated white for durability and long life • Weighted base with T-bar keeps posts rigidly in place • Solid rubber castors allow quick and easy transport in and out of storage area • Center uprights available for multi-court configurations.

**6631: ONE-COURT PORTABLE BADMINTON SYSTEM **
WITH 60LB BASES, 1 YEAR LIMITED WARRANTY,
WEIGHT: 150 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

ONE-COURT PORTABLE BADMINTON SYSTEM INCLUDES:

- (2) Portable Badminton Uprights with Weighted T-Bar
- (1) Badminton Net

6630: PORTABLE BADMINTON UPRIGHT
6632: PORTABLE BADMINTON CENTER UPRIGHT
6620: BADMINTON NET, 21’ X 2’ 6”



6631

BADMINTON SLEEVE

HEAVY DUTY INTERNATIONAL PORTABLE BADMINTON SYSTEM INCLUDES:

- (2) Portable Badminton Uprights with Weighted T-Bar
- (1) Badminton Net

6635: ONE-COURT PORTABLE SQUARE BADMINTON SYSTEM WITH 120 LB BASES,
1 YEAR LIMITED WARRANTY, WEIGHT: 270 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6640: ONE-COURT PORTABLE ROUND BADMINTON SYSTEM WITH 120 LB BASES,
1 YEAR LIMITED WARRANTY, WEIGHT: 270 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP



6640

INDOOR TENNIS



6450

DELUXE INDOOR ALUMINUM TENNIS SYSTEM is a smaller version of the GARED® volleyball system and is ideal for multi-sport facilities • 4” O.D. uprights are constructed of a strong, yet lightweight anodized extruded aluminum for superior support and long life • Easy-to-operate ratchet winch sets net tension • Exclusive wedge lock holds sliding rail system securely • Use GSTNET30LS tennis net; net sold separately.

6450: DELUXE INDOOR ALUMINUM TENNIS SYSTEM,
1 YEAR LIMITED WARRANTY ON POSTS
WEIGHT: 55 LBS, GROUND COURIER SERVICE, 48 HOUR SHIP

ONE-COURT INDOOR TENNIS SYSTEM INCLUDES:

- (1) 4” O.D. Tennis Upright
- (1) 4” O.D. Tennis Upright with Winch
- (2) 4” Floor Sleeves
- (2) Hinged Brass Cover Plates

GSTNET30LS: DELUXE INDOOR PROFESSIONAL TENNIS NET,
1 YEAR LIMITED WARRANTY
WEIGHT: 22 LBS, GROUND COURIER SERVICE, 48 HOUR SHIP

6455: DELUXE INDOOR ALUMINUM TENNIS UPRIGHT
6460: DELUXE INDOOR ALUMINUM TENNIS UPRIGHT WITH WINCH
6458: DELUXE INDOOR ALUMINUM TENNIS CENTER UPRIGHT



GARED has all the equipment you need for one of the fastest growing sports worldwide – **NETBALL!** We carry a large assortment of Netball Systems, whether you’re playing in an official league, or just want an economical system for your backyard. Choose from our steel or aluminum systems, with either portability or inground mounting to fit your specific needs. All Netball systems include an orange powdercoated rim with 15” diameter for official play, along with post, net, and hardware. Portable systems include a base for easy transport of unit. Some systems not shown in catalog - visit www.garedsports.com for our complete selection of premium **HOOPLA™ NETBALL EQUIPMENT.**

8415: RECREATIONAL PORTABLE HOOPLA™ NETBALL SYSTEM,
1-YEAR WARRANTY, WEIGHT: 28 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

- Telescopic post allows rim to easily adjust to 8 ft, 9 ft, and 10 ft heights
- Post is 2” O.D. and 10’ tall
- Post is constructed of steel and powdercoated white for maximum protection and longer life
- Plastic base measures 33.5” x 22” x 6.5”
- Base can be filled with water or sand (not included) for stability of unit
- System includes wheels on the base for easy mobility
- Complete system includes base, post, rim and net
- Designed for home and recreational use

8412: STEEL PORTABLE HOOPLA™ NETBALL SYSTEM WITH STEEL BASE,
5-YEAR WARRANTY, WEIGHT: 114 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

- Rim can be adjusted to 8’, 9’, or 10’ by bolting into pre-drilled holes on post
- Post is 2-1/2” O.D. and 10’ tall
- Post is constructed of steel and powdercoated white for maximum protection and longer life
- Triangular steel base measures 28” L x 24” W and weighs 55 lbs to stabilize unit
- Base is powdercoated black
- Complete system includes base, post, rim and net
- Designed for league and tournament use

8432: ALUMINUM PORTABLE HOOPLA NETBALL SYSTEM WITH STEEL BASE,
5-YEAR WARRANTY, WEIGHT: 114 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

- Rim can be adjusted to 8’, 9’, or 10’ by bolting into pre-drilled holes on post
- Post is 3” O.D. and 10’ tall
- Post is constructed of steel and powdercoated white for maximum protection and longer life
- Triangular steel base measures 28” L x 24” W and weighs 55 lbs to stabilize unit
- Base is powdercoated black
- Complete system includes base, post, rim and net
- Designed for league and tournament use



8200

The **8200 OFFICIAL TEAM HANDBALL GOAL** meets all IHF Official Team Handball specifications • It is constructed of 3” (8cm) square extruded aluminum frame with large safety radius on all corners • The 2m x 3m frame is supported by 1m deep 1 5/8” (41.28 mm) O.D. galvanized steel backstays with the lower horizontal section being rubber padded for floor protection • It features our easy connect net attachment and portable sand bags for ballast (sand is not included) • Standard finish is white powder coat with black stripes on the main goal frame • Used with the 8305 Official Team Handball Goal braided white net • Nets are sold separately • Handball goals are sold in pairs.

8200: OFFICIAL TEAM HANDBALL GOAL
2 YEAR LIMITED WARRANTY, WEIGHT: 214 LBS/PAIR
TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP



8412



8415



REGULATION BASE



RECREATION BASE



8300

The **8300 OFFICIAL FUTSAL GOAL** meets all FIFA and US Futsal specifications • Goal is made of a 3” (8cm) square extruded aluminum frame with large safety radius on all corners • The 2m x 3m frame is supported by 1m deep 1 5/8” (41.28 mm) O.D. galvanized steel backstays and rear stabilizing bar • It features our easy connect net attachment • Standard finish is white powder coat on the main goal frame • Used with the 8305 Official Futsal Goal braided white net • Nets are sold separately • Futsal goals are sold in pairs.

8300: OFFICIAL FUTSAL GOAL
2 YEAR LIMITED WARRANTY, WEIGHT: 214 LBS/PAIR
TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP



PLAYGROUND & OUTDOOR BASKETBALL EQUIPMENT

Why shouldn't your outdoor basketball court have the same first-class equipment as your indoor court? At GARED, we believe recreational areas, public parks, and other outdoor venues are just as important as indoor facilities in developing the game of basketball! In addition, your outdoor equipment must be able withstand harsh weather elements, possible vandalism, and constant exposure to rigors of demanding public play. But there's no need to worry, because GARED's complete line of outdoor basketball systems provides unparalleled strength, durability, and peace of mind when you need it most - whether you need a full court set up for a local park, or just shooting hoops in your own backyard!

WHY BUY GARED?

UNMATCHED DURABILITY FOR EXTREME OUTDOOR PLAY!

From our bullet-proof polycarbonate backboards to the galvanized and powdercoated 1/4" thick steel posts of our Endurance® Systems, GARED offers the most rugged outdoor systems on the market today!

SYSTEMS FOR COMMERCIAL AND RESIDENTIAL USE!

Check out GARED's complete line of outdoor basketball systems for every budget and play environment! Whether it's for a city park or your own driveway, we've got you covered!


SAFETY FIRST!

GARED offers backboard and pole padding, base plate pads, ball safety nets, and longer extension lengths - just a few of the accessories and features that were designed with safety in mind!

WE MAKE IT EASY TO CHOOSE AN OUTDOOR SYSTEM!

Check out our PlayRX™ Outdoor Basketball System Product Guide to easily compare the features, components, and play environments of all of our outdoor basketball systems to see which one is right for your facility!





GARED HOOPMASTER® LT: THE PORTABLE OF CHOICE FOR SIDE COURTS, OUTDOOR COMPETITION AND INTRAMURAL PLAY

The traditional style of the **GARED HOOPMASTER® LT**, offers more features and structural strengths than any similar size basketball portable backstop available on the market • A unique tension spring mechanism allows for effortless lifting and lowering of the unit • It is adjustable at 8', 9' and 10' heights, the Hoopmaster® LT comes with an official size (42" x 72") shatter proof glass backboard, our original PRO-MOLD® backboard padding, and a positive lock breakaway goal • The base is fully padded on three sides with vinyl covered high density polyurethane foam • An anchoring system is included with the unit. • Full weight with ballast 1700 lbs. (771 .kgs) • **10-YEAR LIMITED WARRANTY ON ALL PARTS, LIFETIME LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, 10-YEAR LIMITED WARRANTY ON PRO-MOLD® PADS AND 4-YEAR ON BREAKAWAY GOAL.**

9305: GARED HOOPMASTER® LT WITH 5' BOOM, 5' 6" (1.68 M) PORTABLE BASKETBALL BACKSTOP

HOOPMASTER LT

HOOPMASTER LT® FEATURES

BACKBOARD: Model BB72G50 official size 42" x 72" Available 1/2" tempered glass backboard with a welded reinforced powder-coated steel frame (BB72G50). Limited Lifetime Warranty on backboards. 60" glass and acrylic backboards are optional and available upon request.

GOAL: 2000+ Collegiate breakaway goal with glass backboard.

PADDING: Durable Gared PRO-MOLD® backboard edge padding comes in a wide variety of colors. Standard color for system padding is royal blue; other standard colors are available at no additional cost. Custom logos for the front and side pads are available at an additional cost.

BALLAST: 950 lbs. (432 kgs.) Ballast is welded and concealed in the base of the unit.

HEIGHT ADJUSTABLE: Unique telescoping brace allows for preset heights of 8', 9' and 10'.

FLOOR ANCHORING SYSTEM: Tie down anchor system include. Optional inground anchor can be purchased separately, please specify floor type.

FINISH: The unit is powder-coated white. Other colors are available at additional cost.

TRANSPORT & STORAGE: Folds easily for compact storage with single non-marking polyurethane casters for easy transport.



SPRING ASSIST OPERATION

Spring design allows backstop to be easily lifted in under 10 seconds.



SHIPPED WITH BALLAST SECURELY INCLUDED

HOOPMASTER is shipped with ballast securely included within a welded basin located in back of portable unit's base.

GARED HOOPS 21™: THE PROVEN 3-ON-3 TOURNAMENT PORTABLE BACKSTOP

The **GARED HOOPS 21™** offers a computer designed, black powder-coated, unitized frame making it the strongest, most portable 3-on-3 basketball tournament system on the market • Designed for indoor/outdoor use, it is adjustable at 8', 9' and 10' heights • It is totally collapsible and folds easily into a flat, compact storage position that can be rolled away • This portable unit comes with a beefy fan shaped 54" X 39" fiberglass • A 2" thick high density polyurethane foam front pad covered with 18 oz. black vinyl is included for added player protection • A minimum of 300 lbs of ballast is required • Vinyl bags that can be filled with sand are included with the unit.

9249: HOOPS 21™: "3 ON 3" PORTABLE BASKETBALL BACKSTOP WITH 54" X 39" FAN SHAPED FIBERGLASS BACKBOARD. 1 YEAR LIMITED WARRANTY
WEIGHT: 250LBS. (100KGS), TRUCK, FREIGHT CLASS 150, 24 HOUR SHIP

BACKBOARD: Model 1301B Fan Shape Fiberglass Board
GOAL: Model 39VO institutional fixed goal is standard with the unit.
PADDING: Fully padded with 2" thick high density polyurethane foam covered with non-tearing 18 oz. black vinyl for added player protection.
BALLAST: Vinyl bags that can be filled with sand come standard with its portable unit; 300 lbs of ballast recommended.
HEIGHT ADJUSTABLE: The unit can be easily adjusted to 8', 9' and 10' heights.
FINISH: Entire system powder-coated black.
TRANSPORT & STORAGE: Folds completely into a compact storage position that can be easily lifted and rolled away.



The **MICRO-Z™** is the first of its kind and most popular roll-around Portable Backstop System for the past 10 years • This highly portable system rolls easily on four large casters and locks in place with the flip of a brake lever. • This high quality backstop is great for all ages and skill levels and priced for any budget • It is designed for side court and multipurpose recreational areas • Available with 54" backboard & breakaway or 48" backboard with fixed goal combination • This portable is not recommended for main court use or dunking activities.

MICRO-Z54™: ROLL-AROUND BASKETBALL BACKSTOP WITH BREAKAWAY GOAL & 54" ACRYLIC BACKBOARD
2 YEAR LIMITED WARRANTY, WEIGHT: 397 LBS. (180 KGS), TRUCK, FREIGHT CLASS 150, 24 HOUR SHIP

MICRO-Z™: ROLL-AROUND BASKETBALL BACKSTOP WITH FIXED RIM & 48" ACRYLIC BACKBOARD
2 YEAR LIMITED WARRANTY, WEIGHT: 397 LBS. (180 KGS), TRUCK, FREIGHT CLASS 150, 24 HOUR SHIP

BACKBOARD: MODEL MICRO-Z54 features 32" x 54" acrylic backboard (Model: GP5432); **MODEL MICRO-Z** features 48" x 32" rectangular acrylic backboard (Model: GP4832ISQ)
GOAL: MODEL MICRO-Z54 features 724 Breakaway goal. **MODEL MICRO-Z** features 26VO standard stationary goal with nylon net.
PADDING: Fully padded with high density polyurethane foam covered with non-tearing 14 oz. black vinyl. Backboard padding not included.
BALLAST: 250 lbs. (114 Kgs.) of ballast required and concealed in the base of the unit. Ballast weight is not included.
HEIGHT ADJUSTABLE: Spring assisted unit adjusts from 7' juniors' to 10' regulation heights

NETBALL OUTDOOR PORTABLE SYSTEM

GARED has all the equipment you need for one of the fastest growing sports worldwide – NETBALL! We carry a large assortment of Netball Systems, whether you're playing in an official league, or just want an economical system for your backyard. Choose from our steel or aluminum systems, with either portability or inground mounting to fit your specific needs. All Netball systems include an orange powdercoated rim with 15" diameter for official play, along with post, net, and hardware. Portable systems include a base for easy transport of unit. Some systems not shown in catalog - visit www.garedsports.com for our complete selection of premium **HOOPLA™ NETBALL EQUIPMENT**.

8415: RECREATIONAL PORTABLE HOOPLA™ NETBALL SYSTEM, 1-YEAR WARRANTY, WEIGHT: 28 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

- Telescopic post allows rim to easily adjust to 8 ft, 9 ft, and 10 ft heights
- Post is 2" O.D. and 10' tall
- Post is constructed of steel and powdercoated white for maximum protection and longer life
- Plastic base measures 33.5" x 22" x 6.5"
- Base can be filled with water or sand (not included) for stability of unit
- System includes wheels on the base for easy mobility
- Complete system includes base, post, rim and net
- Designed for home and recreational use



RECREATION BASE



The **MINI-EZ™** is designed to provide rugged durability for home, club or church use. This highly portable system rolls easily on four large casters and sets in place with the flip of a lever. It features heavy duty steel construction and direct mount goal design. It folds down to 48" VV x 80 1/2" H x 62" L - including board & goal. This portable is not recommended for main court use or dunking activities.

MINI-EZ™: ROLL-AROUND BASKETBALL BACKSTOP, 2 YEAR LIMITED WARRANTY , WEIGHT: 327LBS. (148 KGS), TRUCK, FREIGHT CLASS 150, 24 HOUR SHIP

BACKBOARD: GP4832ISQ 48" x 32" rectangular acrylic backboard with 3/8" thickness affixed to a superior 1" welded aluminum uni-frame.
GOAL: 26VO standard stationary goal with nylon net.
PADDING: Fully padded with high density polyurethane foam covered with non-tearing 18 oz. black vinyl.
BALLAST: 250 lbs. (114 Kgs.) of ballast required and concealed in the base of the unit. Ballast weight is not included.
HEIGHT ADJUSTABLE: Spring assisted unit adjusts from 7' juniors' to 10' regulation heights




ARE YOU BUILDING A BASKETBALL COURT, BUT UNSURE WHERE TO BEGIN?

When searching for an outdoor system, consider play environment, usage, weather elements, and budgetary concerns. Gared® makes it easy by offering three levels of outdoor posts and packages – economy, standard-duty, and heavy-duty – so you can choose the outdoor system that is most suitable for your application.


OUTDOOR POSTS

Build your court by first choosing an appropriate backstop - **GARED® OUTDOOR POSTS** are offered in several styles, sizes and safe play zones to fit your facility's needs • Posts are formed from heavy wall galvanized steel for superior protection against weather elements • Each post is approximately 13' tall, with 3' to be installed in a 4' x 2' concrete footing to ensure long-lasting post stability • 5-9/16" and 6-5/8" O.D. posts are comprised of Schedule 40 steel, providing unmatched strength and durability to the units • All posts contain a backboard mounting plate welded to post end for hassle-free attachment to most backboards • Powder-coated posts available – please call for quotation • PPWR Post padding is optional and recommended.



GN/GNA SERIES: GOOSENECK POSTS
SEE CHART FOR WEIGHTS, TRUCK, FREIGHT CLASS 50, 24 HOUR SHIP

- Round post with traditional gooseneck design
- Fixed height
- Available with or without backboard braces
- Braced units include a V-brace with attachment hardware to eliminate backboard vibration



AAB/AABS SERIES: ADJUSTABLE STRAIGHT POSTS
SEE CHART FOR WEIGHTS, TRUCK, FREIGHT CLASS 50, 24 HOUR SHIP

- Straight vertical round post with horizontal extension arm
- Arm is height-adjustable to allow for all-age play settings
- All units include a V-brace with attachment hardware to eliminate backboard vibration
- 5-9/16" and 6-5/8" posts include an additional strut connecting the vertical post to the arm for added rigidity

GN/GNA SERIES: GOOSENECK POSTS

MODEL #	DESCRIPTION	POST O.D.	EXT	ADJUST-ABLE?	MOUNTING TYPE	WT	LTD. WARRANTY
GNA35	Unbraced Gooseneck	3 1/2"	3'	No	Front Mount	72	10 Year
GNA35R	Unbraced Gooseneck	3 1/2"	3'	No	Rear Mount	72	10 Year
GN35	Braced Gooseneck	3 1/2"	3'	No	Front Mount	78	10 Year
GN35R	Braced Gooseneck	3 1/2"	3'	No	Rear Mount	78	10 Year
GNA45	Unbraced Gooseneck	4 1/2"	4'	No	Front Mount	128	25 Year
GNA45R	Unbraced Gooseneck	4 1/2"	4'	No	Rear Mount	128	25 Year
GN45	Braced Gooseneck	4 1/2"	4'	No	Front Mount	134	25 Year
GN45R	Braced Gooseneck	4 1/2"	4'	No	Rear Mount	134	25 Year
GN455	Braced Gooseneck	4 1/2"	5'	No	Front Mount	146	25 Year
GN4505R	Braced Gooseneck	4 1/2"	5'	No	Rear Mount	146	25 Year
GN60	Braced Gooseneck	5-9/16"	6'	No	Front Mount	259	Lifetime

AAB/AABS SERIES: ADJUSTABLE STRAIGHT POSTS

MODEL #	DESCRIPTION	POST O.D.	EXT	ADJUST-ABLE?	MOUNTING TYPE	WT	LTD. WARRANTY
AAB35	Straight Post w/ braced arm	3 1/2"	3'	Yes	Front Mount	91	10 Year
AAB35R	Straight Post w/ braced arm	3 1/2"	3'	Yes	Rear Mount	91	10 Year
AAB45	Straight Post w/ braced arm	4 1/2"	4'	Yes	Front Mount	138	25 Year
AAB45R	Straight Post w/ braced arm	4 1/2"	4'	Yes	Rear Mount	138	25 Year
AABS60	Straight Post w/ braced & strutted arm	5-9/16"	5'	Yes	Front Mount	287	Lifetime
AABS65	Straight Post w/ braced & strutted arm	6-5/8"	6'	Yes	Front Mount	362	Lifetime
DP35	Double Straight Post w/ two arms	3 1/2"	Two 3'	No	Front Mount	220	10 Year



FRONT MOUNT ALUMINUM FAN BACKBOARDS
1701: Brushed Fan Board
1750: White Fan Board
1750B: White Fan Board w/ Target & Border




FRONT MOUNT STEEL FAN BACKBOARDS
1245: White Fan Board
1245T: White Fan Board w/ Target



FRONT MOUNT FIBERGLASS FAN & RECTANGULAR BACKBOARDS
1301B: White Fan Board w/ Target & Border
1342B: White Rectangular 42" x 72" w/ Target & Border



42" & 48" STEEL RECTANGULAR BACKBOARDS
1272: White 42" x 72" Board
1272B: White 42" x 72" w/ Target & Border
1270: White 48" x 72" Board
1270B: White 48" x 72" w/ Target & Border



PERFORATED STEEL RECTANGULAR BACKBOARDS
1260PS: White 42" x 60" Board
1272PS: White 42" x 72" Board
1260PSB: White 42" x 60" w/ Target & Border
1272PSB: White 42" x 72" w/ Target & Border



60" STEEL RECTANGULAR BACKBOARDS
1260: White 42" x 60" Board
1260B: White 42" x 60" Board w/ Target & Border



REAR MOUNT STEEL FAN BACKBOARDS
1266: White Fan Board
1266B: White Fan Board w/ Target & Border



OUTDOOR GLASS RECTANGULAR BACKBOARDS
BB60G38: 42" x 60" Board
BB60G38HH: 42" x 60" Direct Mount Board
BB72G50: 42" x 72" Board
BB72G50HH: 42" x 72" Direct Mount Board

ACRYLIC RECTANGULAR BACKBOARDS
BB48A38: 36" x 48" Board
BB60A38: 42" x 60" Board
BB72A38: 42" x 72" Board

POLYCARBONATE RECTANGULAR BACKBOARDS
BB72P50: 42" x 72" Board

NOT SURE WHICH BACKBOARD IS RIGHT FOR THE POST YOU'VE SELECTED? SEE GARED'S POST & BOARD COMPATIBILITY CHART



FIXED SINGLE RIM
39WO & 4039: Institutional Goal w/ nylon net




FIXED SUPER DOUBLE RIMS
240: Super Goal w/ nylon net
140: Super Goal w/ chain net



FIXED HEAVY-DUTY DOUBLE RIMS
7550: Titan Goal w/ nylon net
7555: Titan Goal w/ chain net



FIXED HEAVY-DUTY DOUBLE RIM
8550: Endurance Goal w/ nylon net




BREAKAWAY SINGLE RIM
726: Titan Power Goal w/ nylon net



BREAKAWAY DOUBLE RIM
5500: Playground Goal w/ nylon net



BREAKAWAY DOUBLE RIM
8800: Endurance Slam Goal w/ nylon net



CHECK GARED'S BACKBOARD AND GOAL COMPATIBILITY CHART, BACKBOARD DIMENSIONS AND RIM INFORMATION IN OUR PLAYRX™ PRODUCT GUIDE MANUAL.




REAR MOUNT FIXED SINGLE RIM
66T & 4066: Institutional Goal w/ nylon net



REAR MOUNT FIXED DOUBLE RIM
266: Super Goal w/ nylon net



REAR MOUNT BREAKAWAY RIM
8566: Endurance Goal w/ nylon net



REAR MOUNT BREAKAWAY RIM
6600: Scholastic Goal w/ nylon net



PK3535



PK3515 FRONT VIEW



PK3515 BACK VIEW



PK3535

PK3545 BACK VIEW WITH BRACES

REAR MOUNT PRODUCT ORDERING TIP
Please remember, when choosing GARED'S rear mount configuration: Post - Model # ends with "R" Backboard - Model # contains "66" Rim - Model # contains "66"

Looking for a budget-friendly outdoor system that stands the test of time? **GARED® ECONOMY OUTDOOR GOOSENECK and STRAIGHT POST PACKAGES** are the perfect choice for lightly-used facilities such as elementary schools, daycares, rural parks, and residences. Paired up with your favorite GARED® fan backboard and institutional single rim, these light-duty packages make it easy to outfit your court without breaking your budget.

ECONOMY OUTDOOR GOOSENECK PACKAGES

MODEL#	GOOSENECK	BOARD	GOAL	WT
PK3505	GNA35 – Unbraced 3 1/2" O.D. w/ 3' ext	I701 – Fan-shape Aluminum, Natural	39WO – Fixed Single Rim	134
PK3510	GNA35 – Unbraced 3 1/2" O.D. w/ 3' ext	I750 – Fan-shape Aluminum, White	39WO – Fixed Single Rim	134
PK3515	GNA35R – Unbraced 3 1/2" O.D. w/ 3' ext	I266 – Fan-shape Steel, White, Rear Mount	66T – Fixed Single Rim, Rear Mount	173
PK3530	GN35 – Braced 3 1/2" O.D. w/ 3' ext	BB48A38 - 36" X 48" Acrylic	726 – Breakaway Single Rim	176
PK3535	GN35 – Braced 3 1/2" O.D. w/ 3' ext	I750B - Fan-shape Aluminum w/ Target & Border	39WO – Fixed Single Rim	140
PK3540	GN35 – Braced 3 1/2" O.D. w/ 3' ext	I245T – Fan-shape Steel w/ Target	39WO – Fixed Single Rim	174
PK3545	GN35R – Braced 3 1/2" O.D. w/ 3' ext	I266 – Fan-shape Steel, White, Rear Mount	66T – Fixed Single Rim, Rear Mount	179

ECONOMY OUTDOOR STRAIGHT POST PACKAGES

MODEL#	STRAIGHT POST	BOARD	GOAL	WT
PK3511	AAB35 - 3 1/2" O.D. w/ 3' ext	I750 – Fan-shape Aluminum	39WO – Fixed Single Rim	153
PK3531	AAB35 - 3 1/2" O.D. w/ 3' ext	BB48A38 – 36" x 48" Acrylic	726 – Breakaway Single Rim	189

STANDARD-DUTY OUTDOOR PACKAGES

A common size shouldn't necessarily imply common quality. Although **GARED® STANDARD-DUTY OUTDOOR SYSTEMS** are comprised of a park industry standard 4-1/2" O.D. post, these systems are legendary for their uncompromising strength and stability. You'll be in good company when you choose a Standard-Duty Package with a conventional fan or rectangular backboard and traditional double rim goal. Parks, schools, camps, and recreational facilities that demand premium systems at competitive prices know that GARED® is always ahead of the game.

STANDARD-DUTY OUTDOOR GOOSENECK PACKAGES

MODEL#	GOOSENECK	BOARD	GOAL	WT
PK4530	GN45 - 4 1/2" O.D. w/ 4' ext	BB60A38 – 42" x 60" Acrylic	726 – Breakaway Single Rim	244
PK4540	GN45 - 4 1/2" O.D. w/ 4' ext	I245T – Fan-shape Steel w/ Target	240 – Fixed Double Rim	235
PK4570	GN45R - 4 1/2" O.D. w/ 4' ext	I266B – Fan-shape Steel, White, Rear Mount	266 – Fixed Double Rim, Rear Mount	237
PK4560	GN45 - 4 1/2" O.D. w/ 4' ext	I260B – 42" x 60" Steel w/ Target & Border	240 – Fixed Double Rim	264
PK4565	GN45 - 4 1/2" O.D. w/ 4' ext	I750B - Fan-shape Aluminum w/ Target & Border	240 – Fixed Double Rim	201

STANDARD-DUTY OUTDOOR STRAIGHT POST PACKAGES

MODEL#	GOOSENECK	BOARD	GOAL	WT
PK4541	AAB45 - 4 1/2" O.D. w/ 4' ext	I750B – Fan-shape Aluminum w/ Target & Border	240 – Fixed Double Rim	205
PK4551	AAB45 - 4 1/2" O.D. w/ 4' ext	I260B – 42" x 60" Steel w/ Target & Border	240 – Fixed Double Rim	268
PK4531	AAB45 - 4 1/2" O.D. w/ 4' ext	I245T – Fan-shape Steel w/ Target	240 – Fixed Double Rim	268



PK4551



PK4540



PK4560

HEAVY-DUTY OUTDOOR PACKAGES

Extreme play can be hard on typical outdoor basketball systems. Only GARED® delivers a **HEAVY-DUTY OUTDOOR SYSTEM** that can easily bear the brunt of today's strong and aggressive players, while the Schedule 40 galvanized steel posts provide an unyielding backstop in harsh play environments. Whether your court is in a busy park, school playground, urban area, or military base, you can count on GARED® Heavy-Duty Systems to take on the roughest games and keep coming back for more.

HEAVY-DUTY OUTDOOR GOOSENECK PACKAGES

MODEL#	GOOSENECK	BOARD	GOAL	WT
PK6005	GN60 - 5 9/16" O.D. w/ 6' ext	I272B - 42" x 72" Steel w/ Target & Border	7550 - Titan Fixed Double Rim	413
PK6015	GN60 - 5 9/16" O.D. w/ 6' ext	I260B - 42" x 60" Steel w/ Target & Border	7550 - Titan Fixed Double Rim	394
PK6025	GN60 - 5 9/16" O.D. w/ 6' ext	BB60G38 - 42" x 60" Glass	5500 - Breakaway Double Rim	481
PK6040	GN60 - 5 9/16" O.D. w/ 6' ext	BB72A38 - 42" x 72" Acrylic	5500 - Breakaway Double Rim	397

HEAVY-DUTY OUTDOOR STRAIGHT POST PACKAGES

MODEL#	GOOSENECK	BOARD	GOAL	WT
PK6051	AABS60 - 5 9/16" O.D. w/ 5' ext	I272B - 42" x 72" Steel w/ Target & Border	7550 - Titan Fixed Double Rim	441
PK6091	AABS60 - 5 9/16" O.D. w/ 5' ext	BB72G50 - 42" x 72" Glass	5500 - Breakaway Double Rim	509
PK6010	AABS65 - 6 5/8" O.D. w/ 6' ext	I272B - 42" x 72" Steel w/ Target & Border	7550 - Titan Fixed Double Rim	516



PK6040



PK6091



PK6010



PK6091

GP105S60



GP205S60

GP100 SERIES: ENDURANCE® PLAYGROUND BASKETBALL SYSTEM PACKAGES

- SEE CHARTS FOR WEIGHTS, TRUCK, CLASS 70, 24 HOUR SHIP
- 6" X 6" square steel inground post, approximately 14' tall, with 42" installed in concrete footing
 - Post is 1/4" thick schedule 40 steel, where other manufacturers only offer a 3/16" post
 - Exclusive heavy-gauge triangular extension arm and thick bracing for board stability
 - Protected by enduracoat™ technology where post, extension arm, and braces are galvanized first, then powder coated black for longer life
 - Steel board systems include fixed Endurance® rim
 - Glass and acrylic board systems include breakaway Endurance® rim
 - Choose backboard type, backboard size, and safe play area to customize system based on needs
 - Post and backboard padding are optional and recommended for safer play
 - Limited lifetime warranty on post, arm, and bracing components
 - 7 foot extension option available with all package configurations

MODEL #	POST	EXT	BOARD	GOAL	WT
STEEL BACKBOARD SYSTEMS					
GP105S72	6" Square	5'	I272B - 72" Steel	8550 - Endurance Fixed	509
GP105S60	6" Square	5'	I260B - 60" Steel	8550 - Endurance Fixed	490
GP106S72	6" Square	6'	I272B - 72" Steel	8550 - Endurance Fixed	519
GP106S60	6" Square	6'	I260B - 60" Steel	8550 - Endurance Fixed	500
GLASS BACKBOARD SYSTEMS					
GPI04G72	6" Square	4'	BB72G50 - 72" Glass	8800 - Endurance Breakaway	552
GPI04G60	6" Square	4'	BB60G38 - 60" Glass	8800 - Endurance Breakaway	500
GPI05G72	6" Square	5'	BB72G50 - 72" Glass	8800 - Endurance Breakaway	562
GPI05G60	6" Square	5'	BB60G38 - 60" Glass	8800 - Endurance Breakaway	510
GPI06G72	6" Square	6'	BB72G50 - 72" Glass	8800 - Endurance Breakaway	572
GPI06G60	6" Square	6'	BB60G38 - 60" Glass	8800 - Endurance Breakaway	520
ACRYLIC BACKBOARD SYSTEMS					
GPI04A72	6" Square	4'	BB72A38 - 72" Acrylic	8800 - Endurance Breakaway	499
GPI04A60	6" Square	4'	BB60A38 - 60" Acrylic	8800 - Endurance Breakaway	447
GPI05A72	6" Square	5'	BB72A38 - 72" Acrylic	8800 - Endurance Breakaway	509
GPI05A60	6" Square	5'	BB60A38 - 60" Acrylic	8800 - Endurance Breakaway	457
GPI06A72	6" Square	6'	BB72A38 - 72" Acrylic	8800 - Endurance Breakaway	519
GPI06A60	6" Square	6'	BB60A38 - 60" Acrylic	8800 - Endurance Breakaway	467
DOUBLE BOARD SYSTEMS					
GP205S60	6" Square	5'	Two I260B - 60" Steel	8550 - Endurance Fixed	629
GP205G60	6" Square	5'	Two BB60G38 - 60" Glass	8800 - Endurance Breakaway	683

ALL SYSTEMS ARE AVAILABLE WITH OUR BB72P50 POLYCARBONATE RECTANGULAR BACKBOARD AND OUR 8800 ENDURANCE BREAKAWAY GOAL.

GARED® knows that hard-hitting players demand outdoor equipment that can keep up with their strength and stamina. After months of rigorous testing by our team of engineers, **GARED'S ENDURANCE® PLAYGROUND BASKETBALL SYSTEMS** were developed specifically for such players. The units were tested for post deflection, backboard vibration, structural integrity, and load capacity, and easily passed with flying colors. Gared's Endurance® Systems are far and away the strongest and most uncompromising outdoor basketball systems available today. Why trust your park or playground to anything less?



GP105G72
OPTIONAL POLE PAD
SHOWN

GARED'S ENDURANCE® POST IS GALVANIZED THEN POWDER COATED FOR A LONGER PLAYGROUND LIFE!

7 FOOT EXTENSIONS AVAILABLE UPON REQUEST

GARED® PRO SERIES

Play like the pros in your own backyard with the **NEW GARED® PRO SERIES ADJUSTABLE BASKETBALL SYSTEMS!** • Height adjustment actuator mechanism allows board to easily adjust from 7 ½' to regulation 10' • Large actuator with 90° handle makes it easy for all ages to raise and lower the system • Square heavy-gauge steel post with 3/16" wall thickness provides superior strength and durability • Bolt-to-ground post design allows for no-hassle installation and portability of unit • Post is powder-coated black for protection against harsh weather elements • Heavy tubular lower arm provides a direct-goal attachment for backboard and rim • Backboard braces extend to the outer corners of the backboard, allowing for a clear, unobstructed view during play • Backboard is comprised of glass with direct mount attachment to a heavy steel welded uniframe for extra support and safer play • Board features a white target and border and square corners for a professional, arena-style look • Heavy-duty breakaway goal with nylon net stands up to any level of competitive play • Premium board and pole padding are optional.



GP10G72



GP5A48G



GP8G60

GP12G72DM: ALL PRO JAM ADJUSTABLE BASKETBALL SYSTEM WITH GLASS BACKBOARD

WEIGHT: 499 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

- 6" x 8" post with 48" extension
- Heavy 2" x 5" tubular lower arm with direct-goal attachment
- Backboard braces extending to outer corners of board
- 42" x 72" x ½" glass backboard (BB72G50HH)
- GARED® 2000+ Collegiate breakaway goal with nylon net
- Quick-Connect™ system for superior backboard and goal mount and removal

GP12A72DM: ALL PRO JAM ADJUSTABLE BASKETBALL SYSTEM WITH ACRYLIC BACKBOARD

Same as GP12G72DM but with 42" x 72" x 3/8" Acrylic Backboard (BB72A38)

WEIGHT: 415 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

GP12P72DM: ALL PRO JAM ADJUSTABLE BASKETBALL SYSTEM WITH POLYCARBONATE BACKBOARD

Same as GP12G72DM but with 42" x 72" x 1/2" Polycarbonate Backboard (BB72P50)

WEIGHT: 499 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

GP10G72DM: PRO JAM ADJUSTABLE BASKETBALL SYSTEM WITH GLASS BACKBOARD

WEIGHT: 476 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

- 6" square post with 48" extension
- Heavy 2" x 5" tubular lower arm with direct-goal attachment
- Backboard braces extending to outer corners of board
- 42" x 72" x ½" glass backboard (BB72G50HH)
- GARED® 2000+ Collegiate breakaway goal with nylon net

GP10A72DM: PRO JAM ADJUSTABLE BASKETBALL SYSTEM WITH ACRYLIC BACKBOARD

Same as GP10G72DM, but with 42" x 72" x 3/8" Acrylic Backboard (BB72A38)

WEIGHT: 392 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

GP10P72DM: PRO JAM ADJUSTABLE BASKETBALL

Same as GP10G72DM, but with 42" x 72" x 1/2" polycarbonate backboard (BB72P50)

WEIGHT: 476 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

GP8G60DM: COLLEGIATE JAM ADJUSTABLE BASKETBALL SYSTEM WITH GLASS BACKBOARD

WEIGHT: 422 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

- 5" square post with 36" extension
- Heavy 2" x 4" tubular lower arm with direct-goal attachment
- Backboard braces extending to outer corners of board
- 42" x 60" x 3/8" Glass backboard (BB60G38HH)
- GARED® 1000 Scholastic breakaway goal with nylon net

GP8A60DM: COLLEGIATE JAM ADJUSTABLE BASKETBALL SYSTEM WITH ACRYLIC BACKBOARD

WEIGHT: 370 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

- 5" Square post with 36" extension
- Heavy 2" x 4" tubular lower arm with direct-goal attachment
- Backboard braces extending to outer corners of board
- 42" X 60" x 3/8" Acrylic backboard (BB60G38HH)
- GARED® 1000 scholastic breakaway goal with nylon net

GARED® PRO SERIES FEATURES



GP10G72DM

GARED® PRO JAM SERIES ACCESSORIES

BACKBOARD PADDING

LSCE48: 48" Recreational Pro-Mold Backboard Padding
LSCE54: 54" Recreational Pro-Mold Backboard Padding
LSCE60: 60" Recreational Pro-Mold Backboard Padding
LSCE72: 72" Recreational Pro-Mold Backboard Padding

WRAP-AROUND POLE PADDING

PP4WR: Wrap-Around Pole Pad
PP6WR: Wrap-Around Pole Pad
PP8WR: Wrap-Around Pole Pad

FITTED POLE PADDING

PP4SQF: Fitted Pole Pad for 4" Square Posts
PP5SQF: Fitted Pole Pad for 5" Square Posts
PP6SQF: Fitted Pole Pad for 6" Square Posts
PP8SQF: Fitted Pole Pad for 8" Square Posts

BASE POLE PADDING

BP4SQ: Base Pole Pad for 4" Square Posts
BP5SQ: Base Pole Pad for 5" Square Posts
BP6SQ: Base Pole Pad for 6" Square Posts
BP8SQ: Base Pole Pad for 8" Square Posts

MODEL #	GROUND MOUNTING	POST	BACKBOARD	RIM	WEIGHT (LBS)
GP8A60DM	Surface Mount	5" Square Post w/ 3' ext	BB60A38 - 42" x 60" Acrylic	1000 - Scholastic Breakaway Rim	370
GP8G60DM	Surface Mount	5" Square Post w/ 3' ext	BB60G38HH - 42" x 60" Glass (Clear View)	1000 - Scholastic Breakaway Rim	422
GP10A72DM	Surface Mount	6" Square Post w/ 4' ext	BB72A38 - 42" x 72" Acrylic	2000+ - Collegiate Breakaway Rim	392
GP10G72DM	Surface Mount	6" Square Post w/ 4' ext	BB72G50HH - 42" x 72" Glass (Clear View)	2000+ - Collegiate Breakaway Rim	476
GP10P72DM	Surface Mount	6" Square Post w/ 4' ext	BB72P50 - 42" x 72" Polycarbonate	2000+ - Collegiate Breakaway Rim	476
GP12A72DM	Surface Mount	6" x 8" Square Post w/ 4' ext	BB72A38 - 42" x 72" Acrylic	2000+ - Collegiate Breakaway Rim	415
GP12G72DM	Surface Mount	6" x 8" Square Post w/ 4' ext	BB72G50HH - 42" x 72" Glass (Clear View)	2000+ - Collegiate Breakaway Rim	499
GP12P72DM	Surface Mount	6" x 8" Square Post w/ 4' ext	BB72P50 - 42" x 72" Polycarbonate	2000+ - Collegiate Breakaway Rim	499

GP SERIES


GP SERIES ADJUSTABLE BASKETBALL SYSTEMS are a great value for home, school, or playground use • Height adjustment actuator mechanism allows board to easily adjust from 7 ½' to regulation 10' • Large actuator with 90° handle makes it easy for all ages to raise and lower the system • Square heavy-gauge steel post with 3/16" wall thickness provides superior strength and durability • Ultra Champ and Elite Pro's bolt-to-ground post design allows for no-hassle installation and portability of unit • Post is powder-coated black for protection against harsh weather elements • Formed heavy-duty steel arms give board added support and stability • Backboard is comprised of your choice of clear acrylic or glass attached to a heavy steel welded uniframe for extra support and safer play • Board features a white target and border and square corners for a professional, arena-style look • Heavy-duty breakaway goal with nylon net stands up to any level of competitive play • Premium board and pole padding are optional.



EASY ADJUSTMENT FROM 7' TO 10'



TUBULAR SUPPORT ARM



MOVABILITY OF BASKETBALL SYSTEM

GP10G72: ELITE PRO ADJUSTABLE BASKETBALL SYSTEM WITH GLASS BACKBOARD

WEIGHT: 476 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

- 6" square post with 48" extension
- 42" x 72" x 1/2" glass backboard
- GARED® 1000 Scholastic breakaway goal with nylon net

GP10A72: ELITE PRO ADJUSTABLE BASKETBALL SYSTEM WITH ACRYLIC BACKBOARD

SAME AS GP10G72 BUT WITH 42" X 72" X 3/8" ACRYLIC BACKBOARD (BB72A38)

WEIGHT: 392 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

GP10P72: ELITE PRO ADJUSTABLE BASKETBALL SYSTEM WITH POLYCARBONATE BACKBOARD

SAME AS GP10G72 BUT WITH 42" X 72" X 1/2" POLYCARBONATE BACKBOARD (BB72P50)

WEIGHT: 476 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

GP8G60: ULTRA CHAMP ADJUSTABLE BASKETBALL SYSTEM WITH GLASS BACKBOARD

WEIGHT: 422 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

- 5" square post with 36" extension
- 42" x 60" x 3/8" glass backboard
- GARED® 726 Titan breakaway goal with nylon net

GP8A60: ULTRA CHAMP ADJUSTABLE BASKETBALL SYSTEM WITH ACRYLIC BACKBOARD

SAME AS GP8G60 BUT WITH 42" X 60" X 3/8" ACRYLIC BACKBOARD (BB60A38)

WEIGHT: 370 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

GP5A48G: SUPER SHOT ADJUSTABLE BASKETBALL SYSTEM WITH ACRYLIC BACKBOARD

WEIGHT: 270 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP


- 4" square post with 24" extension
- 36" x 48" x 3/8" clear acrylic backboard
- GARED® 726 Titan breakaway goal with nylon net
- Single piece, in-ground pole installation

MODEL #	GROUND MOUNTING	POST	BACKBOARD	RIM	WEIGHT (LBS)
GP5A48G	Inground	4" Square Post w/ 2' ext	BB48A38 - 36" x 48" Acrylic	726 - Titan Breakaway Rim	270
GP8A60	Surface Mount	5" Square Post w/ 3' ext	BB60A38 - 42" x 60" Acrylic	726 - Titan Breakaway Rim	370
GP8G60	Surface Mount	5" Square Post w/ 3' ext	BB60G38 - 42" x 60" Glass	726 - Titan Breakaway Rim	422
GP10A72	Surface Mount	6" Square Post w/ 4' ext	BB72A38 - 42" x 72" Acrylic	1000 - Scholastic Breakaway Rim	392
GP10G72	Surface Mount	6" Square Post w/ 4' ext	BB72G50 - 42" x 72" Glass	1000 - Scholastic Breakaway Rim	476
GP10P72	Surface Mount	6" Square Post w/ 4' ext	BB72P50 - 42" x 72" Polycarbonate	1000 - Scholastic Breakaway Rim	476

Use your basketball court for several different sports with our innovative new **OUTDOOR SIDE-FOLD BASKETBALL SYSTEM!** • This system is a great option for budget-conscious facilities and multi-use courts, as the extension arms and backboard conveniently fold to the side and out of the way of other court activities • Heavy-duty 5-9/16" O.D. galvanized steel vertical posts are designed to be mounted permanently inground into a concrete footing for optimal stability • A third vertical post is included to securely attach backboard and prevent movement while it is folded in the storage position • 2" square galvanized steel horizontal extension arms attach posts to backboard with four-corner mounting • Extension arms are 15' in length, providing the largest available safe play area on the market today • System includes a regulation 42" x 72" fiberglass backboard with black target and border, and single fixed rim with nylon net.

BSF46: OUTDOOR SIDE-FOLD BASKETBALL SYSTEM

WEIGHT: 1200 LBS, TRUCK, FREIGHT CLASS 70, 24-HOUR SHIP



BSF46



BNB24P

Play both Netball and Basketball on a single versatile unit with our new **HOOPLA™ COMBO NETBALL /BASKETBALL SYSTEM!** • Single 5-9/16" O.D. galvanized steel post provides strength and durability for any playground or park setting • Post measures 12' 6" tall from ground level to top of post, and includes ground sleeve for convenient removal of post for multi-use courts or seasonal use • Netball side of unit includes 15" diameter orange powdercoated rim with nylon net • Basketball side of unit has 4-1/2" O.D. horizontal extension arm with massive 8' safe play area from post to backboard • 3-1/2" O.D. brace underneath extension arm provides unyielding support during heavy play • Includes regulation size 42" x 72" fiberglass backboard with black target and border, and Endurance heavy-duty fixed double rim with nylon net.

BNB24P: OUTDOOR HOOPLA COMBO BASKETBALL SYSTEM

WEIGHT: 475 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP



PLAY BASKETBALL



FLIP BACKBOARD FOR NETBALL



FIBERGLASS BACKBOARDS

Looking for superior rebounds on a non-glass surface? **GARED'S FIBERGLASS FAN-SHAPED & RECTANGULAR BACKBOARDS** are the answer for indoor/outdoor play • Features molded fiberglass for strength & superior rebounding surface • Screen printed target and border • Fan-shaped and rectangular backboard molded inserts are positioned at 20" vertically by 35" horizontal centers for mounting • Compatible Mounting: Ceiling & Wall Mounted systems, Gooseneck & Straight-Arm Posts • Recommended Rims: 8550, 5500, 8800, 7550, 240, 39WO • For indoor or outdoor use.

I342B-BLK: 42" X 72" FIBERGLASS RECTANGULAR BACKBOARD WITH BLACK TARGET AND BORDER,

10 YEAR INDOOR/5 YEAR OUTDOOR LIMITED WARRANTY, 5" X 5" TO 5" X 4 1/2" HOLE SPACING, WEIGHT: 86 LBS, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

OUTDOOR PADDING

WRAP-AROUND POLE PADS protect players from injury due to contact with basketball, volleyball, tetherball, or other game poles • Made of 2" foam covered in UV-resistant vinyl for maximum protection and long life • Wraps around pole with Velcro® strips in back for closure • For use on both square and round poles • Available in black only.

PP4WR: WRAP-AROUND POLE PAD

WEIGHT: 4 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP
For use with these pole sizes: 3-1/2" O.D. round poles • 4 to 4-1/2" O.D. round poles • 4" square poles.

PP6WR: WRAP-AROUND POLE PAD

WEIGHT: 7 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP
For use with these pole sizes: 4-1/2" to 6" O.D. round poles • 5" square poles • 6" square poles,

PP8WR: WRAP-AROUND POLE PAD

WEIGHT: 8 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP
For use with these pole sizes: 6-5/8" O.D. round poles • 8" O.D. round poles • 8" square poles.

FITTED POLE PADS protect players from contact with posts and fit securely without spinning • Made of 2" foam covered in UV-resistant vinyl for superior protection and long life • Features mitered corners to fit snugly and features Velcro® strips in back for closure • For use with square posts only • Available in black only.

PP4SQF: FITTED POLE PAD FOR 4" SQUARE POSTS

WEIGHT: 4 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

PP5SQF: FITTED POLE PAD FOR 5" SQUARE POSTS

WEIGHT: 5 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

PP6SQF: FITTED POLE PAD FOR 6" SQUARE POSTS

WEIGHT: 7 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

PP8SQF: FITTED POLE PAD FOR 8" SQUARE POSTS

WEIGHT: 9 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

BASE POLE PADS cover mounting and base hardware on surface-mounted basketball systems to prevent player injury • Made of 2" foam covered in UV-resistant vinyl for maximum protection and long life in outdoor settings • Wraps around base of pole with Velcro® strip for closure • For use on square poles only • Available in black only.

BP4SQ: BASE POLE PAD FOR 4" SQUARE POSTS

WEIGHT: 1 LB, GROUND COURIER SERVICE, 24 HOUR SHIP

BP5SQ: BASE POLE PAD FOR 5" SQUARE POSTS

WEIGHT: 1 LB, GROUND COURIER SERVICE, 24 HOUR SHIP

BP6SQ: BASE POLE PAD FOR 6" SQUARE POSTS

WEIGHT: 1 LB, GROUND COURIER SERVICE, 24 HOUR SHIP

BP8SQ: BASE POLE PAD FOR 8" SQUARE POSTS

WEIGHT: 1 LB, GROUND COURIER SERVICE, 24 HOUR SHIP

RECREATIONAL PRO-MOLD BACKBOARD PADDING provides backboard protection to decrease risk of player head injury • Durable polyurethane foam is designed for long life in heavy play environments and resistance to weather elements • Bolts to metal framing using self-tapping screws on outdoor rectangular glass and acrylic backboards • Available for 48", 54", 60", and 72" boards • Available in black only • **All pads are offered with 1 year limited warranty.**

LSCE48: 48" RECREATIONAL PRO-MOLD BACKBOARD PADDING

WEIGHT: 7 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

LSCE54: 54" RECREATIONAL PRO-MOLD BACKBOARD PADDING

WEIGHT: 7 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

LSCE60: 60" RECREATIONAL PRO-MOLD BACKBOARD PADDING

WEIGHT: 8 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

LSCE72: 72" RECREATIONAL PROMOLD BACKBOARD PADDING

WEIGHT: 9 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP



PP6WR

PP6SQ



BP5SQ



ABG

OUTDOOR BASKETBALL ACCESSORIES & NETS

THE AIRBALL GRABBER™ is an innovative and affordable basketball accessory that is designed to catch missed balls and blocked shots during play • Reduces ball retrieval and chase time while protecting the region surrounding the play area from ball damage • Constructed of a durable, lightweight net that easily mounts to the pole behind the backboard and extends up beyond the backboard • Kit can be quickly and easily installed in under ten minutes.

ABG: AIRBALL GRABBER™

WEIGHT: 10 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP



BACK OF ABG



GSUAP

The **GARED® UNIVERSAL ADAPTER PLATE** protects your basketball rim from unauthorized use or theft by allowing easy removal from your board when not in use • Goal slides tightly into adapter plate for securement while playing and slides out when game is finished • Made of heavy-gauge with welded flange for superior durability • Plate's universal hole pattern will bolt to most backboards • Will work with most front-mount fixed goals with 5" to 7" back-plates.

GSUAP: UNIVERSAL ADAPTER PLATE,

1 YEAR LIMITED WARRANTY
WEIGHT: 9 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

OUTDOOR GOAL NETS



SCN



WCN



WN

HEAVY-GAUGE STEEL CHAIN NET is designed for use with outdoor rims • Popular choice for playground and park settings, as it will not stretch, tangle, break, or shrink during heavy play • Available for use with single-rim and double-rim goals.

CN: STEEL CHAIN NET FOR RIMS WITH NO-TIE NET ATTACHMENT

WEIGHT: 1 LB, GROUND COURIER SERVICE, 24 HOUR SHIP

SCN: STEEL CHAIN NET FOR RIMS WITH BUMPED DOUBLE RINGS

WEIGHT: 1 LB, GROUND COURIER SERVICE, 24 HOUR SHIP

WCN: WELDED CHAIN NET

WEIGHT: 4 LB, GROUND COURIER SERVICE, 24 HOUR SHIP

NYLON WEB NET is ideal for outdoor use • Great alternative to chain and standard nylon nets • Will not rot, rust, or decay • Includes heavy "S" hooks for attaching to rim.

WN: WEB NET

WEIGHT: 3 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

PLAYRX™ OUTDOOR PLAYGROUND BASKETBALL SYSTEM PRODUCT GUIDE

System Model #	Post Type	Post Size	Safe Play Area	Ground Installation	Backboard	Rim	Component Mounting		Board Pad	Pole Pad	Board Height Adjustable?	Adjustment Method	Board/Rim Direct Mount?	System Type (Budget/Play Level)	Ideal Play Environment
Gooseneck Systems															
PK3505	Gooseneck (Galvanized)	3-1/2" O.D. (Unbraced)	3 FT	Inground	Fan Aluminum (Natural)	Single Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK3510	Gooseneck (Galvanized)	3-1/2" O.D. (Unbraced)	3 FT	Inground	Fan Aluminum (White)	Single Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK3515	Gooseneck (Galvanized)	3-1/2" O.D. (Unbraced)	3 FT	Inground	Fan Steel (White)	Single Rim, Fixed	Rear Mount		N/A	Optional	No	N/A	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK3530	Gooseneck (Galvanized)	3-1/2" O.D. (Braced)	3 FT	Inground	36 X 48 Acrylic	Single Rim, Breakaway	Front Mount		Optional	Optional	No	N/A	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK3535	Gooseneck (Galvanized)	3-1/2" O.D. (Braced)	3 FT	Inground	Fan Aluminum (T & B)	Single Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK3540	Gooseneck (Galvanized)	3-1/2" O.D. (Braced)	3 FT	Inground	Fan Steel (Target)	Single Rim, Fixed	Rear Mount		N/A	Optional	No	N/A	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK3545	Gooseneck (Galvanized)	3-1/2" O.D. (Braced)	3 FT	Inground	Fan Steel (White)	Single Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK4530	Gooseneck (Galvanized)	4-1/2" O.D. (Braced)	4 FT	Inground	42 X 60 Acrylic	Single Rim, Breakaway	Front Mount		Optional	Optional	No	N/A	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK4540	Gooseneck (Galvanized)	4-1/2" O.D. (Braced)	4 FT	Inground	Fan Steel (Target)	Double Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK4570	Gooseneck (Galvanized)	4-1/2" O.D. (Braced)	4 FT	Inground	Fan Steel (Target)	Double Rim, Fixed	Rear Mount		N/A	Optional	No	N/A	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK4560	Gooseneck (Galvanized)	4-1/2" O.D. (Braced)	4 FT	Inground	42 X 60 Steel (T & B)	Double Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK4565	Gooseneck (Galvanized)	4-1/2" O.D. (Braced)	4 FT	Inground	Fan Aluminum (T & B)	Double Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK6005	Gooseneck (Galvanized)	5-9/16" O.D. (Braced)	6 FT	Inground	42 X 72 Steel (T & B)	Titan Double Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
PK6015	Gooseneck (Galvanized)	5-9/16" O.D. (Braced)	6 FT	Inground	42 X 60 Steel (T & B)	Titan Double Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
PK6025	Gooseneck (Galvanized)	5-9/16" O.D. (Braced)	6 FT	Inground		Double Rim, Breakaway	Front Mount		N/A	Optional	No	N/A	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
PK6040	Gooseneck (Galvanized)	5-9/16" O.D. (Braced)	6 FT	Inground	42 X 72 Acrylic	Double Rim, Breakaway	Front Mount	Optional	Optional	No	N/A	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons	
Straight Post Systems															
PK3511	Straight Post (Galvanized)	3-1/2" O.D. (Braced)	3 FT	Inground	Fan Aluminum (White)	Single Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-Bolts	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK3531	Straight Post (Galvanized)	3-1/2" O.D. (Braced)	3 FT	Inground	36 X 48 Acrylic	Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-Bolts	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK4541	Straight Post (Galvanized)	4-1/2" O.D. (Braced)	4 FT	Inground	Fan Aluminum (T & B)	Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-Bolts	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK4551	Straight Post (Galvanized)	4-1/2" O.D. (Braced)	4 FT	Inground	42 X 60 Steel (T & B)	Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-Bolts	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK4531	Straight Post (Galvanized)	4-1/2" O.D. (Braced)	4 FT	Inground	Fan Steel (Target)	Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-Bolts	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
PK6051	Straight Post (Galvanized)	5-9/16" O.D. (Braced)	5 FT	Inground	42 X 72 Steel (T & B)	Titan Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-Bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
PK6091	Straight Post (Galvanized)	5-9/16" O.D. (Braced)	5 FT	Inground	42 X 72 Glass	Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-Bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
PK6010	Straight Post (Galvanized)	6-5/8" O.D. (Braced)	6 FT	Inground	42 X 72 Steel (T & B)	Titan Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-Bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
Adjustable Systems															
GP5A48G	Square Post (Powdercoat)	4" X 4"	2 FT	Inground	36 X 48 Acrylic	Titan Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	No	Economy	Residential, Elementary Schools, Churches, Daycares
GP8A60	Square Post (Powdercoat)	5" X 5"	3 FT	Surface Mount	42 X 60 Acrylic	Titan Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	No	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GP8G60	Square Post (Powdercoat)	5" X 5"	3 FT	Surface Mount	42 X 60 Glass	Titan Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	No	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities

System Model #	Post Type	Post Size	Safe Play Area	Ground Installation	Backboard	Rim	Component Mounting		Board Pad	Pole Pad	Board Height Adjustable?	Adjustment Method	Board/Rim Direct Mount?	System Type (Budget/Play Level)	Ideal Play Environment
GP10A72	Square Post (Powdercoat)	6" X 6"	4 FT	Surface Mount	42 X 72 Acrylic	Scholastic Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	No	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GP10G72	Square Post (Powdercoat)	6" X 6"	4 FT	Surface Mount	42 X 72 Glass	Scholastic Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	No	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GP10P72	Square Post (Powdercoat)	6" X 6"	4 FT	Surface Mount	42 X 72 Polycarbonate	Scholastic Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	No	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GARED PRO ADJUSTABLE OUTDOOR SERIES															
GP8A60DM	Square Post (Powdercoat)	5" x 5"	3 FT	Surface Mount	42 X 60 Acrylic	Scholastic Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GP8G60DM	Square Post (Powdercoat)	5" x 5"	3 FT	Surface Mount	42 X 60 Glass	Scholastic Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GP10A72DM	Square Post (Powdercoat)	6" x 6"	4 FT	Surface Mount	42 X 72 Acrylic	Scholastic Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GP10G72DM	Square Post (Powdercoat)	6" x 6"	4 FT	Surface Mount	42 X 72 Glass	Collegiate Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GP10P72DM	Square Post (Powdercoat)	6" x 6"	4 FT	Surface Mount	42 X 72 Polycarbonate	Collegiate Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GP12A72DM	Square Post (Powdercoat)	6" x 8"	4 FT	Surface Mount	42 X 72 Acrylic	Collegiate Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GP12G72DM	Square Post (Powdercoat)	6" x 8"	4 FT	Surface Mount	42 X 72 Glass	Collegiate Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GP12P72DM	Square Post (Powdercoat)	6" x 8"	4 FT	Surface Mount	42 X 72 Polycarbonate	Collegiate Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
ENDURANCE® OUTDOOR SERIES															
GP105S60	Square Post (Powdercoat)	6" x 6"	5 FT	Inground	42 X 60 Steel (T & B)	Endurance Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP105S72	Square Post (Powdercoat)	6" x 6"	5 FT	Inground	42 X 72 Steel (T & B)	Endurance Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP106S60	Square Post (Powdercoat)	6" x 6"	6 FT	Inground	42 X 60 Steel (T & B)	Endurance Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP106S72	Square Post (Powdercoat)	6" x 6"	6 FT	Inground	42 X 72 Steel (T & B)	Endurance Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP104G60	Square Post (Powdercoat)	6" x 6"	4 FT	Inground	42 X 60 Glass	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP104G72	Square Post (Powdercoat)	6" x 6"	4 FT	Inground	42 X 72 Glass	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP105G60	Square Post (Powdercoat)	6" x 6"	5 FT	Inground	42 X 60 Glass	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP105G72	Square Post (Powdercoat)	6" x 6"	5 FT	Inground	42 X 72 Glass	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP106G60	Square Post (Powdercoat)	6" x 6"	6 FT	Inground	42 X 60 Glass	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP106G72	Square Post (Powdercoat)	6" x 6"	6 FT	Inground	42 X 72 Glass	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP104A60	Square Post (Powdercoat)	6" x 6"	4 FT	Inground	42 X 60 Acrylic	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP104A72	Square Post (Powdercoat)	6" x 6"	4 FT	Inground	42 X 72 Acrylic	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP105A60	Square Post (Powdercoat)	6" x 6"	5 FT	Inground	42 X 60 Acrylic	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP105A72	Square Post (Powdercoat)	6" x 6"	5 FT	Inground	42 X 72 Acrylic	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP106A60	Square Post (Powdercoat)	6" x 6"	6 FT	Inground	42 X 60 Acrylic	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP106A72	Square Post (Powdercoat)	6" x 6"	6 FT	Inground	42 X 72 Acrylic	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP205S60	Square Post (Powdercoat)	6" x 6"	5 FT	Inground	Two 42 X 60 Steel (T & B)	Two Endurance Double Rims, Fixed	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP205G60	Square Post (Powdercoat)	6" x 6"	5 FT	Inground	Two 42 X 60 Glass	Two Endurance Double Rims, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons



FIELD SPORT EQUIPMENT

You may already know about GARED's dominance in the sporting goods industry in the design and manufacture of premium basketball equipment • But you might not know that we've carried that same dedication to innovation and quality to our line of field sports equipment as well • Developed using the same experienced engineering team as our highly regarded basketball line, our field sports products were created with the basic needs of coaches and players in mind - safety, ease of assembly, and tons of standard features • And now with the fastest lead times in the industry and an even bigger selection of products and accessories than ever before, there's no reason why you should shop anywhere else for your facility's soccer, football, lacrosse, or baseball field equipment!

WHY BUY GARED?

FAST SHIPPING!

Outfit your sports field on YOUR schedule! GARED has all of our field sports equipment IN STOCK and ready to ship in 24-48 hours!

NEW SOCCER GOAL SIZES ADDED!

We've increased our soccer selection by adding several new youth and recreational goal sizes! Whatever your age group or skill level, GARED has the soccer equipment you need!

SOCCER GOALS WITH TONS OF STANDARD FEATURES!

No more worrying about costly options to add when you order, because our soccer goals have many standard features, such as powder-coated frames, ground bars for safety, and much more!

NOW EVEN MORE ACCESSORIES!

Put the finishing touches on your sports field by adding flags, field paint, cones, training aids, padding, and much more!



TOUCHLINE™ MATCH PLAY SOCCER GOALS

Score with GARED'S line of **TOUCHLINE™ ALUMINUM SOCCER GOALS!** • Enhanced features and added goal styles and sizes make GARED® your one-stop source for every level of soccer play • Extruded aluminum frame is lightweight for ease of assembly and transport • 8' x 24' size is approved for competition play and meets NCAA, NHSA, and FIFA specifications • Welded one-piece goal frame corners provide strength and rigidity with no visible hardware • Crossbar and uprights contain a channel along the backside of the goal for easy and secure net clip insertion • Heavy-duty 1-5/8" galvanized steel backstays and adjustable one-piece ground bar adds counterweight and stability to goal • Crossbar and uprights are powder coated white for protection against weather elements • Each goal includes one crossbar and two uprights, two backstays, one-piece ground bar, net attachment clips, four 14" steel ground stakes, and hardware • Semi-permanent goals have uprights extended 2' at bottom end for insertion into ground sleeves (included with goals) • Permanent goals have uprights extended 2' at bottom end for insertion into a permanent concrete footing • For portable goals, we recommend adding optional underground anchors (model SGUA) to decrease risk of goal tipping over • Optional wheel adapter kit (model SGWK) available to allow easy transport of portable goals • Goals sold in pairs; nets sold separately • Smaller goal sizes available upon request.



SG1 SERIES: ALL-STAR I SOCCER GOALS - 4" SQUARE FRAME, 8 YEAR LIMITED WARRANTY
SEE CHART FOR WEIGHTS, TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP

GOAL SIZE	GROUND BAR INCLUDED	TOUCHLINE SOCCER MOUNTING TYPE					
		PORTABLE	WEIGHT (LBS/PR)	SEMI-PERMANENT	WEIGHT (LBS/PR)	PERMANENT	WEIGHT (LBS/PR)
8' x 24'	YES	SG10824	407	SG14824	489	SG12824	429
7' x 21'	YES	SG10721	391	SG14721	473	SG12721	417
6-1/2' x 18'	YES	SG10618	368	SG14618	450	SG12618	390
6' x 12'	YES	SG10612	277	SG14612	316	SG12612	296
4' x 9'	NO	SG1049	214	SG1449	253	SG1249	233

SG3 SERIES: ALL-STAR II SOCCER GOALS - 4" ROUND FRAME, 8 YEAR LIMITED WARRANTY
SEE CHART FOR WEIGHTS, TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP

GOAL SIZE	GROUND BAR INCLUDED	TOUCHLINE SOCCER MOUNTING TYPE					
		PORTABLE	WEIGHT (LBS/PR)	SEMI-PERMANENT	WEIGHT (LBS/PR)	PERMANENT	WEIGHT (LBS/PR)
8' x 24'	YES	SG30824	378	SG34824	416	SG32824	396
7' x 21'	YES	SG30721	336	SG34721	375	SG32721	355
6-1/2' x 18'	YES	SG30618	302	SG34618	341	SG32618	320
6' x 12'	YES	SG30612	259	SG34612	298	SG32612	278
4' x 9'	NO	SG3049	201	SG3449	240	SG3249	220



GARED'S new premium line of goals - **TOUCHLINE™ STRIKER™ ALUMINUM SOCCER GOALS** - is taking the competition to a whole new level! Score the Golden Goal with the **TOUCHLINE™ STRIKER™ ALUMINUM SOCCER GOALS!** The ultimate match-play soccer goals have many features to take your game to the next level. • Extruded aluminum frame is lightweight for ease of assembly and transport • 8' x 24' size is approved for competition play and meets FIFA specifications • Welded one-piece goal frame corners provide strength and rigidity with no visible hardware • Crossbar, uprights, side bars, and ground bar all contain a channel for easy and secure net clip insertion as well as keeping the net securely fastened. • Crossbar, uprights, side bars, and ground bar are powder coated white for protection against weather elements and durability.

GOAL SIZE	GOAL SHAPE	TOUCHLINE SOCCER MOUNTING TYPE					
		PORTABLE	WEIGHT (LBS/PR)	SEMI-PERMANENT	WEIGHT (LBS/PR)	PERMANENT	WEIGHT (LBS/PR)
8' x 24'	ROUND	SG10824S	494	SG14824S	532	SG12824S	512
7' x 21'	ROUND	SG10721S	439	SG14721S	478	SG12721S	458
6' x 12'	ROUND	SG10612S	341	SG14612S	380	SG12612S	360
8' x 24'	SQUARE	SG30824S	523	SG34824S	605	SG32824S	545
7' x 21'	SQUARE	SG30721S	494	SG34721S	576	SG32721S	520
6' x 12'	SQUARE	SG30612S	359	SG34612S	398	SG32612S	378



Kick it up on a global level! **GARED® INTERNATIONAL FIFA SOCCER GOALS** have the popular design of soccer goals across the world • Extruded aluminum frame is lightweight for ease of assembly and transport • 8' x 24' size is approved for competition play and meets FIFA specifications • Welded one-piece goal frame corners provide strength and rigidity with no visible hardware • Crossbar and uprights contain a channel along the backside of the goal for easy and secure net clip insertion • Crossbar and uprights are powder coated white for protection against weather elements • Net is stretched out to form a box-like shape by attaching to two steel back stanchions placed 32' apart and 8' behind each front goal upright • Each goal includes one crossbar and two uprights, upright ground sleeves, 2" O.D. • back stanchions with ground sleeves, net attachment clips, and hardware • FIFA goal must be anchored into ground sleeves (included) or permanently into a concrete footing • Goals sold in pairs; nets sold separately • Must use SNFIFA net with this style goal.

SG30824I: ALL STAR II FIFA SOCCER GOAL,
8 LIMITED YEAR WARRANTY
WEIGHT: 260 LBS/PR, TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP

TOUCHLINE™ CLUB & PRACTICE SOCCER GOALS

GARED'S line of **TOUCHLINE™ RECTANGULAR FRAME ALUMINUM SOCCER GOALS** are pitch perfect for soccer clubs and complexes! • Extruded aluminum frame is lightweight for ease of assembly and transport • Welded one-piece goal frame corners provide strength and rigidity with no visible hardware • Crossbar and uprights contain a channel along the backside of the goal for easy and secure net clip insertion • Heavy-duty 1-5/8" galvanized steel backstays and adjustable one-piece ground bar adds counterweight and stability to goal • Crossbar and uprights are powder coated white for protection against weather elements • Each goal includes one crossbar and two uprights, two backstays, one-piece ground bar if applicable (please see product chart), net attachment clips, four 14" steel ground stakes, and hardware • Semi-permanent goals have uprights extended 2' at bottom end for insertion into ground sleeves (included with goals) • Permanent goals have uprights extended 2' at bottom end for insertion into a permanent concrete footing • For portable goals, we recommend adding optional underground anchors (model SGUA) to decrease risk of goal tipping over • Optional wheel adapter kit (model SGWK) available to allow easy transport of portable goals • Goals sold in pairs; nets sold separately • Smaller goal sizes available upon request.



SG2 SERIES: ALL-STAR I SOCCER GOALS

SG2 SERIES: ALL-STAR RECREATIONAL SOCCER GOALS - 4" X 2" RECTANGULAR FRAME, 8 YEAR LIMITED WARRANTY
SEE CHART FOR WEIGHTS, TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP

GOAL SIZE	GROUND BAR INCLUDED	TOUCHLINE SOCCER MOUNTING TYPE					
		PORTABLE	WEIGHT (LBS/PR)	SEMI-PERMANENT	WEIGHT (LBS/PR)	PERMANENT	WEIGHT (LBS/PR)
8' x 24'	YES	SG20824	335	SG24824	399	SG22824	351
7' x 21'	YES	SG20721	297	SG24721	361	SG22721	313
6-1/2' x 18'	YES	SG20618	266	SG24618	321	SG22618	283
6' x 12'	NO	SG20612	228	SG24612	292	SG22612	244
4' x 9'	NO	SG2049	171	SG2449	235	SG2249	187



SMALL SIDED SOCCER GOALS

GARED is excited to introduce our brand new line of **TOUCHLINE™ SMALL SIDED SOCCER GOALS!** • These goals are popular for playing **5-A-SIDE, 7-A-SIDE, and 9-A-SIDE** soccer games in the U.S, as well as all over the world • Available in 4' x 8', 4' x 12', 4' x 16', 6' x 16', and 7' x 16' sizes • All goals have 3" (80 mm) round extruded aluminum uprights and crossbar, which are lightweight for ease of assembly and transport • Crossbar and uprights are powdercoated white for protection against weather elements • Welded one-piece goal frame corners provide strength and rigidity with no visible hardware • Goal frame contains a channel along the entire backside for simple and secure net clip insertion • Heavy-duty 1-5/8"galvanized steel backstays and adjustable one-piece ground bar adds counterweight and stability to goal • Each goal includes one crossbar and two uprights, two backstays, one-piece ground bar, net attachment clips, four 14" steel ground stakes, and assembly hardware • Semi-permanent (socketed) goals have uprights extended 2' at bottom end for insertion into ground sleeves (included with goals) • Permanent goals have uprights extended 2' at bottom end for insertion into a permanent concrete footing • For portable

goals, we recommend adding optional anchors (model SGUA or SGSA) to secure goals and decrease risk of tipping over • Optional wheel adapter kit (model SGWK) available to allow easy transport of portable goals • Goals sold in pairs; nets sold separately.

SG5, SG7, SG9 SERIES: TOUCHLINE™ SMALL SIDED SOCCER GOALS WITH 3" ROUND FRAME
4 YEAR LIMITED WARRANTY, SEE CHART FOR WEIGHTS, TRUCK, FREIGHT CLASS 70, 2 WEEK SHIP


GOAL SIZE	GAME	SMALL SIDED SOCCER NET	TOUCHLINE SOCCER MOUNTING TYPE					
			PORTABLE	WEIGHT (LBS/PR)	SEMI-PERMANENT	WEIGHT (LBS/PR)	PERMANENT	WEIGHT (LBS/PR)
4' X 8'	5-A-SIDE	SN48-3W	SG5048	194	SG5448	238	SG5248	214
4' X 12'	5-A-SIDE	SN412-3W	SG50412	223	SG54412	267	SG54412	243
4' X 16'	5-A-SIDE	SN416-3W	SG50416	252	SG54416	296	SG52416	272
6' X 16'	7-A-SIDE	SN616-3W	SG70616	301	SG74616	345	SG72616	321
7' X 16'	9-A-SIDE	SN716-3W	SG90716	323	SG94716	367	SG92716	343



FGP200

COMBINATION SOCCER/FOOTBALL GOAL is the perfect alternative for facilities with budget constraints and/or limited field space • Allows both soccer and football to be played on a single versatile unit • Soccer goal is 8' x 24' in size and constructed of 4" square steel uprights • Soccer backstays are constructed of 1-5/8" heavy-gauge steel for added stability • Football uprights are made of 1-5/8" heavy-gauge steel and extend 10' above the football crossbar and span 23' 4" for high school specifications • Football crossbar and uprights are detachable for even greater versatility • Entire unit is powder-coated white to protect from weather elements • Each unit includes ground sleeves for maximum stability and semi-permanent installation • Use any style standard 8' x 24' soccer net with this unit • Goals sold in pairs; nets sold separately • PPWR or PPSQF Series optional post padding is available and recommended for safety.

FGP200: COMBINATION SOCCER/FOOTBALL GOAL,
5 YEAR LIMITED WARRANTY
WEIGHT: 1500 LBS/PR, TRUCK, FREIGHT CLASS 70, 1 WEEK SHIP



NET ATTACHMENT SYSTEM

Securely attach GARED's Touchline Net with a our Easy-Twist™ attachment clips.

ADJUSTABLE GROUND BAR

GARED's adjustable ground bar provides extra stabilization for play and customization to fields.

DURABLE POST BRACKET SYSTEM

GARED's line of Touchline Goas are stabilized by our bracketing system which securely attaches the backstays to the goal face.

GARED NET CORNER MARKING SYSTEM

GARED's Net Corner Marking System makes attaching a net easy with a bright blue tag in each corner of the net.

TOUCHLINE™ SOCCER NETS & EASY-TWIST™ NET CLIPS

PREMIUM SOCCER NETS are constructed of high-tenacity polypropylene to provide maximum strength during relentless play • Knotless netting ensures safety and ease of set up • All nets include net clip attachments for safely securing net to goal • Your choice of white or orange • All nets feature blue location tags to help with proper installation • Meets NCAA, NHSAA, and FIFA specifications.

SN SERIES - SOCCER NETS

SEE CHART FOR WEIGHTS, GROUND COURIER SERVICE, 24 HOUR SHIP


MODEL #	GOAL SIZE	NET STRENGTH	COLOR	WEIGHT (LBS/ PR)
SNFIFA	8' x 24'	4 MM	White	32
SN824-4HEX	8' x 24'	4 MM	White	26
SN824-4W	8' x 24'	4 MM	White	33
SN824-4O	8' x 24'	4 MM	Orange	33
SN824-3W	8' x 24'	3 MM	White	23
SN824-3O	8' x 24'	3 MM	Orange	23
SN721-3W	7' x 21'	3 MM	White	17
SN721-3O	7' x 21'	3 MM	Orange	17
SN618-3W	6-1/2' x 18'	3 MM	White	12
SN618-3O	6-1/2' x 18'	3 MM	Orange	12
SN612-3W	6' x 12'	3 MM	White	10
SN49-3W	4' x 9'	3 MM	White	10

* Small Sided Goal Nets listed in goal chart

SGNC: EASY-TWIST™ SOCCER NET CLIPS
1 LB WEIGHT, GROUND COURIER SERVICE, 24 HOUR SHIP

SOCCER ACCESSORIES

UNDERGROUND ANCHORS provide added stability to portable soccer goals and decrease the risk of goals tipping over • Anchors are made of 2-3/8" O.D. • galvanized steel, and are 18" in length • Each anchor assembly includes the anchor pipe and strap clamp for bolting to the soccer backstay • Anchor pipe must be installed in a concrete footing before attaching to backstay • One set of four anchors is strongly recommended for a pair of goals for increased safety and goal securement.



SGSA: UNDERGROUND SOCCER GOAL SCREW ANCHORS, SET OF FOUR, WEIGHT: 8 LBS/SET, GROUND COURIER SERVICE, 24 HOUR SHIP

SGUA: UNDERGROUND SOCCER GOAL ANCHORS, SET OF FOUR, WEIGHT: 8 LBS/SET, GROUND COURIER SERVICE, 24 HOUR SHIP

Convert any standard **GARED TOUCHLINE™ SOCCER GOAL** into a folding goal with our **BACKSTAY CONVERSION BRACKET™** • The innovative backstay attachment easily fits onto the back of the face of the goal and allows the backstays to fold easily for easy goal storage • Additionally, it works with all round, square and rectangular goals with standard backstay and ground bar configuration.

SGBF: SOCCER GOAL BACKSTAY FOLDING BRACKET, SET OF SIXTEEN, WEIGHT: 16 LBS/SET, GROUND COURIER SERVICE, 24 HOUR SHIP

WHEEL ADAPTER KIT allows for easy transport of portable soccer goals • Reduces wear and tear from dragging goals across field • 10" wheels fit snugly into bottom of upright for quick and easy portability • Fits any soccer goal with 1-5/8" to 2" backstays • Cannot be used for semi-permanent or permanent goals, or for combination soccer/football goal • Kit includes a set of four wheels to transport one pair of goals.

SGWK: SOCCER GOAL WHEEL ADAPTER KIT, SET OF FOUR
WEIGHT: 79 LBS/KIT, GROUND COURIER SERVICE, 48 HOUR SHIP

SOCCER GOAL CORNER FLAGS AND FLAG ANCHORS allows for easy field boundary marking.

SGCFA: SOCCER GOAL CORNER FLAG ANCHOR, SET OF FOUR
WEIGHT: 79 LBS/KIT, GROUND COURIER SERVICE, 48 HOUR SHIP

SGCF: SOCCER GOAL CORNER FLAG, SET OF FOUR
WEIGHT: 79 LBS/KIT, GROUND COURIER SERVICE, 48 HOUR SHIP



SOCCER POST PADS

WRAP-AROUND SOCCER POST PADS cover soccer goal uprights and protect players from injury • Made of 2" foam covered in UV-resistant vinyl for maximum protection and long life • Wraps around post with Velcro® strips in back for closure • For use on both square and round posts.

PP4WR: WRAP-AROUND SOCCER POST PAD
WEIGHT: 4 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP
• For Use With 4" Round And Square Posts
• For Recreational/Practice Use Only
• Available In Black Only

SP4WR: COMPETITION WRAP-AROUND SOCCER POST PAD
WEIGHT: 4 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP
• For use with 4" round and 4" square posts
• For competition play and recreational/practice use
• Meets National High School Federation Soccer Rules
• Available in white only

FITTED SOCCER POST PADS protect players from contact with posts and fit securely without spinning • Made of 2" foam covered in UV-resistant vinyl for superior protection and long life • Features mitered corners to fit snugly and features Velcro® strips in back for closure • For use with square posts only.

PP4SQF: FITTED SOCCER POST PAD
WEIGHT: 4 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP
• For use with 4" square posts only
• For recreational/practice use only
• Available in black only

SP4SQF: COMPETITION FITTED SOCCER POST PAD
WEIGHT: 4 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP
• For use with 4" square posts only
• For competition play and recreational/practice use
• Meets National High School Federation Soccer Rules
• Available in white only



WRAP-AROUND POST PADS



VELCRO® PAD ATTACHMENT

FITTED POST PADS

ALPHATEC™ SOCCER SCOREBOARDS

Our **GS-MS3 PORTABLE SOCCER SCOREBOARD** provides versatile and budget-friendly scoring for any organization! • This model is battery-powered and includes wheels, so just simply fold up compactly and roll away for easy transport and storage • Brilliant LED numbers are 9" and 6" tall in red • Scoreboard cabinet is constructed of 18-gauge durable galvalneal steel with a premium powdercoat finish for lasting protection from weather elements • Standard powdercoat colors are royal blue, navy blue, green, purple, red, maroon, and black • Scoreboard display dimensions: 78" L x 52" W x 4" D • Storage dimensions: 38" L x 52" W x 4" D • Will score soccer, football, field hockey, and lacrosse.

GS-MS3: 78" X 52" PORTABLE SOCCER SCOREBOARD
2-YEAR WARRANTY, WEIGHT: 120 LBS, TRUCK, FREIGHT CLASS 85

Our **GS-SK2 PORTABLE SOCCER SCOREBOARD** provides convenient tabletop scoring for any size program or facility • This lightweight model includes a handle for transport, making it perfect for traveling teams • Brilliant LED numbers are 9" and 6" tall in red • 18-gauge durable galvalneal steel scoreboard cabinet has a premium powdercoat finish for lasting protection against weather elements • Available in black only • Scoreboard dimensions: 52" L x 28" W x 8" D • Scoreboard package for cable models includes controller with operator's keyboard, loud buzzer horn, and control cable • Electrical requirements: Wall transformer input – 120 volts AC; Output – 10 volts AC • Will score soccer, basketball, volleyball, and wrestling.

GS-SK2: 52" X 28" PORTABLE SOCCER SCOREBOARD
2-YEAR WARRANTY, WEIGHT: 60 LBS, GROUND COURIER SERVICE



GS-MS3



GS-SK2

SOCCER TRAINING AIDS

Keep your players on their game with the **GARED® TOUCHLINE™ SOCCER FIELD FORCE SPORT BLOCKER AND REBOUNDERS!** • Fun and useful training aids for school teams, coaching clinics, youth leagues, or backyard play • Made of durable steel tubing for years of use • Portable and easy to assemble for on-the-go practice and training sessions • Each training aid includes a net with bungee cords for attachment, four ground stakes, and hardware.



The **GARED® FIELD FORCE™ MULTI-SPORT BLOCKER** is an ideal training tool for any level of soccer player • A valuable aid for goalkeeper exercises, finishing drills, and target training. Panels are utilitarian and can be shifted and rearranged across or inside goal, and placed horizontal or vertical depending on needs. The opportunities are endless with this product. The high density net provides sufficient support for those perfect hits • Constructed of 1 1/4" steel tubing, the **FIELD FORCE** is lightweight, yet durable • Panels and net can be set at different angles for even more versatility • Sets up in no time with easy connection panel point secured with bungee straps • The panels are stabilized with steel ground anchors to withstand the hardest shots on the team • The entire system breaks down for easy storage in a travel bag.

FSSB: FIELD FORCE™ MULTI-SPORT BLOCKER,
1 YEAR LIMITED WARRANTY, WEIGHT: 25 LBS/EA, GROUND COURIER SERVICE, 24 HOUR SHIP



RB0406: ADJUSTABLE SOCCER REBOUNDER, 4' X 6'
WEIGHT: 19 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

- 4' X 6' Compact Size
- Adjustable For Infinite Playback Angles
- Galvanized Steel Tubing, Powdercoated White
- Orange Net Features Center Target With Smaller Mesh Squares To Encourage Accuracy During Drills



RB0612: SOCCER REBOUNDER, 6' X 12'
WEIGHT: 36 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

- 6' X 12' Size
- Galvanized Steel Tubing
- Black Net Features Orange Center With Smaller Mesh Squares To Withstand Increased Play
- Includes Stabilizer Legs Extending 3' On Each Side Of Frame



Convert any soccer pitch into a competition ready camogie field with **GARED'S CAMOGIE POST ADAPTERS** • Camogie is an ancient Irish sport, similar to Lacrosse and Field Hockey, which is also considered the National Sport of Ireland • The female sport is referred to as camogie and the male version is referred to as hurling • As the popularity of the camogie surges in the US, GARED's adapter system makes hosting tournaments an ease on any soccer pitch • The light-weight, adapter posts are measure 20' in height and securely attach to any soccer goal with bungee cords • Each post is composed of 2 piece PVC pipe • The post can also be used for Gaelic Football and Hurling games.

SGCG: CAMOGIE POST ADAPTERS

1 YEAR LIMITED WARRANTY, WEIGHT: 42 LBS/PAIR,
TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP



The **8300 OFFICIAL FUTSAL GOAL** meets all FIFA and US Futsal specifications • Goal is made of a 3" (8 cm) square extruded aluminum frame with large safety radius on all corners • The 2 MM x 3 MM frame is supported by 1 MM deep 1 5/8" (41.28 mm) O.D. • galvanized steel backstays and rear stabilizing bar • It features our easy connect net attachment • Standard finish is white powder coat on the main goal frame • Used with the 8305 Official Futsal Goal braided white net • Nets are sold separately • Futsal goals are sold in pairs • GARED is an official partner of US Futsal.

8300: OFFICIAL FUTSAL GOAL,

2 YEAR LIMITED WARRANTY.
WEIGHT: 214 LBS/PAIR, TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP

8305: OFFICIAL FUTSAL GOAL NET,

WEIGHT: 18 LBS/PAIR, GROUND COURIER SERVICE, 24 HOUR SHIP

OPTIONAL EQUIPMENT

8340: INDOOR FLOOR ANCHOR



GARED is proud to add to our growing field sports family our **DEFENDER™ FIELD HOCKEY OFFICIAL SIZE GOAL!** Constructed with a 2" Square heavy duty steel frame face and 1" Square supporting structure that is finished in a durable white powder coat finish, GARED's Field Hockey goal can hold up to the rigors of even the roughest play • Goal measures regulation size of 7' H x 12' W x 4' Deep and comes standard with 18" high x 1/2" thick outdoor grade painted bottom wood boards • Goals are sold in pairs and include two weather treated 2.5 mm, 1 3/4" square, black nets • Optional accessories include wheel adapter kit for easy transport when goals are not in use and 1/2" High density Poly ethylene bottom boards for the more extreme environments.

FHOG: FIELD HOCKEY OFFICIAL SIZE GOAL

2 YEAR LIMITED WARRANTY. WEIGHT: 200 LBS/PAIR,
TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP



The **8200 OFFICIAL TEAM HANDBALL GOAL** meets all IHF Official Team Handball specifications • It is constructed of 3" (8 cm) square extruded aluminum frame with large safety radius on all corners • The 2 MM x 3 MM frame is supported by 1 MM deep 1 5/8" (41.28 mm) O.D. • galvanized steel backstays with the lower horizontal section being rubber padded for floor protection • It features our easy connect net attachment and portable sand bags for ballast (sand is not included) • Standard finish is white powder coat with black stripes on the main goal frame • Used with the 8305 Official Team Handball Goal braided white net • Nets are sold separately • Handball goals are sold in pairs.

8200: OFFICIAL TEAM HANDBALL GOAL,

2 YEAR LIMITED WARRANTY. WEIGHT: 214 LBS/PAIR,
TRUCK, FREIGHT CLASS 70, 48 HOUR SHIP

8305: OFFICIAL TEAM HANDBALL GOAL NET,

WEIGHT: 18 LBS/PAIR, GROUND COURIER SERVICE, 24 HOUR SHIP

OPTIONAL EQUIPMENT

8340: INDOOR FLOOR ANCHOR

PLAYRX TOUCHLINE SOCCER GOAL PRODUCT GUIDE

GARED MODEL #	GOAL SIZE	FRAME SIZE / SHAPE	FRAME MATERIAL	BACKSTAY MATERIAL	GROUND MOUNTING	OPTIONS		AGE LEVEL	PLAY LEVEL	IDEAL PLAY ENVIRONMENT
SQUARE FRAME										
SGI0824	8' x 24'	4" Square	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SGI4824	8' x 24'	4" Square	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SGI2824S	8' x 24'	4" Square	Aluminum	Steel	Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SGI0824S	8' x 24'	4" Square	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SGI4824S	8' x 24'	4" Square	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SGI2824	8' x 24'	4" Square	Aluminum	Steel	Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SGI0721	7' x 21'	4" Square	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SGI4721	7' x 21'	4" Square	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SGI2721	7' x 21'	4" Square	Aluminum	Steel	Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SGI0721S	7' x 21'	4" Square	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SGI4721S	7' x 21'	4" Square	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SGI2721S	7' x 21'	4" Square	Aluminum	Steel	Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SGI0618	6-1/2' x 18'	4" Square	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI4618	6-1/2' x 18'	4" Square	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI2618	6-1/2' x 18'	4" Square	Aluminum	Steel	Permanent	Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI0612	6' x 12'	4" Square	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI4612	6' x 12'	4" Square	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI2612	6' x 12'	4" Square	Aluminum	Steel	Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI0612S	6' x 12'	4" Square	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI4612S	6' x 12'	4" Square	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI2612S	6' x 12'	4" Square	Aluminum	Steel	Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI049	4' x 9'	4" Square	Aluminum	N/A	Portable	Wheel Kit, Anchors, Post Pads		Ages 6 - 8	Recreational/Youth/Practice/ Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SGI449	4' x 9'	4" Square	Aluminum	N/A	Semi-Permanent	Post Pads		Ages 6 - 8	Recreational/Youth/Practice/ Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SGI249	4' x 9'	4" Square	Aluminum	N/A	Permanent	Post Pads		Ages 6 - 8	Recreational/Youth/Practice/ Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
ROUND FRAME										
SG30824	8' x 24'	4" Round	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG34824	8' x 24'	4" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG32824	8' x 24'	4" Round	Aluminum	Steel	Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG30824S	8' x 24'	4" Round	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG34824S	8' x 24'	4" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG32824S	8' x 24'	4" Round	Aluminum	Steel	Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG30721	7' x 21'	4" Round	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG34721	7' x 21'	4" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG32721	7' x 21'	4" Round	Aluminum	Steel	Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG30721S	7' x 21'	4" Round	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG34721S	7' x 21'	4" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG32721S	7' x 21'	4" Round	Aluminum	Steel	Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG30618	6-1/2' x 18'	4" Round	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps

PLAYRX TOUCHLINE SOCCER GOAL PRODUCT GUIDE

GARED MODEL #	GOAL SIZE	FRAME SIZE / SHAPE	FRAME MATERIAL	BACKSTAY MATERIAL	GROUND MOUNTING	OPTIONS		AGE LEVEL	PLAY LEVEL	IDEAL PLAY ENVIRONMENT
ROUND FRAME										
SG34618	6-1/2' x 18'	4" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG32618	6-1/2' x 18'	4" Round	Aluminum	Steel	Permanent	Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG30612	6' x 12'	4" Round	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG34612	6' x 12'	4" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG32612	6' x 12'	4" Round	Aluminum	Steel	Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG30612S	6' x 12'	4" Round	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG34612S	6' x 12'	4" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG32612S	6' x 12'	4" Round	Aluminum	Steel	Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG3049	4' x 9'	4" Round	Aluminum	N/A	Portable	Wheel Kit, Anchors, Post Pads		Ages 6 - 8	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG3449	4' x 9'	4" Round	Aluminum	N/A	Semi-Permanent	Post Pads		Ages 6 - 8	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG3249	4' x 9'	4" Round	Aluminum	N/A	Permanent	Post Pads		Ages 6 - 8	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
RECTANGULAR FRAME										
SG20824	8' x 24'	4" x 2" Rectangular	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG24824	8' x 24'	4" x 2" Rectangular	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG22824	8' x 24'	4" x 2" Rectangular	Aluminum	Steel	Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG20721	7' x 21'	4" x 2" Rectangular	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG24721	7' x 21'	4" x 2" Rectangular	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG22721	7' x 21'	4" x 2" Rectangular	Aluminum	Steel	Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG20618	6-1/2' x 18'	4" x 2" Rectangular	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG24618	6-1/2' x 18'	4" x 2" Rectangular	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG22618	6-1/2' x 18'	4" x 2" Rectangular	Aluminum	Steel	Permanent	Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG20612	6' x 12'	4" x 2" Rectangular	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG24612	6' x 12'	4" x 2" Rectangular	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG22612	6' x 12'	4" x 2" Rectangular	Aluminum	Steel	Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG2049	4' x 9'	4" x 2" Rectangular	Aluminum	N/A	Portable	Wheel Kit, Anchors, Post Pads		Ages 6 - 8	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG2449	4' x 9'	4" x 2" Rectangular	Aluminum	N/A	Semi-Permanent	Post Pads		Ages 6 - 8	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG2249	4' x 9'	4" x 2" Rectangular	Aluminum	N/A	Permanent	Post Pads		Ages 6 - 8	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
3" SMALL SIDED ROUND FRAME										
SG5048	4' X 8'	3" Round	Aluminum	Steel	Portable	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG5448	4' X 8'	3" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG5248	4' X 8'	3" Round	Aluminum	Steel	Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG50412	4' X 12'	3" Round	Aluminum	Steel	Portable	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG54412	4' X 12'	3" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG52412	4' X 12'	3" Round	Aluminum	Steel	Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG50416	4' X 16'	3" Round	Aluminum	Steel	Portable	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG54416	4' X 16'	3" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG52416	4' X 16'	3" Round	Aluminum	Steel	Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG70616	6' X 16'	3" Round	Aluminum	Steel	Portable	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG74616	6' X 16'	3" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG72616	6' X 16'	3" Round	Aluminum	Steel	Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG90716	7' X 16'	3" Round	Aluminum	Steel	Portable	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG94716	7' X 16'	3" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG92716	7' X 16'	3" Round	Aluminum	Steel	Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings

SLINGSHOT™ LACROSSE GOALS

GARED'S new line of **SLINGSHOT™ PORTABLE LACROSSE GOALS** will satisfy the needs of lacrosse programs across the country in this rapidly-growing sport • Ideal for competition play, leagues, tournaments, practice, and recreational use • Official goals meet all NCAA and high school specifications • Uprights and crossbar are constructed from 2" heavy-gauge galvanized steel for ultimate strength • Goal measures 6' H x 6' W x 7' 5" D • 3/8" thick flat steel ground bar provides added stability and reduces chance of ball deflection • Orange powder-coated finish is baked on for maximum protection against weather elements • Six-piece goal construction allows for no-hassle assembly • One-piece welded face construction with mitered corners provide a clean look and appealing design • Lacing cord included for attaching net to goal • Each goal includes four ground stakes for additional goal securement • **SOLD IN PAIRS; NETS INCLUDED.**



LG200: PREMIUM LACROSSE GOAL WITH 4" WIND RESISTANT GROUND BAR,
2 YEAR LIMITED WARRANTY, WEIGHT: 267 LBS/PR, TRUCK, 24 HOUR SHIP

- 4" wide x 3/8" thick ground bar
- Net attaches by weaving the cord around welded loops on back of uprights and crossbar

LG100: STANDARD PORTABLE LACROSSE GOAL,
1 YEAR LIMITED WARRANTY, WEIGHT: 217 LBS/PR, TRUCK, 24 HOUR SHIP

- 2-3/8" wide x 3/8" thick ground bar
- Net attaches by lacing the cord around uprights and crossbar

The **GARED® RECREATIONAL LACROSSE GOAL** is an affordable option for practice, recreational use, and backyard play • Goal frame and ground bar are constructed from 1-1/2" galvanized steel for excellent durability • Goal measure 6' in height and 6' in width • Orange powder-coated finish is baked on for maximum protection against weather elements • Nine-piece goal construction allows for simple assembly and ease of transport • Net attaches to goal with Velcro® strips for quick and easy set up • Each goal includes four ground stakes for additional goal securement • Sold in eaches; nets are included.

LG50: RECREATIONAL LACROSSE GOAL,
1 YEAR LIMITED WARRANTY, WEIGHT: 39 LBS/EA, GROUND COURIER SERVICE, 24 HOUR SHIP



SLING SHOT™ lacrosse goals



LACROSSE ACCESSORIES



The **GARED® FIELD FORCE™ MULTI-SPORT BLOCKER** is an ideal shooting training tool for any level of play lacrosse player • The high density net prevents the lacrosse ball from passing thrown, which eliminates chasing after errant shots • Constructed of 1 1/4" steel tubing, the **FIELD FORCE SPORT BLOCKER** is lightweight, yet durable • It extends player's shot range by six feet across and 3 feet above the goal • It sets up in no time with easy connection panel point secured with bungee straps • The panels are stabilized with steel ground anchors to withstand the hardest shots on the team • The entire system breaks down for easy storage in a travel bag.

FSSB: FIELD FORCE™ MULTI-SPORT BLOCKER,
1 YEAR LIMITED WARRANTY, WEIGHT: 25 LBS/EA, GROUND COURIER SERVICE, 24 HOUR SHIP



Top-quality **LACROSSE NETS** are made of knotless nylon and braided for maximum strength and optimal play • For 6'H x 6'W lacrosse goals only • Your choice of 4 mm or 3 mm nylon strength • Includes nylon lacing cord to attach net to goal • Sold in pairs; goals sold separately.

LN-6W: LACROSSE NET, 6 MM
WEIGHT: 23 LBS/PR, GROUND COURIER SERVICE, 24 HOUR SHIP

LN-4W: LACROSSE NET, 4 MM
WEIGHT: 23 LBS/PR, GROUND COURIER SERVICE, 24 HOUR SHIP

LN-3W: LACROSSE NET, 3 MM
WEIGHT: 13 LBS/PR, GROUND COURIER SERVICE, 24 HOUR SHIP

REDZONE™ FOOTBALL GOALPOSTS

GARED REDZONE™ FOOTBALL GOALPOSTS are unyielding for the toughest high school, college, or recreational play environments • Newly re-designed with enhanced features for easier assembly and installation (some drilling in the field is required) • Meet all NCAA and NFHS specifications • Your choice of our popular 4 1/2" O.D. main gooseneck with 5' offset, or our ultra-duty 5-9/16" O.D. main gooseneck with 6' offset • Crossbar is 3 1/2" O.D. and top uprights are 2 3/8" O.D. and 20' tall for all models • Entire unit is 30' tall • Crossbars are 23' 4" apart for high school specifications and 18' 6" apart for college specifications • All models available with your choice of galvanized, yellow powder-coated, or white powder-coated • All models available for permanent, sleeve-mounted, or plate-mounted installation • Goalposts sold in pairs • Optional ground sleeves available for sleeve-mount models only, to allow semi-permanent installation of goal • Optional protective post pads available and recommended for safety.



FGP SERIES: HIGH SCHOOL FOOTBALL GOALPOSTS, 5 YEAR LIMITED WARRANTY
SEE CHART FOR WEIGHT, TRUCK, FREIGHT CLASS 50, 24 HOUR SHIP

4 1/2" O.D. MODEL #	WEIGHT (LBS/PR)	5 9/16" O.D. MODEL #	WEIGHT (LBS/PR)	FINISH	MOUNTING TYPE
FGP401S	1103	FGP601S	1417	Galvanized	Permanent/Sleeve Mount
FGP401SW	1103	FGP601SW	1417	White	Permanent/Sleeve Mount
FGP401SY	1103	FGP601SY	1417	Yellow	Permanent/Sleeve Mount
FGP401P	1135	FGP601P	1439	Galvanized	Plate Mount
FGP401PW	1135	FGP601PW	1439	White	Plate Mount
FGP401PY	1135	FGP601PY	1439	Yellow	Plate Mount

FGP SERIES: COLLEGE FOOTBALL GOALPOSTS, 5 YEAR LIMITED WARRANTY
SEE CHART FOR WEIGHT, TRUCK, FREIGHT CLASS 50, 24 HOUR SHIP

4 1/2" O.D. MODEL #	WEIGHT (LBS/PR)	5 9/16" O.D. MODEL #	WEIGHT (LBS/PR)	FINISH	MOUNTING TYPE
FGP402S	1083	FGP602S	1397	Galvanized	Permanent/Sleeve Mount
FGP402SW	1083	FGP602SW	1397	White	Permanent/Sleeve Mount
FGP402SY	1083	FGP602SY	1397	Yellow	Permanent/Sleeve Mount
FGP402P	1105	FGP602P	1419	Galvanized	Plate Mount
FGP402PW	1105	FGP602PW	1419	White	Plate Mount
FGP402PY	1105	FGP602PY	1419	Yellow	Plate Mount

Heavy-duty **GROUND SLEEVES** allow football goalpost to be semi-permanent so that it may be removed when not in use • Choose from 4-1/2" or 5-9/16" size • Sleeves are inserted 4' into soil for maximum goalpost stability.

FGP400GS: 4-1/2" FOOTBALL GOALPOST GROUND SLEEVE
WEIGHT: 124 LBS/PR, TRUCK, FREIGHT CLASS 50, 24 HOUR SHIP

FGP600GS: 5-9/16" FOOTBALL GOALPOST GROUND SLEEVE
WEIGHT: 136 LBS/PR, TRUCK, FREIGHT CLASS 50, 24 HOUR SHIP

COMBINATION SOCCER/FOOTBALL GOAL is the perfect alternative for facilities with budget constraints and/or limited field space • Allows both soccer and football to be played on a single versatile unit • Soccer goal is 8' x 24' in size and constructed of 4" square steel uprights • Football uprights are made of 1-5/8" heavy-gauge steel and extend 10' above the football crossbar and span 23' 4" for high school specifications.

FGP200: COMBINATION SOCCER/FOOTBALL GOAL,
5 YEAR LIMITED WARRANTY, WEIGHT: 1500 LBS/PR, TRUCK, FREIGHT CLASS 70, 1 WEEK SHIP

FOOTBALL GOALPOST PADDING protects players from main post where body contact may occur • 6' high pad is constructed of 4" thick high-density urethane foam covered with 18 oz. coated UV-resistant vinyl • Standard colors available: Black, marine blue, royal blue, navy blue, beige, yellow, orange, red, white, grey, kelly green, forest green, burgundy, and purple • Custom colors and graphics available – please call for quotation.

GSPPAD3: FOOTBALL GOALPOST PAD, FOR POST UP TO 4 1/2" O.D.
WEIGHT: 25 LBS/EA, GROUND COURIER SERVICE, 48 HOUR SHIP

GSPPAD4: FOOTBALL GOALPOST PAD, FOR POST UP TO 6" O.D.
WEIGHT: 25 LBS/EA, GROUND COURIER SERVICE, 48 HOUR SHIP





OUTDOOR VOLLEYBALL AND NET SPORTS

Are you looking for rugged outdoor volleyball, tennis, or tetherball equipment for your school, park, or recreation facility? Look no further than GARED! Check out our exceptional outdoor volleyball equipment selection, engineered and manufactured to the same high standards as our world-class indoor line! And don't forget our comprehensive line of elite tennis and tetherball equipment - our premium outdoor products are built to last for even the roughest outdoor play environments! GARED has everything your organization needs to keep up with the latest innovations for these ever-popular sports - from posts and nets, to all the extras such as ground sleeves, anchors, locking covers, and more!

WHY BUY GARED?

QUICK SHIPPING ON OUR OUTDOOR NET SPORTS PRODUCTS!

Get the equipment you need WHEN you need it! Like most of our product line, all of our volleyball, tennis, and tetherball equipment is IN STOCK and can usually ship in 24-48 hours!

GARED HAS EVERYTHING YOU NEED FOR YOUR SAND & GRASS VOLLEYBALL LEAGUE!

From convenient portable systems for traveling leagues, to rugged square post systems designed for elite competition beach tournaments, GARED can fulfill all of your volleyball organization requirements!

POWDERCOAT YOUR POSTS IN A VIBRANT COLOR!


Impress players, spectators, and visitors by having an optional colored powdercoat finish added to your galvanized volleyball, tennis, or tetherball posts! We carry a large selection of beautiful powdercoat colors to choose from, so you can match your school or facility colors, or create an exciting new color scheme of your own!





THE MONGOOSE® IS ON THE LOOSE!

GARED'S MONGOOSE® WIRELESS VOLLEYBALL SYSTEM is the most innovative portable volleyball system on the market today! • The Mongoose® is versatile and portable for play in grass, sand, or indoors, making it ideal for institutional as well residential use • With its exclusive tension-operated design and patented two-stake inground plate system, the Mongoose is sturdy and durable for all levels of play, and there are no dangerous guy wires for players to trip over • Constructed of high-strength telescopic aluminum poles for long life in outdoor settings • Poles can be easily adjusted for Men's, Women's, and Junior's heights by loosening the net, easily adjusting the pole pins, and then re-tightening the net • Durable protective post padding included to protect players from injury • The Mongoose® system includes two sand wedge adapters for optimal play in the sand or at the beach • Optional indoor floor plate kit and sleeve adapters available for play in your gym or recreation center when the outdoor season is over • Installation is quick and easy and requires only a 6-LB hammer (not included) • Carton measures 54" L x 7.5" W x 9" H.



7900



7900: MONGOOSE® WIRELESS VOLLEYBALL SYSTEM,

- WEIGHT: 53 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP
- Two Adjustable High-Strength Anodized Aluminum Posts
 - Two Steel Ground Plates
 - Two Sand Wedge Adapters for beach play
 - Two Protective Post Pads
 - One Premium Regulation Size Net
 - One Court Boundary Line Marker
 - Two Blue Protective Pole Pads
 - Blue Nylon Carrying Bag



GARED'S MONGOOSE® LT WIRELESS VOLLEYBALL SYSTEM is the latest addition to the Mongoose® family of wireless volleyball systems • The Mongoose® LT is a great economical alternative to the original Mongoose® and is perfect for home or recreational use • Versatile and portable for play in grass or sand • With its exclusive tension-operated design and patented two-stake in ground plate system, the Mongoose® LT is sturdy and durable and there are no dangerous guy wires for players to trip over • Constructed of high-strength telescopic aluminum poles for long life in outdoor settings • Poles can be easily adjusted for Men's, Women's, and Junior's heights by loosening the net, easily adjusting the pole pins, and then re-tightening the net • Durable protective post padding included to protect players from injury • Installation is quick and easy and requires only a 6-LB hammer (not included) • Carton measures 54" L x 7.5" W x 9" H.

7700: MONGOOSE® LT WIRELESS VOLLEYBALL SYSTEM,

- WEIGHT: 31 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP
- Two Adjustable High-Strength Anodized Aluminum Posts
 - Two Steel Ground Plates
 - Two Protective Post Pads
 - One Premium Regulation Size Net
 - One Court Boundary Line Marker
 - Two Black Protective Pole Pads
 - Black Nylon Carrying Bag



ODVB35

SIDEOUT™ OUTDOOR VOLLEYBALL SYSTEM

GARED® OUTDOOR VOLLEYBALL STANDARDS provide a rugged volleyball system that's ideal for recreational use as well as tournament or league play • Perfect volleyball set-up for parks, school yards, beaches, and campgrounds • Available in your choice of standard 2-3/8" O.D. or heavy-duty 3-1/2" O.D. galvanized steel posts • Uprights are 10' in total length, with 20" in ground for maximum stability • Posts are pre-drilled for volleyball and badminton net heights • Ground sleeves and caps are included to allow posts to be removed from court when not in use • Includes winch and all appropriate hardware • Model 6827 locking covers can be purchased as an upgrade to further prevent theft or tampering with sleeve covers • Posts sold in pairs; net sold separately.

ODVB: 2-3/8" OUTDOOR VOLLEYBALL STANDARDS,
1 YEAR LIMITED WARRANTY ON STANDARDS
WEIGHT: 67 LBS/PR, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

ODVB35: 3-1/2" OUTDOOR VOLLEYBALL STANDARDS,
2 YEAR LIMITED WARRANTY ON STANDARDS
WEIGHT: 106 LBS/PR, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

6827: LOCKING COVER FOR 2-3/8" VOLLEYBALL GROUND SLEEVES
WEIGHT: 1 LB /EA, GROUND COURIER SERVICE, 24 HOUR SHIP

PREMIUM OUTDOOR VOLLEYBALL NET is designed for use with ODVB, ODVB35, and ODVB40SQ standards • Constructed of 2 mm twisted polyethylene for maximum strength • Net is 32' long x 3' wide • Net headband is 19 oz x 2" heavy-duty white vinyl for ultimate outdoor protection • Side and bottom of net is taped vinyl-coated nylon • Net cable is 40' long and features a 5 mm coated steel cable top • Nets sold in eaches; posts sold separately.

ODVBNET: OUTDOOR VOLLEYBALL NET, 32' X 3', 2 MM POLYETHYLENE
WEIGHT: 5 LBS/EA, GROUND COURIER SERVICE, 24 HOUR SHIP

GARED® OUTDOOR VOLLEYBALL SQUARE STANDARDS are constructed of high strength lightweight square aluminum extrusion with a structural channel running the length of the posts for durability and easy set-up and take-down • Easy and quick infinite height adjustment without removing the net • Heavy duty galvanized ratchet winch for smooth net tension • Ideal for sand/beach volleyball championship play • Parts for converting standards to sand play are sold separately • Net, sleeves and covers are sold separately.

ODVB40SQ: 4" SQUARE OUTDOOR VOLLEYBALL STANDARDS,
2 YEAR LIMITED WARRANTY ON STANDARDS
WEIGHT: 49 LBS., GROUND COURIER, 24 HOUR SHIP

ODVB40SQ ACCESSORIES:


6815: CONVERSION KIT FOR ODVB40SQ BEACH VOLLEYBALL,
1 YEAR LIMITED WARRANTY, WEIGHT: 57 LBS., GROUND COURIER, 24 HOUR SHIP

6828: 4" SQUARE SLEEVE FOR ODVB40SQ,
1 YEAR LIMITED WARRANTY. WEIGHT: 34 LBS./PAIR, GROUND COURIER, 24 HOUR SHIP


6829: CAP, 4" SQUARE FOR 6828 SLEEVE,
1 YEAR LIMITED WARRANTY
WEIGHT: 6 LBS./PAIR, GROUND COURIER, 24 HOUR SHIP



ODVB40SQ



6815



4" POST CROSS SECTION

TENNIS

Build a tennis court fit for the pros with **GARED® HEAVY-DUTY STEEL TENNIS POSTS** • Superior post strength and attractive design make these posts an excellent choice for competition or recreational matches • Constructed from 3” round tubular steel with integral lacing bars • Polyester powder-coated for protection against weather conditions • Includes premium brass winder • Your choice of classic green or black posts • For permanent installation, with optional ground sleeves available • Posts sold in pairs; nets sold separately • **ALL TENNIS STANDARDS ARE COVERED BY A 1 YEAR LIMITED WARRANTY.**

GSTNPERD: 3” ROUND COMPETITION TENNIS POSTS, GREEN

WEIGHT: 72 LBS/PR, GROUND COURIER SERVICE, 48 HOUR SHIP
• 3” Round Tubular Steel With Integral Lacing Bars
• Green Powder Coat Finish

GSTNPERDB: 3” ROUND COMPETITION TENNIS POSTS, BLACK

WEIGHT: 72 LBS/PR, GROUND COURIER SERVICE, 48 HOUR SHIP
• 3” Round Tubular Steel With Integral Lacing Bars
• Black Powder Coat Finish

GSTNPESQG3: 3” SQUARE CHAMPIONSHIP TENNIS POSTS, GREEN

WEIGHT: 86 LBS/PR, GROUND COURIER SERVICE, 48 HOUR SHIP
• 3” Square Box-Section Steel
• Green Powder Coat Finish

GSTNPESQB3: 3” SQUARE CHAMPIONSHIP TENNIS POSTS, BLACK

WEIGHT: 86 LBS/PR, GROUND COURIER SERVICE, 48 HOUR SHIP
• 3” Square Box-Section Steel
• Black Powder Coat Finish



GSTNPOST278

ECONOMICAL EXTERNAL RATCHET TENNIS POSTS provide a budget-friendly alternative to classic-style posts • Constructed from 2 7/8” heavy-duty steel and includes ratchet caps and pulley • Safety ratchet has detachable handle and sturdy hooks for net anchoring • Powder-coated green for ultimate harsh climate protection • For permanent installation, with optional ground sleeves available • Posts sold in pairs; nets sold separately.

GSTNPOST278: 2-7/8” EXTERNAL RATCHET TENNIS POSTS, GREEN

WEIGHT: 46 LBS/PR, GROUND COURIER SERVICE, 48 HOUR SHIP

PREMIUM TENNIS NETS provide long-lasting durability for optimal play • 42’ length meets official specifications • Constructed of high-quality braided polyethylene with a heavy-duty vinyl-coated headband • Wooden dowels included • Sold in eases; posts sold separately.

GSTNETAUS: 42’ PREMIUM TENNIS NET, 3.0 MM POLYETHYLENE

WEIGHT: 20 LBS/EA, GROUND COURIER SERVICE, 48 HOUR SHIP

GSTNET30LS: 42’ PREMIUM TENNIS NET, 3.5 MM POLYETHYLENE

WEIGHT: 22 LBS/EA, GROUND COURIER SERVICE, 48 HOUR SHIP

GSTNET30LSDC: 42’ PREMIUM TENNIS NET, 3.5 MM POLYETHYLENE, DOUBLE CENTER

WEIGHT: 23 LBS/EA, GROUND COURIER SERVICE, 48-HOUR SHIP

TENNIS ACCESSORIES

Heavy-duty **TENNIS GROUND SLEEVES** allow for secure, semi-permanent set-up when permanent installation is not an option • Available for round, square, and external ratchet posts • Fabricated from Schedule 40 steel, PVC coated • Sold in pairs; posts sold separately.

GSTNGSERD: HEAVY-DUTY GROUND SLEEVES FOR ROUND TENNIS POSTS

WEIGHT: 29 LBS/PR, GROUND COURIER SERVICE, 48 HOUR SHIP

GSTNGSEQ: HEAVY-DUTY GROUND SLEEVES FOR SQUARE TENNIS POSTS

WEIGHT: 29 LBS/PR, GROUND COURIER SERVICE, 48 HOUR SHIP

GSTNSLV278: HEAVY-DUTY GROUND SLEEVES FOR EXTERNAL RATCHET TENNIS POSTS

WEIGHT: 13 LBS/PR, GROUND COURIER SERVICE, 48 HOUR SHIP

Top-quality **TENNIS NET CENTER STRAP** prevents net from swaying when contact with ball occurs • Made of 100% synthetic nylon webbing for strength and longevity • Use GSTNANCH anchor (sold separately) to secure strap at ground level • Straps include necessary hardware.

GSTCSTRAP: TENNIS NET CENTER STRAP

WEIGHT: 4 LBS/EA, GROUND COURIER SERVICE, 48 HOUR SHIP

GSTNANCH: GROUND ANCHOR FOR TENNIS NET STRAP

WEIGHT: 10 LBS/EA, GROUND COURIER SERVICE, 48 HOUR SHIP



GSTNPERDB



GSTNPESQG3



GSTCSTRAP

TETHERBALL

GARED® TETHERBALL SYSTEMS provide a fun and economical game that will keep kids busy for hours! • Post is constructed of 2-3/8” O.D. heavy-gauge galvanized steel that will stand up to any playground wear and tear • Post is 12’ tall, with 2’ in ground for maximum stability • For semi-permanent or permanent installation • Standard-size tetherball and heavy nylon rope for ball attachment are included • Sleeved tetherball system includes ground sleeve so post may be removed when not in use • Model 6827 locking covers can be purchased as an upgrade to further prevent theft or tampering with sleeve covers.

6809: INGROUND TETHERBALL SYSTEM

WEIGHT: 40 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6812: SLEEVED TETHERBALL SYSTEM, INCLUDES SLEEVES

WEIGHT: 45 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP



6811

Play indoors in the gym or outside on the playground with the **GARED® PORTABLE TETHERBALL SYSTEM**• Portable design allows for easy transport and storage • Constructed of 2-3/8” O.D. heavy-gauge galvanized steel • Post is 10’ tall with a 40” heavy chrome base for greater stability of unit • Standard-size tetherball and heavy nylon rope for ball attachment are included.

6811: PORTABLE TETHERBALL SYSTEM

WEIGHT: 96 LBS/EA, TRUCK, FREIGHT CLASS 70, 24 HOUR SHIP

TETHERBALL ACCESSORIES

6805: STANDARD TETHERBALL WITH NYLON ROPE

WEIGHT: 7 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6824: TETHERBALL GROUND SLEEVE, 2-3/8”

WEIGHT: 3 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

6827: LOCKING COVER FOR 2-3/8” VOLLEYBALL GROUND SLEEVES

WEIGHT: 1 LB /EA, GROUND COURIER SERVICE, 24 HOUR SHIP



6809

BASEBALL FIELD ACCESSORIES

DRY LINE MARKERS are constructed with steel frames and galvanized steel buckets to combat rust and withstand weather elements • Hard rubber wheels provide extra durability on the field • Guide strip on lid allows quick and easy application • Hinged cover on bucket keeps marking compound dry • Handle lever adjusts easily to both 2” and 4” lines.

DRYLINE-25: 25-LB CAPACITY DRY LINE MARKER, 2-WHEEL

WEIGHT: 25 LBS, GROUND COURIER SERVICE, 48 HOUR SHIP

DRYLINE-50: 50-LB CAPACITY DRY LINE MARKER, 4-WHEEL

WEIGHT: 40 LBS, GROUND COURIER SERVICE, 48 HOUR SHIP



PETERSON BASEBALL SCOREMASTER SCOREBOOK

simplifies scoring instructions for baseball or softball • 8 ½” x 12” spiral-bound hard back with horizontal layout • Contains 25 games, team lineup and schedule cards • Order by the dozen.

SBS: PETERSON’S BASEBALL SCOREMASTER SCOREBOOK

WEIGHT: 6 LBS/DOZEN, GROUND COURIER SERVICE, 24 HOUR SHIP

PETERSON BASEBALL SUPER SCOREMASTER SCOREBOOK

simplifies scoring instructions for baseball or softball, with up to 16 player batting order • 8 ½” x 12” spiral-bound hard back with vertical layout • Contains 25 games, team lineup and schedule cards • Order by the dozen.

SSI6: PETERSON’S BASEBALL SUPER SCOREMASTER I6 SCOREBOOK

WEIGHT: 7 LBS/DOZEN, GROUND COURIER SERVICE, 24 HOUR SHIP



DRYLINE MARKERS



FIELD & SITE AMENITIES

Do you want to attract more visitors and spectators to your local park, playground, or outdoor sports venue? Start by providing plenty of durable, comfortable, and great-looking site and field amenities! GARED can help complete your outdoor facility with our large selection of bleachers, player benches, bike racks, outdoor scoreboards, baseball foul poles, batting cages, and windscreens! You can count on GARED's trusted reputation and years of manufacturing expertise, as our site and field amenities have been specifically designed and rigorously tested to stand up to demanding athletes, unpredictable weather conditions, and daily exposure to the general public • Contact GARED today to put the finishing touches on your park, outdoor venue, or sports field that will be sure to impress the crowd!

WHY BUY GARED?

CHECK OUT OUR NEW PRODUCTS!

GARED is excited to expand our site and field amenities line to include outdoor scoreboards, baseball foul poles, outdoor batting cages, and windscreens!

STATE-OF-THE-ART OUTDOOR SCOREBOARDS FOR SCORING ALL OF YOUR FIELD SPORTS!

Our premium outdoor scoreboards are virtually maintenance-free, plus they feature brilliant LED numbers, a wide variety of scoring displays to fit your facility's needs, and tons of available deluxe options!

QUICK SHIP ON BLEACHERS AND BENCHES!

All of our bleachers and benches are IN STOCK and ship within 24-48 hours! When you need park or sports seating in a hurry, call GARED for the fastest turnaround in the industry!

POWDERCOAT YOUR SITE AMENITIES FOR A UNIQUE LOOK!

Customize your bleachers, benches, or bike racks with an optional supreme powdercoat finish to match your park, facility, or school colors!



ALPHATEC™ BASEBALL & SOFTBALL SCOREBOARDS

Lead your team to victory with our premium 9’ – 20’ **BASEBALL & SOFTBALL SCOREBOARDS** that are sure to impress players and fans! • Huge, super-bright red LED numbers are 15” tall and have a visibility over 300 feet and the widest viewing angle available to enhance player and spectator viewing • Our LEDs will last an average of 100,000 hours, which means years of hassle-free scoring for your facility • The 22-gauge galvaneal steel cabinet is protected by a UV-resistant powdercoat finish for maximum durability and lasting appearance • Standard powdercoat colors are royal blue, navy blue, green, purple, red, maroon, and black • Scoreboard package for cable models includes controller with operator’s keyboard, digit protective shields, junction box cover, signal cable, control cable, and mounting rails • Electrical requirements: 20-amp, 120-volt, 60-hertz, grounded AC.



GS-394: 20’ BASEBALL SCOREBOARD
5-YEAR WARRANTY, WEIGHT: 1350 LBS, TRUCK, FREIGHT CLASS 85
Dimensions: 20’ L x 6’ 6” W x 8” D
• Will score baseball and softball.



GS-335: 14’ BASEBALL SCOREBOARD
5-YEAR WARRANTY, WEIGHT: 500 LBS, TRUCK, FREIGHT CLASS 85
Dimensions: 14’ L x 5’ 6” W x 8” D
• Will score baseball, softball, football, and soccer (optional conversion kits needed).



GS-329: 9’ Baseball Scoreboard
5-YEAR WARRANTY, WEIGHT: 240 LBS, TRUCK, FREIGHT CLASS 85
Dimensions: 9’ L x 4’ W x 8” D
• Will score baseball and softball.

Our **GS-MS1 PORTABLE BASEBALL SCOREBOARD** provides convenient electronic scoring at an economical price • This model is battery-powered and includes wheels, so just simply fold up compactly and roll away for easy transport and storage • Brilliant LED numbers are 9” and 6” tall in red • The 22-gauge galvaneal steel cabinet is protected by a UV-resistant powdercoat finish for optimal protection in outdoor settings • Standard powdercoat colors are royal blue, navy blue, green, purple, red, maroon, and black • Scoreboard display dimensions: 78” L x 52” W x 4” D • Storage dimensions: 38” L x 52” W x 4” D • Conversion panels are included for scoring football and basketball •


GS-MS1: PORTABLE BASEBALL SCOREBOARD
2-YEAR WARRANTY, WEIGHT: 120 LBS, TRUCK, FREIGHT CLASS 85



GS-MS1

Check out our **GS-HN3 NON-ELECTRONIC BASEBALL SCOREBOARD** for simple and inexpensive scoring that won’t break your budget! • This classic style scoreboard features a complete set of plastic hanging numbers and hooks, enough for a 9+ inning game • Numbers are 9” tall in black • Cabinet is constructed of 22-gauge galvaneal steel and is covered with a UV-resistant powdercoat finish for lasting durability and a professional appearance • Standard powdercoat colors are royal blue, navy blue, green, purple, red, maroon, and black • Scoreboard dimensions: 8’ L x 4’ W x 4” D • Will score baseball and softball • Extra hanging numbers are available.

GS-HN3: NON-ELECTRONIC BASEBALL SCOREBOARD
1-YEAR WARRANTY, WEIGHT: 75 LBS,
GROUND COURIER SERVICE



GS-HN3

ALPHATEC™ SOCCER SCOREBOARDS

Kick your soccer program into high gear with our **DELUXE 8’ SOCCER SCOREBOARD!** • This scoreboard is virtually maintenance-free, as our large, brilliant LED numbers are rated for 100,000 hours of use (20+ years) • LEDs are 15” tall in red • Scoreboard cabinet is constructed of 18-gauge durable galvaneal steel with a premium powdercoat finish for lasting protection from weather elements • Standard powdercoat colors are royal blue, navy blue, green, purple, red, maroon, and black • Scoreboard dimensions: 8’ L x 6’ W x 8” D • Scoreboard package for cable models includes controller with operator’s keyboard, digit protective shields, junction box cover, signal cable, control cable, and mounting rails • Electrical requirements: 20-amp, 120-volt, 60-hertz, grounded AC • Will score soccer only.

GS-645: 8’ SOCCER SCOREBOARD
5-YEAR WARRANTY, WEIGHT: 365 LBS, TRUCK, FREIGHT CLASS 85



GS-645



Our **GS-MS3 PORTABLE SOCCER SCOREBOARD** provides versatile and budget-friendly scoring for any organization! • This model is battery-powered and includes wheels, so just simply fold up compactly and roll away for easy transport and storage • Brilliant LED numbers are 9” and 6” tall in red • Scoreboard cabinet is constructed of 18-gauge durable galvaneal steel with a premium powdercoat finish for lasting protection from weather elements • Standard powdercoat colors are royal blue, navy blue, green, purple, red, maroon, and black • Scoreboard display dimensions: 78” L x 52” W x 4” D • Storage dimensions: 38” L x 52” W x 4” D • Will score soccer, football, field hockey, and lacrosse.

GS-MS3: 78” X 52” PORTABLE SOCCER SCOREBOARD
2-YEAR WARRANTY, WEIGHT: 120 LBS, TRUCK, FREIGHT CLASS 85

Our **GS-SK2 PORTABLE SOCCER SCOREBOARD** provides convenient tabletop scoring for any size program or facility • This lightweight model includes a handle for transport, making it perfect for traveling teams • Brilliant LED numbers are 9” and 6” tall in red • 18-gauge durable galvaneal steel scoreboard cabinet has a premium powdercoat finish for lasting protection against weather elements • Available in black only • Scoreboard dimensions: 52” L x 28” W x 8” D • Scoreboard package for cable models includes controller with operator’s keyboard, loud buzzer horn, and control cable • Electrical requirements: Wall transformer input – 120 volts AC; Output – 10 volts AC • Will score soccer, basketball, volleyball, and wrestling.

GS-SK2: 52” X 28” PORTABLE SOCCER SCOREBOARD
2-YEAR WARRANTY, WEIGHT: 60 LBS, GROUND COURIER SERVICE



GS-SK2

ALPHATEC™ FOOTBALL SCOREBOARDS

Even the most prestigious football programs will be impressed by our state-of-the-art **14’ – 27’ FOOTBALL SCOREBOARDS!** • Our huge, brilliant LED numbers have superior visibility of over 300 feet and the widest viewing angle in the industry, for maximum enjoyment from any seat in your stadium • Our LEDs require no maintenance, lasting an average of 100,000 hours of continual use • Scoreboards are constructed of a 22-gauge galvaneal steel cabinet, protected by a top-quality powdercoat finish for long lasting appearance and durability • Standard powdercoat colors are royal blue, navy blue, green, purple, red, maroon, and black • Scoreboard package for cable models includes controller with operator’s keyboard, digit protective shields, junction box cover, signal cable, control cable, and mounting rails • Electrical requirements: 20-amp, 120-volt, 60-hertz, grounded AC.



GS-764

GS-764: 27’ FOOTBALL SCOREBOARD
5-YEAR WARRANTY, WEIGHT: 1900 LBS, TRUCK, FREIGHT CLASS 85
Dimensions: 27’ L x 8’ W x 8” D • 26”, 20”, and 15” tall digits in red • Will score football, baseball, soccer, and track (optional conversion kits needed).



GS-744

GS-744: 20’ FOOTBALL SCOREBOARD
5-YEAR WARRANTY, WEIGHT: 1300 LBS, TRUCK, FREIGHT CLASS 85
Dimensions: 20’ L x 7’ 6” W x 8” D • 20” and 15” tall digits in red • Will score football, baseball, soccer, and track (optional conversion kits needed).

PLEASE CHECK OUT OUR FULL LINE OF ALPHATEC™ SCOREBOARDS AT WWW.GAREDSPORTS.COM!

SPECTATOR™ SERIES BLEACHERS

GARED® SPECTATOR™ SERIES ALUMINUM BLEACHERS provide top-quality seating for anywhere that fans and spectators might gather • Great for stadiums, arenas, sports fields, parks, gymnasiums, and amphitheaters • Seats are constructed of 10” wide anodized aluminum planks for long-lasting durability in outdoor conditions • Foot planks are constructed of 10” wide mill finish aluminum • Framework is comprised of welded aluminum angle for superior support and strength • End caps are constructed of die cut aluminum strips with punched holes for screws • Model numbers with “DF” include double foot planks for additional leg room • Optional color seat planks are available; please call for quotation • All bleachers are covered by a 1 year limited warranty.



GSNB SERIES: FIXED ALUMINUM BLEACHERS


- SEE CHART FOR WEIGHTS, TRUCK, FREIGHT CLASS 85, 2-3 WEEK SHIP
- Popular choice for outdoor seating requirements where easy transport is not necessary
 - Available in 3, 4, 5 to 10-row models and 15’ or 27’ length
 - Includes single foot planks on rows 2-3, and double foot planks and riser plank on rows 4 and above
 - Chain link guardrail system is included with 5-row models
 - Optional vertical picket guardrail system available for an additional cost
 - Optional aisle(s) with handrail available for an additional cost
 - All fixed bleachers should be anchored to resist wind loads

FIXED BLEACHER MODEL #	LENGTH	ROWS	SEATING CAPACITY	DOUBLE FOOT PLANKS?	WEIGHT (LBS)
GSNB0315	15'	3	30	No	151
GSNB0315DF	15'	3	30	Yes	179
GSNB0321	21'	3	42	No	334
GSNB0321DF	21'	3	42	Yes	410
GSNB0327	27'	3	48	No	431
GSNB0415	15'	4	40	No	407
GSNB0415DF	15'	4	40	Yes	489
GSNB0421	21'	4	56	No	538
GSNB0421DF	21'	4	56	Yes	652
GSNB0427	27'	4	72	No	683
GSNB0515	15'	5	50	No	703
GSNB0515DF	15'	5	50	Yes	758
GSNB0521	21'	5	70	No	922
GSNB0521DF	21'	5	70	Yes	1036
6 TO 10 ROW BLEACHERS AVAILABLE, PLEASE CALL FOR MORE INFORMATION.					



GSNB0521DF

STANDARD PLANK POWDERCOAT COLORS



TRB0308

TRB SERIES: TIP 'N' ROLL ALUMINUM BLEACHERS

- SEE CHART FOR WEIGHTS, TRUCK, FREIGHT CLASS 85, 2-3 WEEK SHIP
- Versatile for indoor and outdoor spectator seating
 - Swivel castors allow unit to be tipped up for easy portability and storage
 - Rubber foot pads protect units from marring floors
 - Available in 2, 3, or 4-row models, from 7' 6” up to 21' length
 - Riser planks not included on tip 'n roll models
 - Extreme caution should be taken when tipping outdoors due to possible high wind conditions

TIP 'N' ROLL BLEACHER MODEL #	LENGTH	ROWS	SEATING CAPACITY	DOUBLE FOOT PLANKS?	WEIGHT (LBS)
TRB0208	7' 6"	2	10	No	121
TRB0215	15'	2	20	No	199
TRB0215DF	15'	2	20	Yes	227
TRB0221	21'	2	28	No	245
TRB0221DF	21'	2	28	Yes	283
TRB0308	7' 6"	3	15	No	160
TRB0315	15'	3	30	No	271
TRB0315DF	15'	3	30	Yes	326
TRB0321	21'	3	42	No	344
TRB0408	7' 6"	4	20	No	241
TRB0415	15'	4	40	No	371
TRB0415DF	15'	4	40	Yes	453

SPECTATOR™ SERIES BENCHES

Heavy-duty Aluminum Benches provide affordable, low-maintenance seating for players and fans • Seats and backs are comprised of 10” wide anodized aluminum planks • Frames are constructed of 2-3/8” heavy-gauge galvanized steel for maximum support and years of use • Available in 8', 15', or 21' lengths • All sizes and styles available in portable, permanent, or surface mount installation • **ALL BENCHES ARE COVERED BY A 1 YEAR LIMITED WARRANTY.**

GSBEP SERIES: BENCHES WITH BACKS

SEE CHART FOR WEIGHTS, TRUCK, FREIGHT CLASS 85, 1-2 WEEK SHIP

MODEL #	LENGTH	INSTALL TYPE	WEIGHT (LBS)
GSBEPB08	8'	Permanent	102
GSBEPH08	8'	Surface Mount	96
GSBEPG08	8'	Portable	135
GSBEPB15	15'	Permanent	150
GSBEPH15	15'	Surface Mount	144
GSBEPG15	15'	Portable	188
GSBEPB21	21'	Permanent	220
GSBEPH15	21'	Surface Mount	211
GSBEPG21	21'	Portable	262



GSBEPH08



GSBEPB21

GSBEP SERIES: BENCHES WITHOUT BACKS

SEE CHART FOR WEIGHTS, TRUCK, FREIGHT CLASS 85, 1-2 WEEK SHIP

MODEL #	LENGTH	INSTALL TYPE	WEIGHT (LBS)
GSBEPD08	8'	Permanent	62
GSBEPE08	8'	Surface Mount	59
GSBEPI08	8'	Portable	66
GSBEPD15	15'	Permanent	85
GSBEPE15	15'	Surface Mount	81
GSBEPI15	15'	Portable	92
GSBEPD21	21'	Permanent	132
GSBEPE21	21'	Surface Mount	126
GSBEPI21	21'	Portable	141



GSBEPG15



GSBEP115

Our **INDOOR BENCH CONVERSION KIT** allows portable benches to be used indoors without damaging gym flooring • Rubber foot pads easily bolt onto bottom of bench legs • Kit includes two pads and necessary hardware • One kit needed per bench leg • For portable benches only.

GSBEKIT: INDOOR BENCH CONVERSION KIT
WEIGHT: 1 LB/KIT,
GROUND COURIER SERVICE
24 HOUR SHIP

SPECTATOR™ SERIES BIKE RACKS

TRADITIONAL BIKE RACKS are a great value while keeping the classic design that many parks prefer • Popular bike storage option for schools, playgrounds, parks, camps, and retail centers • Main framework and horizontal rack rails are manufactured with 1-5/8" high-tensile galvanized steel pipe with end caps • Vertical rack rails are made of ½" diameter hot-dipped galvanized solid steel electrically welded to the horizontal rails • Finish is painted with a durable outdoor aluminum enamel for protection against weather elements • Bright zinc-plated fasteners included • Optional baked-on polyester powdercoat finish is available • **ALL BIKE RACKS ARE COVERED BY A 1 YEAR LIMITED WARRANTY.**

BRT SERIES: TRADITIONAL BIKE RACKS

SEE CHART FOR WEIGHTS, TRUCK, FREIGHT CLASS 70, 1-2 WEEK SHIP

MODEL #	LENGTH	SINGLE OR DOUBLE-SIDED	CAPACITY	WEIGHT (LBS)
BRT-5S	5'	Single-Sided	4 Bikes	70
BRT-5D	5'	Double-Sided	8 Bikes	80
BRT-10S	10'	Single-Sided	9 Bikes	125
BRT-10D	10'	Double-Sided	18 Bikes	144



BRT-10D



BRT-5S



BRM-5D



BRM-5S

MODERN BIKE RACKS are a budget-friendly storage choice with a contemporary design • Ideal for schools, playgrounds, parks, camps, and retail centers • Main framework and horizontal rack rails are manufactured with 1-5/8" high-tensile galvanized steel pipe with end caps • Vertical rack rails are made of ½" diameter hot-dipped galvanized solid steel electrically welded to the horizontal rails • Finish is painted with a durable outdoor aluminum enamel to withstand weather conditions • Bright zinc-plated fasteners included • Optional baked-on polyester powdercoat finish is available.

BRM SERIES: MODERN BIKE RACKS

SEE CHART FOR WEIGHTS, TRUCK, FREIGHT CLASS 70, 1-2 WEEK SHIP

MODEL #	LENGTH	SINGLE OR DOUBLE-SIDED	CAPACITY	WEIGHT (LBS)
BRM-5S	5'	Single-Sided	4 Bikes	65
BRM-5D	5'	Double-Sided	8 Bikes	75
BRM-10S	10'	Single-Sided	9 Bikes	115
BRM-10D	10'	Double-Sided	18 Bikes	134

LOOP-STYLE BIKE RACKS are popular for their long-lasting durability and sleek design • Great for schools, playgrounds, parks, camps, and retail centers • Constructed of 2 3/8" high-tensile galvanized steel pipe with cold-galvanized welds • Finish is painted with a durable outdoor aluminum enamel for protection in harsh outdoor climates • Optional baked-on polyester powdercoat finish available in your choice of black, bronze, blue, red, or green • Permanent/inground installation is standard for all loop bike racks • Optional surface-mount installation is available; please call for quotation.

BRL SERIES: LOOP-STYLE BIKE RACKS

SEE CHART FOR WEIGHTS, TRUCK, FREIGHT CLASS 70, 1-2 WEEK SHIP

MODEL #	LENGTH	CAPACITY	WEIGHT (LBS)
BRL2	3' 3"	5 Bikes	50
BRL3	5' 3"	7 Bikes	70
BRL4	7' 3"	9 Bikes	90
BRL5	9' 3"	11 Bikes	110



BRL3-PC



BRL2-PC

BASEBALL & SOFTBALL FIELD AMENITIES

Complete your baseball field with our premium line of **BASEBALL FOUL POLES!** • Poles are constructed of heavy-duty galvanized steel and include an 18" wide steel mesh wing panel • Entire unit is galvanized and powder-coated in optic yellow for maximum durability and protection in outdoor settings • Poles are available in 3-1/2" and 5-9/16" O.D. and 12', 15', 20', and 30' heights to meet the needs and budget requirements of your organization • Pole heights shown below are measured from ground level to top of pole; inground poles will be longer for mounting in concrete footing • Ground sleeves are available at an additional cost for inground (P) models; ground sleeves must be ordered with poles to ensure correct factory modification • Sold in pairs.

BSPOLE SERIES: BASEBALL FOUL POLES, 10-YEAR LIMITED WARRANTY

SEE CHART FOR WEIGHTS, TRUCK, FREIGHT CLASS 70

MODEL #	POLE O.D.	POLE HEIGHT	WING PANEL SIZE	MOUNTING	WEIGHT (LBS/PR)
BSPOLE-12P	3-1/2"	12'	4' L x 18" W	Inground	220
BSPOLE-15P	3-1/2"	15'	8' L x 18" W	Inground	272
BSPOLE-20P	3-1/2"	20'	12' L x 18" W	Inground	362
BSPOLE-30P	5-9/16"	30'	18' L x 18" W	Inground	1282
BSPOLE-12SM	3-1/2"	12'	4' L x 18" W	Surface Mount	190
BSPOLE-15SM	3-1/2"	15'	8' L x 18" W	Surface Mount	242
BSPOLE-20SM	3-1/2"	20'	12' L x 18" W	Surface Mount	332
BSPOLE-30SM	5-9/16"	30'	18' L x 18" W	Surface Mount	1078



BASEBALL FOUL POLE



GARED's new line of **OUTDOOR BATTING AND MULTI-SPORT CAGES** are a great addition to any baseball field, practice facility, training camp, or driving range! • Available in 55' and 70' lengths to fit your space requirements • All cages include 3-1/2" O.D. posts in your choice of aluminum or galvanized steel for superior strength in outdoor play environments • Posts measure 12' from ground to top of post and are designed to be mounted into a permanent concrete footing • Nets measure 10' in height when assembled, with 2' draped on the ground • Nets attach with rope and pulleys to pull into desired position • **NETS SOLD SEPARATELY** - choose net model number and style from chart below.

OUTDOOR BATTING / MULTI-SPORT CAGES, 5-YEAR WARRANTY

SEE CHART FOR WEIGHTS, TRUCK, FREIGHT CLASS 70

STRUCTURE MODEL #	CAGE SIZE	POST O.D.	POST MATERIAL	# OF POSTS INCLUDED	MOUNTING	USES NET	WEIGHT (LBS)
4085-55	12' W x 10' H x 55' L	3-1/2"	Aluminum	8	Inground	4086 or 4088	570
4086-55	12' W x 10' H x 55' L	3-1/2"	Steel	8	Inground	4086 or 4088	456
4085-70	12' W x 10' H x 70' L	3-1/2"	Aluminum	10	Inground	4087 or 4089	784
4086-70	12' W x 10' H x 70' L	3-1/2"	Steel	10	Inground	4087 or 4089	640

OUTDOOR BATTING / MULTI-SPORT NETS

SEE CHART FOR WEIGHTS, TRUCK, FREIGHT CLASS 70

NET MODEL #	NET SIZE	COLOR	MESH SIZE	APPLICATION	WEIGHT (LBS)
4086	12' W x 12' H x 55' L	Black	3/4"	Multi-Sport	80
4088	12' W x 12' H x 55' L	Black	1-3/4"	Baseball / Softball	38
4087	12' W x 12' H x 70' L	Black	3/4"	Multi-Sport	100
4089	12' W x 12' H x 70' L	Black	1-3/4"	Baseball / Softball	49

PART #	PAGE
140	55, 89
240	55, 89
266	56, 89
724	54, 89
726	54, 89
1000	53
1100	31
1108	33
1119	31
1123	31
1131	30
1132	30
1133	30
1134	30
1135	30
1141	30
1142	30
1143	30
1144	30
1145	30
1146	30
1147	30
1148	30
1149	30
1156	NP
1157	NP
1158	NP
1159	NP
1171	30
1172	30
1173	30
1174	30
1175	30
1179	30
1181	30
1182	30
1183	30
1184	30
1185	30
1186	30
1187	30
1188	30
1189	30
1194	31
1197	31
1198	NP
1245	48, 89
1260	49, 89
1266	48, 89
1270	49, 89
1272	49, 89
1408	NP
1701	47, 89
1750	47, 89
2108	NP
2110	NP
2134	NP
2135	NP
2136	NP
2137	12
2137	43
2500	53
3000	53
3050	45
3103	27
3105	27
3107	27
3109	27
3111	27

PART #	PAGE
3115	27
3205	27
3207	27
3209	27
3305	27
3500	53
4002	33
4013	34
4020	33
4025	34
4030	34
4039	55, 89
4050	32
4066	56, 89
4080	36
4086	36
4086	134
4087	36
4087	134
4088	36
4088	134
4089	36
4089	134
4090	36
4091	36
4095	36
4195	NP
4196	NP
4199	NP
4404	NP
4405	NP
4700	37
4701	37
4702	37
5017	9
5018	9
5100	76
5102	76
5103	76
5104	NP
5105	76
5106	NP
5107	NP
5108	NP
5500	54, 89
5741	NP
5742	NP
6000	75
6002	75
6003	75
6004	NP
6005	75
6006	NP
6007	NP
6010	78
6020	78
6040	78
6050	79
6060	79
6083	NP
6085	NP
6100	74
6102	74
6103	74
6104	NP
6105	74
6106	NP
6107	NP
6108	NP

PART #	PAGE
6183	NP
6185	NP
6251	80
6283	80
6284	80
6289	80
6290	81
6291	81
6292	81
6293	81
6294	81
6295	81
6400	79
6401	80
6404	79
6405	79
6406	NP
6407	79
6408	79
6410	80
6411	NP
6412	80
6413	80
6414	NP
6415	NP
6422	79
6423	79
6424	79
6425	79
6426	79
6427	79
6428	79
6429	79
6430	79
6431	79
6432	79
6433	79
6446	78
6448	78
6450	82
6455	82
6458	82
6460	82
6600	56, 89
6617	82
6618	82
6619	82
6620	82
6630	82
6631	82
6632	82
6635	82
6640	82
6650	NP
6805	125
6809	125
6810	NP
6811	125
6812	125
6815	123
6824	125
6825	123
6825	125
6827	123
6827	125
6828	123
6829	123
6830	125
6835	125

PART #	PAGE
6840	125
7200	73
7202	73
7203	NP
7205	73
7207	73
7208	NP
7210	NP
7216	NP
7220	NP
7226	NP
7300	72
7302	72
7305	72
7307	72
7310	NP
7315	NP
7320	NP
7500	NP
7550	55, 89
7555	55, 89
7600	80
7610	80
7700	122
7710	NP
7730	NP
7740	NP
7750	NP
7810	NP
7823	NP
7824	NP
7825	NP
7826	NP
7900	122
7910	NP
7930	NP
7940	NP
7945	NP
7950	NP
8001	70
8002	70
8200	83
8200	113
8300	83
8305	83
8305	113
8340	113
8340	NP
8405	NP
8406	NP
8407	NP
8410	NP
8412	83
8415	87
8415	83, 87
8420	NP
8426	NP
8427	NP
8430	NP
8432	NP
8440	83
8500	71
8502	71
8535	71
8550	55, 89
8800	54, 89
9054	14
9060	14

PART #	PAGE
9112	79
9154	14
9172	14
9249	86
9249	15, 86
9250	NP
9251	16
9252	16
9254	16
9256	16
9257	16
9305	86
9305	11, 86
9405	10
9408	10
9616	6
9618	6
9621	7
9800	13
9803	NP
9804	13
9805	13
9806	13
9930	81
9933	81
9940	81
601651372	NP
601651499	NP
1015-12-00	79
1020-12-00	79
1026-12-00	79
1194-220V	NP
1245T	48, 89
1260B	49, 89
1260PS	48, 89
1260PSB	48, 89
1266B	48, 89
1270B	49, 89
1272B	49, 89
1272PS	48, 89
1272PSB	48, 89
1301B	47, 89
1342B	47, 89
1342B-BLK	47, 97
1342-BLK	97
13P	56
1442B	49
15CN	NP
15N	NP
15P	56
1750B	47, 89
2000+	53
2300-2030	28
2300-2030A	28
2300-2034	29
2300-2034A	29
2300-3040	28
2300-3040A	28
2300-3044	28
2300-3044A	28
2300-4060	28
2300-4060A	28
2300-4064	28
2300-4064A	28
2300-6090	28
2300-6090A	28
2300-6094	28
2300-6094A	28
2300-9120	28

PART #	PAGE
2300-9120A	28
2300-9124	28
2300-9124A	28
2350-2030	28
2350-2030A	28
2350-2034	28
2350-2034A	28
2350-3040	28
2350-3040A	28
2350-3044	28
2350-3044A	28
2350-4060	28
2350-4060A	28
2350-4064	28
2350-4064A	28
2350-6090	28
2350-6090A	28
2350-6094	28
2350-6094A	28
2350-9120	28
2350-9124	28
2350-9124A	28
2400-4060	28
2400-4060A	28
2400-4064	28
2400-4064A	28
2400-6090	28
2400-6090A	28
2400-6094	28
2400-6094A	28
2400-9120	28
2400-9120A	28
2400-9124	28
2400-9124A	28
2500-4060	28
2500-4064	28
2500-4064A	28
2500-6090	28
2500-6090A	28
2500-6094	28
2500-6094A	28
2500-9120	28
2500-9120A	28
2500-9124	28
2500-9124A	28
2500I	53
26VVO	56
3010RG	43
3011RG	12
3011RG	43
3050RG	45
3500I	53
39VVO	55, 89
4000+	12
4000+	52
4002-220V	NP
4020R	33
4040XL	33
4080-55	36
4080-55LN	36
4080-70	36
4080-70LN	36
4081-55	36
4081-70	36
4085-55	134
4085-70	134
4086-55	134

PART #	PAGE
4086-70	134
4110-STD	37
4115-STD	37
4120-STD	37
4125-STD	37
4130-STD	37
4206-STD	NP
4208-STD	NP
4210-STD	37
4212-STD	NP
4310-STD	37
4315-STD	37
4320-STD	37
4325-STD	37
4330-STD	37
4510-NSD	37
4515-NSD	37
4520-NSD	37
4525-NSD	37
4530-NSD	37
4606-STD	37
4608-STD	37
4610-STD	37
4612-STD	NP
6040SQ	78
6450NS	NP
66T	56, 89
7810-23-00	NP
7822-23-00	NP
8001R	70
8002R	70
9616WL	6
9618WL	6
9-64-LPAD	NP
9-64-UPAD	NP
9-65-BPAD	NP
AAB35	88
AAB35-EXT	NP
AAB35R	88
AAB45	88
AAB45-EXT	NP
AAB45R	88
AABS60	88
AABS60-EXT	NP
AABS65	88
AABS65-EXT	NP
ABG	99
AFRG42	43
AFRG42CD	43
AFRG42E	43
AFRG48	43
ARG	42
AWP	57
BB48A38	46, 89
BB60A38	46, 89
BB60G38	45, 89
BB60G38HH	45, 89
BB72A38	46, 89
BB72G50	45, 89
BB72G50HH	45, 89
BB72P50	46, 89
BNB24P	97
BP4SQ	98
BP5SQ	98
BP6SQ	98
BP8SQ	98
BR-12	59, 81
BR-16	59, 81

PART #	PAGE
BRL2	132
BRL2-PC	132
BRL3	132
BRL3-PC	132
BRL4	132
BRL4-PC	132
BRL5	132
BRL5-PC	132
BRM-10D	132
BRM-10S	132
BRM-5D	132
BRM-5S	132
BRT-10D	132
BRT-10S	132
BRT-5D	132
BRT-5S	132
BSF46	97
BSPOLE-12P	133
BSPOLE-12SM	133
BSPOLE-15P	133
BSPOLE-15SM	133
BSPOLE-20P	133
BSPOLE-20SM	133
BSPOLE-30P	133
BSPOLE-30SM	133
CE-PR	51
CN	57, 99
DBC	59
DP35	NP
DRYLINE-25	125
DRYLINE-50	125
FGP200	109
FGP200	119
FGP400GS	119
FGP401P	119
FGP401PW	119
FGP401PY	119
FGP401S	119
FGP401SW	119
FGP401SY	119
FGP402P	119
FGP402PV	119
FGP402PY	119
FGP402S	119
FGP402SV	119
FGP402SY	119
FGP600GS	119
FGP601P	119
FGP601PW	119
FGP601PY	119
FGP601S	119
FGP601SV	119
FGP601SY	119
FGP602P	119
FGP602PV	119
FGP602PY	119
FGP602S	119
FGP602SV	119
FGP602SY	119
FHOG	113
FSGII	45
FSSB	112, 118
GAW	57
GGN	57
GN35	88
GN35R	88
GN45	88
GN45-5	88
GN45-5R	88

PART #	PAGE
GN45R	88
GN60	88
GN60R	88
GNA35	88
GNA35R	88
GNA45	88
GNA45R	88
GNB35BRKT	NP
GNB45BRKT	NP
GNB60BRKT	NP
GNHB	NP
GP10A460	93
GP10A472	93
GP104G60	93
GP104G72	93
GP104PC72	NP
GP104S60	93
GP104S72	93
GP105A60	93
GP105A72	93
GP105G60	93
GP105G72	93
GP105PC72	NP
GP105S60	93
GP105S72	93
GP106A60	93
GP106A72	93
GP106G60	93
GP106G72	93
GP106PC72	NP
GP106S60	93
GP106S72	93
GP10A72	96
GP10A72DM	94, 95
GP10G72	96
GP10G72DM	94, 95
GP10P72	96
GP10P72DM	94, 95
GP12A72DM	94, 95
GP12G72DM	94, 95
GP12P72DM	94, 95
GP205G60	93
GP205S60	93
GP48321SQ	NP
GP5A48G	96
GP8A60	96
GP8A60DM	94, 95
GP8G60	96
GP8G60DM	94, 95
GRAPHICS	34
GRAPHICS	37
GS-190	38
GS-200	12
GS-202	12
GS-207	39
GS-220	38
GS-231	38
GS-234	38
GS-255	38
GS-272	38
GS-329	128
GS-335	128
GS-394	128
GS-645	129
GS-700	39
GS-744	129
GS-764	129
GSBEKIT	131
GSBEP008	131



FIBA
EQUIPMENT
& VENUE



FACEBOOK: WWW.FACEBOOK.COM/GARED1922



TWITTER: [@GAREDSPORTS](https://twitter.com/GAREDSPORTS)



BLOG: [HTTP://PLAYRXBYGARED.BLOGSPOT.COM/](http://PLAYRXBYGARED.BLOGSPOT.COM/)

CONTACT GARED:

SALES HEADQUARTERS, CALL CENTER & MARKETING:
707 NORTH 2ND, SUITE 220, ST. LOUIS, MISSOURI 63102 USA

SALES, ENGINEERING & SHIPPING:
9200 EAST 146TH, NOBLESVILLE, INDIANA 46060 USA

TELEPHONE: (314) 421-0044 FAX: (314) 421-6014
EMAIL: CUSTOMERSERVICE@GAREDSPORTS.COM
WEBSITE: WWW.GAREDSPORTS.COM

GARED SELLS THROUGH AN APPROVED DEALER NETWORK.