



InPro 
IPC *DOOR and WALL*
PROTECTION SYSTEMS

A Division of InPro Corporation*

MasterFormat™ Divisions: 06 | 08 | 10 | 12

RIGID SHEET
WALL PANELS
HEADWALLS
HANDRAILS
CORNER GUARDS
WALL GUARDS
DOOR PROTECTION

800.222.5556 | inprocorp.com

Protect without compromise.

At IPC™, we protect your buildings from relentless damage without compromising your choices in materials, colors, textures, thicknesses and patterns. We manufacture door and wall protection that provides a better choice, eliminating never-ending maintenance and costly renovations.

Take advantage of the InPro Advantages.



Buy Online

Featuring 24/7 purchasing, order history, tracking and configurations to aid your selection; buying building products online doesn't get much easier. When you see the blue visit inprocorp.com to buy online now!



Sustainable Products

EnviroGard™ Sustainable Building products feature materials that reduce the environmental impact, qualifying for LEED® credits and environmental certifications. The green lets you know it's "green".



BIM Objects

BIM objects, or Building Information Models, are available for most InPro products. A growing solution for improving architectural concepts, collaboration and precise construction, BIM objects are available when you see the yellow Download objects at inprocorp.com and AutoDesk Seek.

Need CEU's?

Do you know the different levels of wall protection? Learn more about the materials used for all levels of wall protection in interior applications. Discover strategies for designing and specifying the appropriate materials and placement for effective wall and corner protection.





In stock and ready to ship!

Since 1979, our service paranoia has been the driving force in ensuring you have the products you need when you need them because we manufacture our products in-house. That's why all of our in-stock products are guaranteed to ship within 48 hours*.

*Maximum order size for 48-hour shipping is \$10,000. Orders over \$10,000 will ship within 72 hours if product is in stock. Standard products, not in stock have a 10-day lead time.






Yes. Made in the USA.

At PCTM, we manufacture our products in-house and offer custom solutions so you never have to compromise your unique design in the name of protecting it.

Our state-of-the-art manufacturing capabilities enable us to maintain high inventory levels and offer quick turn-around time while maintaining quality control.



GO GREEN WITHOUT SACRIFICING DURABILITY



A leader in innovation

IPC™ continues to lead the industry in research and development of alternative materials for building products. We understand that reducing our reliance on fossil fuels is a critical factor in sustainability. That's why we are proud of our G7 BioBlend™ products, made from a blend of PETG and biopolymers.

But as the industry pioneers, we won't stop there.



Until now, choosing sustainable materials in door and wall protection has meant making compromises. Not anymore. Our G2 BioBlend™ with bio content is as strong as it is renewable. We guarantee that with a lifetime warranty.

MORE DURABLE

- No cracking or splintering during installation
- Full line of defense:
 - IPC® Rigid Sheet
 - Wall Guards
 - Handrails
 - Corner Guards
- Impact resistant in ASTM F-476 testing
- Lifetime warranty available

SAFER

- BPA-Free
- PBAT-Free
- Phthalate/DEHP-Free
- NFPA Class A Fire Rated (no halogenated retardants)
- GREENGUARD® and GREENGUARD® Children & Schools Certified

MORE SUSTAINABLE

- Made with rapidly renewable bio content
- Recyclable (InPro Plastic Recycling Program)
- Biopolymer and PETG Cradle-to-Cradle™ Silver Certification



InPro Vinyl and G2 BioBlend™ recycling program

Whether your building has our vinyl or G2 BioBlend™ material installed, we will close the loop on the life cycle of these plastics with our recycling program. There are better places for your old products than a landfill.

You deserve the right to choose the best material to protect your building and budget.

Hence, we offer wall protection in different materials, a variety of thicknesses and textures, and any array of colors and patterns.

Choices Matter



Materials

G2 BioBlend™
Rigid Vinyl
BioPrism™ Solid Surface

Thickness

.030"
.040" (standard)
.060" (standard)
.080"
.25" (BioPrism™ Only)

Textures

Pebblette Finish
Velvet Finish
Smooth Finish (3 Elements Patterns only)

Colors and Patterns

Standard Solid Colors
Woodlands Faux Wood Patterns
Elements Patterns
BioPrism™ Solid Surface Colors

Accessories

NEW! Faux Metal Trim
NEW! Aluminum Trim
Solid Colored Trim (Rigid Vinyl and G2 BioBlend™)
Stainless Steel Trim

City View Villa, Los Angeles, CA
Featuring FFC® Fig & Stem in Woodlands Coffee Bean



IPC™ Rigid Sheet

- Available in two Class A fire rated material options: Rigid Vinyl and G2 BioBlend™
- Offers a variety of protection levels with four thicknesses, as well as different height and length options
- Provides a seamless appearance with sheet accessories including top caps, divider bars and color-matched caulk
- Tested and meets GREENGUARD® Environmental Institute's and the state of California's requirements for low emitting products as tested by Air Quality Sciences



IPC™ Rigid Sheet Trim Options



NEW! Faux Metal Trim
in Bright Silver Rigid Vinyl Only



NEW! Aluminum Trim
in Clear Anodized Satin Finish



Solid Colored Trim
Available with Rigid Vinyl or G2 BioBlend™



Stainless Steel Trim

DW-55TC08 Top Cap, 8' length
DW-55CB08 Vertical Divider Bar, 8' length

407A-0369 Top Cap, 8' length
408A-0369 Vertical Divider Bar, 8' length
409A-0369 Inside Corner, 8' length

407A-CL Top Cap, 8' length
408A-CL Vertical Divider Bar, 8' length
409A-CL Inside Corner, 8' length

IPC™ Rigid Sheet - Solids ■■■

- 304P - .030" Thick, 3' x 8'**
 305P - .040" Thick, 3' x 8'**
 306P - .050" Thick, 3' x 8'**
 404P - .030" Thick, 4' x 8'**
 402 - .040" Thick, 4' x 8'**
 405 - .050" Thick, 4' x 8'**
 410 - .060" Thick, 4' x 8'**
 30510P - .040" Thick, 3' x 10'**
 30610P - .050" Thick, 3' x 10'**
 40510P - .040" Thick, 4' x 10'**
 40610P - .050" Thick, 4' x 10'**

*Minimum re-spray and product is not reusable. Cutouts & sheet available for Rigid Vinyl Only.

**With an available 30, 40, 50, 60 and 70' lengths. With spray-on only for specific size and thickness information.

Rigid sheet is cutout, minimums apply and are not reusable.

Note: All prints "G2" to part number for G2 Bulletin™.

Material Choices:

Rigid Vinyl

G2 Bulletin™ ■■■

Color Choices:

Standard Colors

Texture Choices:

Pebbleette

Velvet (minimums may apply)

Pebbleette Texture

IPC™ Rigid Sheet - Woodland Patterns ■■■

- 405W - .040" Thick, 4' x 8'**
 406W - .050" Thick, 4' x 8'**
 40510W - .040" Thick, 4' x 10'
 40610W - .050" Thick, 4' x 10'

*Minimum re-spray and product is not reusable. Rigid sheet is cutout, minimums apply and are not reusable.

**With an available 30, 40, 50, 60 and 70' lengths.

With spray-on only for specific size and thickness information. Rigid sheet is cutout, minimums apply and are not reusable.

Material Choices:

Rigid Vinyl

Color Choices:

Woodlands

Texture Choices:

Pebbleette

Velvet (minimums may apply)

Pebbleette Texture

IPC™ Rigid Sheet - Element Patterns ■■■

- 402E - .040" Thick, 4' x 8'**
 406E - .050" Thick, 4' x 8'**
 40210E - .040" Thick, 4' x 10'
 40610E - .050" Thick, 4' x 10'

*Minimum re-spray and product is not reusable. Rigid sheet is cutout, minimums apply and are not reusable.

**With an available 30, 40, 50, 60 and 70' lengths.

With spray-on only for specific size and thickness information. Rigid sheet is cutout, minimums apply and are not reusable.

Material Choices:

Rigid Vinyl

Color Choices:

Elements

Texture Choices:

Pebbleette

Smooth (skirt pattern only)

**Vinyl Seal**

Available in any IPC™ Standard Color

\$20 - Vinyl Seal Cartridge

Palladium™ 3D High Impact Wall Systems

Palladium™ 3D High Impact Wall Systems combine the durable protection of 040" rigid sheet membrane and MDF board to protect your walls and still provide a beautiful aesthetic. MDF Board is 100% pre-consumer recycled wood fiber and contains no added urea-formaldehyde.



Material Choices:
Rigid Vinyl
G2 Bioblast™

Color Choices:
Standard Colors
Woodlands Rigid Vinyl/Ornate
Elements (Rigid Vinyl/Ornate)



Decorative Molding

Palladium™ Molding Options

Decorative Molding

thickness 3/8"-5/8" length 8'
P-3DVM25-XXXXX - 2.5" width
P-3DVM85-XXXXX - 2.5" width

Horizontal Top Cap Board

thickness 1/2" length 8'
P-3DHTC2-XXXXX - 2" width
P-3DHTC3-XXXXX - 2" width
P-3DHTC4-XXXXX - 4" width
P-3DHTC5-XXXXX - 6" width
P-3DHTC9-XXXXX - 8" width

Horizontal Boards

thickness 1/2" length 8'
P-3DHB2-XXXXX - 2" width
P-3DHB3-XXXXX - 3" width
P-3DHB4-XXXXX - 4" width
P-3DHB6-XXXXX - 6" width
P-3DHB8-XXXXX - 8" width

Trim Cap

thickness 1/2", length 8'
P-3DTC2-XXXXX - 2" width

Trim Shoe

thickness 5/8" length 8'
P-3DTS2-XXXXX - 2" width

Vertical Boards

thickness 3/8" length 8'
P-3DVBC2-XXXXX - 2" width
P-3DVBC3-XXXXX - 3" width
P-3DVBC4-XXXXX - 4" width
P-3DVBC6-XXXXX - 6" width
P-3DVBC8-XXXXX - 8" width

Inside Corner - Partial Height

thickness 2/8", 40° angle, length 8'
P-3DICF2-XXXXX - 2" width
P-3DICP3-XXXXX - 3" width
P-3DICP4-XXXXX - 4" width
P-3DICP6-XXXXX - 6" width
P-3DICP8-XXXXX - 8" width

Inside Corner - Full Height

thickness 5/8", 90° angle, length 8'
P-3DICF2-XXXXX - 2" width
P-3DICF3-XXXXX - 3" width
P-3DICF4-XXXXX - 4" width
P-3DICF6-XXXXX - 6" width
P-3DICF8-XXXXX - 8" width

Outside Corner - Partial Height

thickness 2/8", 40° angle, length 8'
P-3DOCP2-XXXXX - 2" width
P-3DOCP3-XXXXX - 3" width
P-3DOCP4-XXXXX - 4" width
P-3DOCP6-XXXXX - 6" width
P-3DOCP8-XXXXX - 8" width

Outside Corner - Full Height


thickness 5/8", 90° angle, length 8'
P-3DOCF2-XXXXX - 2" width
P-3DOCF3-XXXXX - 3" width
P-3DOCF4-XXXXX - 4" width
P-3DOCF6-XXXXX - 6" width
P-3DOCF8-XXXXX - 8" width

NOTE: All profile "L" trim part number for G2 Bioblast™.

*Custom sizes available. Contact us for details.



A pre-matched fillet thickness is available to fit finish holes.





BioPrism™ Solid Surface Wall Panels

We take wall protection seriously. That's why we're the only wall protection manufacturing company to offer the ultimate in wall protection with BioPrism™ Solid Surface sheet material. Available in 1/4" thick sheets.

BioPrism™ Solid Surface Wall Panels

- Contains rapidly renewable content
- Seams are inconspicuous with interlocking edges and matching trim pieces
- Scruff and marks can be easily buffed out
- Durable IZOD Impact test scores beat the competition
- Does not promote the growth of mold, mildew or bacteria
- Reduce waste with various standard sizes: widths: 30"; 36"; 48"; 60" length: 72"; 96"; 120"; 144" thickness: 1/4"
- No grouting, warping or delaminating even in high humidity areas, resulting in low maintenance

IPG
International Panel Group

Office Space
featuring BioPrism™ Solid Surface Wall Panels



North Hudson Dental, West New York, NJ
featuring BioPrism™ Solid Surface Wall Panels

BioPrism™ Wall Panels - Trim Options

- Large Decorative Trim
- Beadboard
- Wall Base
- Inside Corner
- Batten Strip to strengthen and cover seams
- Small Decorative Trim used as a top cap
- Outside Corner
- Panel Molding for picture frame style edge



Add a Wavy Edge at no charge to
make seams inconspicuous

BioPrism™ Wall Panel Color Choices

Bright White P9011 Price Class A	White Sand P9002 Price Class A	Antique White P9001 Price Class A	Lunar P9013 Price Class B
Angora P9041 Price Class B	Sandbar P9016 Price Class B	Buff P9071 Price Class A	Macadamia P9046 Price Class B
Candlelight P9014 Price Class B	Troll P9031 Price Class B	Nougat P9069 Price Class B	Haystack P9044 Price Class B
Natural Linen P9079 Price Class B	Milkyway P9056 Price Class B	Royal P9042 Price Class B	Parchment P9058 Price Class B
Tea Leaf P9050 Price Class B	Sculpture P9076 Price Class B	Risotto P9043 Price Class B	Dolce de P9019 Price Class B

Albert Einstein Medical Center, Norristown, PA
featuring BioPrism™ Solid Surface Wall Panels



Due to the printing process, colors may vary. For more accurate color selection, please request sample. Color of final product may vary slightly from sample. Warranty excludes color variation from sample to final product. Dark colors may require additional maintenance.

IPC™ Expressions Rigid Sheet

For wall protection that enhances your existing designs, we can cut shapes into our IPC™ Rigid Sheet. Don't choose between defending your walls against damage and maintaining a great look—get both.



Headwalls

In critical care situations, we know the last thing on your mind is wall protection. To protect your wall against damage from rolling beds, IV carts and other equipment, we created a line of high impact headboards, head walls and bed locators.



Salina Regional Health Center, Salina, KS
Head Wall in IPC™ Rigid Sheet Expressions



St. John's Rehabilitation, St. Louis, MO
Head Wall in IPC™ Rigid Sheet Expressions

Headwalls

- Custom built to order specifications
- Protects against damage from rolling beds, IV carts and other equipment
- Available in multiple colors and designs

Material Choices

- Rigid Vinyl
G3 BirchBend™
RePly™ Solid Surface

Color Choices

Standard Colors
Woodlands (Pine Key Only)
Elements (Red Maple Only)

Headboards

- Beds, IV stands and healthcare equipment no longer cause damage to walls with four styles of high impact headboards
- Headboards allow you to upgrade your existing headwall with high impact and scratch resistant protection
- Provides durable protection of .040" rigid sheet thermo-fused with 1/4" thick MDF board, mount directly to the wall with 3" and 6" standoff options (hardware provided)

Material Choices

- Rigid Vinyl
G3 BirchBend™

Color Choices

Standard Colors
Woodlands (Pine Key Only)

Visit inprocorp.com/bed for bed locator information.



Resident Suite, Senior Living Apartment
Headboard | 2700 Chair Rail | IPC™ Rigid Sheet Headboard | Tricot Bedspread



Style 1: 35.5W x 42.7H



Style 2: 24.7W x 46.5H



Style 3: 35.5W x 42.7H




Style 4: 35.5W x 42.7H




IPC™ Beadboard Rigid Sheet

Provides a unique appearance with a decorative beadboard pattern on IPC™ Rigid Sheet, ensuring durable wall protection that lasts longer and cleans easily!



White Oak Manor, Charleston, SC
Palladium™ 3D | 800W Handrail



Meadow View Nursing & Respiratory Care Center
Williamstown, NJ
IRC™ Rigid Sheet Beadboard
Surface Mount Corner Guard

Floor to Ceiling ■■

BB-405-PC - .040" Thick, approx. 94H x 44W
BB-406-PC - .060" Thick, approx. 94H x 44W

Full Wainscot ■■

BB-405-PW - .040" Thick, approx. 47½H x 94W
BB-406-PW - .060" Thick, approx. 47½H x 94W

Half Width Wainscot

BB-405-HW - .040" Thick, approx. 47½H x 44W
BB-406-HW - .060" Thick, approx. 47½H x 44W

Add prefix "G2" to part number for G2 Bioblend™.
Beadboard is a custom product and is not returnable.

Material Choices:

Rigid Vinyl
G2 Bioblend™ ■■

Color Choices:

Standard Colors
Woodlands (Rigid Vinyl Only)
Elements (Rigid Vinyl Only)

IPC™ Rigid Sheet Rubrails ■■

- Achieve a professional look with factory beveled top/bottom edges
- Offer the same protection levels as IPC™ Rigid Vinyl Sheet
- Affix with 3M Fastbond 30, InPro Bond Adhesive or XT-2000+ adhesive.

R4 - .040" Thick, 4' to 24' High x 96" Long

R5 - .060" Thick, 4' to 24' High x 96" Long

R8 - .080" Thick, 4' to 24' High x 96" Long

Add prefer "6" to part number for G2 Bioblend™. Rubrails are custom products and are not returnable. *Minimum orders apply for .080" thickness.

Material Choices:

Rigid Vinyl


G2 Bioblend™ ■■

Color Choices:

Standard Colors

Woodlands (Rigid Vinyl Only)

Elements (Rigid Vinyl Only)



Facility Corridor

IPC™ Rigid Sheet Rubrail | 150 Corner Guard

Manufacturing Corridor

Nu-Tree™ Diamond Plate | Nu-Tree™ Wall Guard

Nu-Tree™ Diamond Plate ■■

- Durable diamond plated design is manufactured from Medium Density Polyethylene (MDPE), providing heavy-duty protection in areas such as back-of-house and loading docks
- Sheets are easy to cut and mount to the wall with fasteners

NT-DP4896-BLK - 3/16" thick, 4' x 8'

NT-DP4896-GRY - 3/16" thick, 4' x 8'

Color Choices:



Gray



Black



Cove Base

Provide a finished look with IPC™ Cove Base.

CB41 25V - 1/8" x 4'; available in 120' rolls.
6' length vinyl cove base and wider cove base requires minimum quantities.

Material: Vinyl

Contains 52% pre-consumer recycled content.

Color Choices:



Due to the printing process, colors may vary. For more accurate color selection, please request samples.

Manhattan Taupe V22	Toast V50	Sahara V23	Taupe 0113	Club Chair V41	Dijon V47	Mint V30	Point Blue 0185
Fawn V97	Khaki Brown 0118	Eggshell V49	Nut Brown V57	Wildrose 0149	Teakdusk V15	Mariner Green V34	Patriot V56
London Grey V98	Tudor Grey V86	Chamois 0234	Roasted Chestnut V39	Alabaster Berry V20	Crystall Jade V87	Inkwell V21	Cadet Blue 0134
Pewter V04	Blade Brown V94	Cafe Au Lait V48	Spice V43	Raisin V83	Rainforest V98	Jet V01	Malabaritan Blue V12

Handrails safeguard people from slips, falls and even dangerous microbes.


Protect your interior walls from damage, and safeguard the people who rely on your buildings from slips, falls and even dangerous microbes with our variety of ADA and ANSI compliant handrails.



Now available... **SureContact™ Antimicrobial Handrails!**

Protect your critical touch points.

Learn more at inprocorp.com/surecontact



NEW! Reveal

Add a decorative element with new reveals, now standard with every G2 BioBlend™ and Woodland Handrail order.

27

↑ Exit / Waiting Room
→ Rooms 4 - 15

↑ Rooms 1 - 3
← Rooms 16 - 26

3



Protect your critical touch points from contamination.



Hospital Corridor

3500 Handrail | 1300 Wall Guard | 150 Surface Mount Corner Guard



SureContact™ Antimicrobial Handrails*

PIA'12


SELECT INNOVATION
AWARD X-1100

APPI
APPLIED PROFESSIONAL
PRODUCTS
INNOVATION
AWARD

High touch points are often the major culprits in the spread of healthcare acquired infections (HAIs) within healthcare facilities. Because we worry that hand hygiene is not enough in the war against HAIs, we created an antimicrobial handrail solution to reduce surface contamination within your facility.

Introducing SureContact™ Antimicrobial Handrails

Unprotected Handrail



Protected Handrail



Need CEU's?

Did you know as many as 99,000 people die every year in the United States from healthcare acquired infections (HAIs)? Contact us today to schedule your "Super Bugs" CEU and learn about the worst super bugs, the risks they pose for patients in healthcare settings, and what can be done in terms of design to prevent the spread of HAIs.



Supporting the bariatric population.

We redesigned our 900 Handrail to achieve bariatric rating.

Obesity is an epidemic ravaging the United States with no clear end in sight. Healthcare organizations are now being charged with the task of including bariatric considerations into the design of their facilities. Our new bariatric handrail is revolutionary in that it's been tested to support 1,000 pounds to meet the needs of bariatric patients.

DID YOU KNOW...

68%

OF AMERICANS ARE OVERWEIGHT?



NEW! Bariatric Handrail
Tested to withstand 1000lbs.



Need CEU's?

Obesity has become an alarming epidemic with serious implications for our health care system. Learn more about designing to respect patient dignity and deliver optimum clinical care for bariatric patients and their caregivers. Contact us today to scheduled your "Design Considerations for the Bariatric Patient" CEU Program.



St. Anthony Hospital, Oklahoma City, OK
1200 Handrail | 150 Surface Mount Corner Guard

HP®
HPC
HOSPITAL PLASTIC CO., INC.
1-800-222-5556 | www.ezinpro.com

ANATOMY OF A **HANDRAIL**



Aluminum Retainer & Splice provides structural stability and allows extended lengths over 12'.



Mounting Bracket keeps hands a safe distance from the wall.



Inside/Outside Corners provide a smooth transition for corner applications.




Vinyl Cover is available in a variety of colors to coordinate with other interior finishes.



Returns finish the handrail installation for a professional look.


Handrail Selection Guide

A cost index percentage is based on our most popular product, the 800 Handrail, and provides you with an average measure of cost when considering the best solution for your plans or facility.



St. Clare Health Center, Fenton, MO
2000 Handrail | 1150 Surface Mount Corner Guard






NEW! Bariatric Handrail

900M Handrail

900A - 1 1/4" dia Handrail with Powder Coat Metal Frame
909 - Mounting Bracket
90955 - Stainless Steel Mounting Bracket
891155 - Bariatric Stainless Steel Mounting Bracket
890255 - Bariatric Return/Corner

Material Choices:
Powder-coated Metal Frame

Color Choices:
Metal Tones




900W

900 Handrail

900 - 1 1/4" dia with .080" cover
900W - 1 1/4" dia with .080" cover Woodland Full Wrap
909 - Mounting Bracket
90955 - Stainless Steel Mounting Bracket
902 - Left Return
903 - Right Return
904 - Inside/Outside Corner
904155 - 135° Inside/Outside Corner
906 - Splice
NOTE: Add prefix "12" to part numbers for G2 Biolland™. Add prefix "R" for SureContact™ Antimicrobial Finish.

Material Choices:
Rigid Vinyl
G2 Biolland™
SureContact™ Antimicrobial Finish

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)



2000W

2000 Handrail

2000 - 1 1/4" H w/ 2 1/4" Grip with .080" Cover
2000W - 1 1/4" H w/ 2 1/4" Grip-Woodland Full Wrap
2009 - Mounting Bracket
200955 - Stainless Steel Mounting Bracket
2002 - Left Return
2003 - Right Return
2004 - Inside/Outside Corner
2004155 - 135° Inside/Outside Corner
906 - Splice
NOTE: Add prefix "12" to part numbers for G2 Biolland™. Add prefix "R" for SureContact™ Antimicrobial Finish.

Material Choices:
Rigid Vinyl
G2 Biolland™
SureContact™ Antimicrobial Finish

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)




HR9 Handrail

HR9 - 1 1/4" Height w/ 1 1/2" Grip
RC955 - Stainless Steel Return/Corner
RC90 - Oak Return/Corner
RC98 - Maple Return/Corner
SP955 - Stainless Steel Splice
91055 - Stainless Steel Bracket
912 - Plastic Bracket
Dimensions and set-up fees may apply.

Material Choice:
Bamboo-Natural or Carbonized
Red Oak
Maple
PS-C Ash - Certified by the Forest Stewardship Council
Unfinished Poplar

Color Choices:
Northern Hardwoods™ Stain Colors



Handrails that
MATCH
your facility and your
patients' needs!

SAFETY FIRST

Specifically designed to keep behavioral health patients out of harm's way, our **Continuous Mounting Bracket** eliminates the gap between drywall and handrail by providing a wood fill along the entire length of the 800, 1200 and 3000 handrails.


White Oak Manor, Charleston, SC
800W Handrail | Palladium™ 3D High Impact Wall System



800 Handrail

800 - 5 $\frac{1}{2}$ " Height with .080" cover and .080" continuous aluminum retainer
801 - Mounting Bracket
802 - Return
803 - Outside Corner
804 - Splice
805 - Inside Corner
CBRILF → Continuous Mounting Bracket
*ITE: ABS/PCG "G" part number G2/Recessed
Adapts "A" for SunGard™ Antimicrobial Finish


Material Choices:
Rigid Vinyl
G2 BiBlend™ ■
SureContact™ Antimicrobial Finish
Color Choices:
Standard Colors



855 Handrail

855 - 5 $\frac{1}{2}$ " Height with .080" cover and Accent Strip and .080" continuous aluminum retainer
801 - Mounting Bracket
802 - Return
803 - Outside Corner
803135 - 135° Outside Corner
804 - Splice
805 - Inside Corner
CBRILF → Continuous Mounting Bracket
*BS Standard is a cotton product. Minimum order apply.
Product is not reusable.

Material Choices:
Rigid Vinyl
G2 BiBlend™ ■
Color Choices:
Standard Colors
Woodlands (accent strip) (Rigid Only)
Bamboo (accent strip) (Rigid Only)



800W Handrail

800W - 5 $\frac{1}{2}$ " Height w/ Woodland Full Wrap with .080" cover and .080" continuous aluminum retainer
801W - Mounting Bracket
802W - Return
803W - Outside Corner
803135W - 135° Outside Corner
804 - Splice
805W - Inside Corner
CBRILF → Continuous Mounting Bracket

Material Choices:
Rigid Vinyl
Color Choices:
Woodlands (Rigid Only)





1100 Handrail ■■■

1100 - 5 $\frac{1}{4}$ " Height Handrail with .080" cover and .080" continuous aluminum retainer
 801 - Mounting Bracket
 1102 - Left Return
 1103 - Right Return
 1104 - Outside Corner
 804 - Splice
 CBRFLF - Continuous Mounting Bracket
 802 - Adapter 12" apart center to center*

Material Choices:

Rigid Vinyl
 G2 Bioblend™ ■■■

Color Choices:
 Standard Colors



3055

1200 Handrail ■■■


1200 - 6 $\frac{1}{4}$ " Height with .080" cover and .080" continuous aluminum retainer
 1259 - 6 $\frac{1}{4}$ " Height Handrail and Accent Strip with .080" cover and .080" continuous aluminum retainer
 801 - Mounting Bracket
 1202 - Left Return
 1203 - Right Return
 1204 - Outside Corner
 1204135 - 135° Outside Corner
 1205 - Inside Corner
 1205135 - 135° Inside Corner
 804 - Splice
 CBRFLF - Continuous Mounting Bracket
 802 - Adapter 12" apart center to center*

Adapter 12" apart center to center*

Material Choices:

Rigid Vinyl
 G2 Bioblend™ ■■■
 SureContact™ Antimicrobial Finish

Color Choices:
 Standard Colors
 Woodland (accent strip) (Rigid Vinyl Only)
 Elements (accent strip) (Rigid Vinyl Only)



3055


3000 Handrail ■■■

3000 - 6 $\frac{1}{4}$ " Height, 1 $\frac{1}{2}$ " Vinyl and non-PVC Grip, .080" cover, .080" continuous aluminum retainer and 4" high .030" Impact Bumper per 3055 - 6 $\frac{1}{4}$ " Height, 1 $\frac{1}{2}$ " Vinyl and non-PVC Grip, .080" cover, .080" continuous aluminum retainer and 4" high .030" Impact Bumper with Accent Strip
 801 - Mounting Bracket
 3002 - Left Return
 3003 - Right Return
 3004 - Outside Corner
 3005 - Inside Corner
 3004135 - 135° Outside Corner
 3005135 - 135° Inside Corner
 804 - Splice
 CBRFLF - Continuous Mounting Bracket

Material Choices:

Rigid Vinyl
 G2 Bioblend™ ■■■
 SureContact™ Antimicrobial Finish

Color Choices:
 Standard Colors
 Woodlands (accent strip) (Rigid Vinyl Only)
 Elements (accent strip) (Rigid Vinyl Only)



* 3055 is a custom product. Minimum apply and produced is 12' continuous. Add prefix "12" to part number for G2 Bioblend™. Add prefix "12" to part number for SureContact™ Antimicrobial Finish. Wood sold in random lengths of 8'-12'. Elements provided in 8' lengths.



3055W


3000W Handrail

3000W - 6 $\frac{1}{4}$ " Height, 1 $\frac{1}{2}$ " Wood-Grip, .080" continuous aluminum retainer and 4" high .030" Impact bumper
 3055W - 6 $\frac{1}{4}$ " Height, 1 $\frac{1}{2}$ " Wood-Grip, .080" continuous aluminum retainer and 4" high .030" Impact Bumper with Accent Strip
 801 - Mounting Bracket
 804 - Splice
 3002W - Left Return
 3003W - Right Return
 3004W - Outside Corner
 3005W - Inside Corner
 3004135W - 135° Outside Corner
 3005135W - 135° Inside Corner
 CBRFLF - Continuous Mounting Bracket

Material Choices:

Rigid Vinyl
 G2 Bioblend™ ■■■

Color Choices:
 Standard Colors
 Woodlands (accent strip) (Rigid Vinyl Only)
 Elements (accent strip) (Rigid Vinyl Only)



* 3000W and 3055W is a custom product. Minimum apply and produced is 12' continuous. Add prefix "12" to part number for G2 Bioblend™. Wood sold in random lengths of 8'-12'. Elements provided in 8' lengths.

3500 Handrail

Choose from more than **17,442 combinations** of colors, patterns and materials!



3500 Handrail

3500 - 7/8" Height, 17/8" Grip with 5" Impact Bumper
3501 - Stainless Steel Mounting Bracket with plastic base
3502 - Left Return
3503 - Right Return
3504 - Outside Corner
3504135 - 135° Outside Corner
2505 - Inside Corner
3505135 - 135° Inside Corner
804 - Handrail Splice
Many 3500 handrails are custom products and are not returnable

NOTE: Add prefix "S2" to part number for G2 Hollow™

Add prefix "R" for SureGrip™ Antimicrobial Finish, available on top rail only

Material Code:

V - Vinyl
PV - Woodlands (Nyplex) (by)
S - Stainless Steel
W - Northern Hardwoods™
M - Metal Tone
B - Bumper (available on Northern Hardwoods™ Bottom)





Mayo Medical Center at McKinney, McKinney, TX
Cover Glass | 3500 Handrail

Mix and match with more options.

An outstanding selection of colors and patterns allow the 3500 Handrail to complement your other interior finishes. Mix and match Metal Tones, vinyl, Northern Hardwoods™, stainless steel and Woodlands using a variety of colors and patterns.



3500WWB features a bumper guard option

Northern Hardwoods™ Handrails & Leaning Rails

Northern Hardwoods Handrails and Leaning Rail have style with **accent inserts and bumpers** to cushion impact while protecting the wood.



Masonic Nursing Homes, Akron, OH
HRD Handrail

800.222.5556 | Installation Hotline: 866.CZINRHO

Northern Hardwoods™ Handrails

HR1 - 5½" High Wood Handrail, 1½" grip

HR2 - 5½" High Wood Handrail, 1½" grip with 1¾" Impact Bumper

HR3 - 5½" High Wood Handrail, 1½" grip with 2" Impact Bumper

HR4 - 4" High Wood Handrail, 1½" grip with optional insert

HR5 - 5½" High Wood Handrail, 1½" grip with optional insert

HR6 - 5½" High Wood Handrail, 1½" grip with optional insert/bumper

LR1 - 5" Wood Leaning Rail

Available stock lengths 8'-10' Northern Hardwood™ handrails are custom products. Product is not intended. Custom profiles are available dimensions and set-up may apply.

Material Choices:
Bamboo-Natural or Carbonized
Red Oak
Maple
FSC Ash - Gentle by the Feet
Swamp White Oak
Unfinished Poplar

Color Choices:
Standard Colors
BioPion™ Solid Surface
Northern Hardwoods™


Style Choices:
Solid Wood (no insert)
Rigid Vinyl Insert
V-Groove Wood Insert
Solid Wood Insert
BioPion™ Solid Surface



**HR5 | 1 1/2" grip
Rigid Sheet Insert**




**HR4 | 1 1/2" grip
BioPion™ Insert**




**HR1 | 1 1/2" grip
Solid Wood**




**HR8 | 1 1/2" grip
Flex Bumper**




**HR2 | 1 1/2" grip
1 3/8" Impact Bumper**



**HR12 | 1 1/2" grip
Solid Wood Insert**



**HR3 | 1 1/2" grip
2" Impact Bumper**



LR1 | 3" Leaning Rail



Corner Guards protect the most vulnerable parts of your walls from damage.

Corners are the most vulnerable part of your walls. Protect corners from damage and keep your facility looking newer longer with Corner Guards from IPC™. Whether you need a quick fix or an integrated, fire rated solution, we have the right corner guard for you.



Phthalate Free!!!

For years, designers have avoided flexible vinyl products over concerns about phthalates – the chemical plasticizers making these products soft and easy to mold. IPC™ is excited to announce that our flexible corner guards are phthalate free.



Our new flexible vinyl features a formula which has received the USDA BioPreferred® certification and is made up of more than 25% renewable resources; contributing to a healthier planet for years to come.



Seven Oaks General Hospital, Winnipeg, Manitoba, Canada
150 Surface Mount Corner Guard

EZPro
INTERIOR SURFACE PROTECTION SYSTEMS
IPC

ANATOMY OF A CORNER GUARD



BluNose® Retainer features patented design that is nearly 4X stronger than aluminum retainers, &X stronger than other vinyl retainers.



Aluminum Retainer provides support for traditional corner guards.



Vinyl Cover is available in a variety of colors to coordinate with other interior finishes.



Top and Bottom Caps create a professional, finished look.

Corner Guard Selection Guide

A **cost index** percentage is based on our most popular product, the 150 Surface Mount Corner Guard, and provides you with an average measure of cost when considering the best solution for your plans or facility.

Flexible Corner Guards

Cost index = 108 (P/Weg)



Surface Mount Corner Guards with Aluminum Retainer

Cost index = 125



Textured Tape-on Corner Guards

Cost index = 17 (W/Mag)



Stainless Steel Corner Guards

Cost index = 298



Clear Polycarbonate Corner Guards

Cost index = 29 (P/A/Weg)



Surface Mount Corner Guards with Blanking Retainer

Cost index = 100



Flush Mount End Wall Protectors

Cost index = 401



Surface Mount End Wall Protectors

Cost index = 349



Heavy Duty Rubber Corner Guards

Cost index = 275



Flush Mount Corner Guards

Cost index = 241



Fire Rated Corner Guards

Cost index = 418



Tape-on Corner Guards



Textured Tape-On ■■■

90° Bullnose, 90°, 135°

See drawings for available wing sizes.

- 3448 - 3/4" x 1/2" x 4' 90°
- 3496 - 3/4" x 1/2" x 8' 90°
- 3409 - 3/4" x 1/2" x 9' 90°
- 3412 - 3/4" x 1/2" x 12' 90°
- 11248 - 1 1/2" x 1 1/2" x 4' 90°
- 11296 - 1 1/2" x 1 1/2" x 8' 90°
- 11209 - 1 1/2" x 1 1/2" x 9' 90°
- 11212 - 1 1/2" x 1 1/2" x 12' 90°
- 22174 - 2" x 2" x 4' 90° bullnose
- 22178 - 2" x 2" x 8' 90° bullnose
- 22179 - 2" x 2" x 9' 90° bullnose
- 23172 - 2" x 2" x 12' 90° bullnose
- 3346 - 3" x 3" x 4' 90°
- 3396 - 3" x 3" x 8' 90°
- 3309 - 3" x 3" x 9' 90°
- 3312 - 3" x 3" x 12' 90°
- 248135 - 1 1/2" x 1 1/2" x 4' 135°
- 296335 - 1 1/2" x 1 1/2" x 8' 135°
- 209135 - 1 1/2" x 1 1/2" x 9' 135°
- 212135 - 1 1/2" x 1 1/2" x 12' 135°
- 348135 - 3" x 3" x 4' 135°
- 396135 - 3" x 3" x 8' 135°
- 309135 - 3" x 3" x 9' 135°
- 312135 - 3" x 3" x 12' 135°


Cutout size available. Minimums may apply. For no-tape option, place an 'N' after the item number. NOTE: Add prefix 'T2' to part number for G2 Bullnose™.

Color Choices:

Standard Colors
Woodlands® Vinyl Only

Material Choices:

Rigid Vinyl
G2 Bioblend™ ■■■



Smooth Tape-On ■■■

NEW! Faux Metal Finish

90° | 1/2", 1 1/2" wings

- 3448M - 3/4" x 2 1/4" x 4' 90°, Faux Metal
- 3496M - 3/4" x 2 1/4" x 8' 90°, Faux Metal
- 11248M - 1 1/2" x 1 1/2" x 4' 90°, Faux Metal
- 11296M - 1 1/2" x 1 1/2" x 8' 90°, Faux Metal
- 3448S - 3/4" x 1 1/4" x 4' 90°, Solid Color*
- 3496S - 3/4" x 1 1/4" x 8' 90°, Solid Color*
- 11248S - 1 1/2" x 1 1/2" x 4' 90°, Solid Color*
- 11296S - 1 1/2" x 1 1/2" x 8' 90°, Solid Color*

Minimum orders apply. Other colors available. Set-up charges may apply.
NOTE: Add prefix 'T2' to part number for G2 Bullnose™.



NEW! Aluminum ■■■

90° | 1/2", 1 1/2" wings

- DW-ALUM-3448 - 3/4" x 2 1/4" x 4' 90°
- DW-ALUM-11248 - 1 1/2" x 1 1/2" x 4' 90°

Product to be installed with #505 Heavy Duty adhesive (Ft-Fixman).
Minimum orders apply. Set-up charges may apply.



Color Choices:



MENU BREAKFAST

Chilled Apple Juice
Pancakes
Zesty Sausage
Coffee, Tea, Milk

LUNCH

Roast Beef & Gravy
Mashed Potatoes
Harvest Beets
Carrot Salad
Coffee, Tea, Milk

DINNER

Turkey Dinner
Baked Potatoes
Asparagus
Tossed Salad
Coffee, Tea, Milk




Oakwood Village Senior Living, Madison, WI
IPC™ Rigid Sheet | 2700W Chair Rail | 150 Corner Guard
2000 Handrail | Cove Base | Directory Signs

Corner guards that
BLEND
in with the crowd.



University of Northern Iowa, Cedar Falls, IA
150 Surface Mount Corner Guard

Clear & Flexible Corner Guards



Clear Corner Guards ■■■

90° and 135° | $\frac{3}{4}^{\prime\prime}$, $\frac{1}{2}^{\prime\prime}$, $\frac{1}{2}^{\prime\prime}$ wings

- 424F - $\frac{3}{4}^{\prime\prime} \times \frac{3}{4}^{\prime\prime} \times 4'; 90^{\circ}$
- 83F - $\frac{3}{4}^{\prime\prime} \times \frac{3}{4}^{\prime\prime} \times 8'; 90^{\circ}$
- 411B - $\frac{1}{2}^{\prime\prime} \times \frac{1}{2}^{\prime\prime} \times 8'; 90^{\circ}$
- 811B - $\frac{1}{2}^{\prime\prime} \times \frac{1}{2}^{\prime\prime} \times 8'; 90^{\circ}$
- 421290 - $2\frac{1}{2}^{\prime\prime} \times 2\frac{1}{2}^{\prime\prime} \times 8'; 90^{\circ}$
- 821290 - $2\frac{1}{2}^{\prime\prime} \times 2\frac{1}{2}^{\prime\prime} \times 8'; 90^{\circ}$
- 4212135 - $2\frac{1}{2}^{\prime\prime} \times 2\frac{1}{2}^{\prime\prime} \times 8'; 135^{\circ}$
- 8212135 - $2\frac{1}{2}^{\prime\prime} \times 2\frac{1}{2}^{\prime\prime} \times 8'; 135^{\circ}$

Custom sizes available, please call for details. *Not provided with pre-drilled holes.



Flexible Clear Corner Guards ■■■

25° to 175° | 1" wings

- Poly-141F - $1" \times 1" \times 4'; 90^{\circ}$
- Poly-181F - $1" \times 1" \times 8'; 90^{\circ}$



NEW! Phthalate Free

Flexible Corner Guards ■■■

90° and 135° | $\frac{3}{4}^{\prime\prime}$, $1\frac{1}{2}^{\prime\prime}$ wings


- 344BF - $\frac{3}{4}^{\prime\prime} \times \frac{3}{4}^{\prime\prime} \times 4'; 90^{\circ}$
- 349EF - $\frac{3}{4}^{\prime\prime} \times \frac{3}{4}^{\prime\prime} \times 8'; 90^{\circ}$
- 448135F - $\frac{3}{4}^{\prime\prime} \times \frac{3}{4}^{\prime\prime} \times 4'; 135^{\circ}$
- 496135F - $\frac{3}{4}^{\prime\prime} \times \frac{3}{4}^{\prime\prime} \times 8'; 135^{\circ}$
- 1124BF - $1\frac{1}{2}^{\prime\prime} \times 1\frac{1}{2}^{\prime\prime} \times 4'; 90^{\circ}$
- 1129EF - $1\frac{1}{2}^{\prime\prime} \times 1\frac{1}{2}^{\prime\prime} \times 8'; 90^{\circ}$
- 248135F - $1\frac{1}{2}^{\prime\prime} \times 1\frac{1}{2}^{\prime\prime} \times 4'; 135^{\circ}$
- 296135F - $1\frac{1}{2}^{\prime\prime} \times 1\frac{1}{2}^{\prime\prime} \times 8'; 135^{\circ}$

Also available in standard heights of 1', 2', 3', 4', 5', 6', 7', 8', 9', 10', 12'. Product to be installed with #535
Ready-to-Adhere (RTA) adhesive.



Color Choices:


Standard Colors



A Clear Choice

Allow existing wall color or patterns to show through with Clear Wall Guards.

Visit inprocorp.com/iphc for more information.



Surface Mount Corner Guards




160 Corner Guards ■■■
90° | 2" wing

164 - 2" x 2" x 4'; 90°
168 - 2" x 2" x 8'; 90°
169 - 2" x 2" x 9'; 90°
1612 - 2" x 2" x 12'; 90°
NOTE: Add prefix "G2" to part number for G2 BioBlend™.

Material Choices:
Rigid Vinyl
G2 BioBlend™ ■

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)





150 Corner Guards ■■■
90° | 3" wing

154 - 3" x 3" x 4'; 90°
158 - 3" x 3" x 8'; 90°
159 - 3" x 3" x 9'; 90°
1512 - 3" x 3" x 12'; 90°
NOTE: Add prefix "G2" to part number for G2 BioBlend™.

Material Choices:
Rigid Vinyl
G2 BioBlend™ ■

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)




130 Corner Guards ■■■
135° | 3" wing

134 - 3" x 3" x 4'; 135°
138 - 3" x 3" x 8'; 135°
139 - 3" x 3" x 9'; 135°
1312 - 3" x 3" x 12'; 135°
NOTE: Add prefix "G2" to part number for G2 BioBlend™.

Material Choices:
Rigid Vinyl
G2 BioBlend™ ■

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)



Surface Mount Corner Guards



170 Corner Guard ■■■

90° Bullnose | 3" wing

174 - 3" x 3" x 4'; 90° Bullnose

178 - 3" x 3" x 6'; 90° Bullnose

179 - 3" x 3" x 9'; 90° Bullnose

1710 - 3" x 3" x 12'; 90° Bullnose

NOTE: Add prefix "G2" to part number for G2 BiBlend™.

Material Choice:

Rigid Vinyl

G2 BiBlend™ ■■■

Color Choices:

Standard Colors

Woodlands (Rigid Vinyl Only)



160D End Wall Protector ■■■

2" wing

164D - 2" x 3" x 4'; 90°

162D - 2" x 2" x 6'; 90°

1610D - 2" x 2" x 9'; 90°

1612D - 2" x 2" x 12'; 90°

Includes (2) corner guards, (1) .080" thick rigid vinyl sheet. Minimum end wall width of 12". NOTE: Add prefix "G2" to part number for G2 BiBlend™.

Material Choice:

Rigid Vinyl

G2 BiBlend™ ■■■

Color Choice:

Standard Colors

Woodlands (Rigid Vinyl Only)



150D End Wall Protector ■■■

3" wing

154D - 3" x 3" x 4'; 90°

158D - 3" x 3" x 6'; 90°

159D - 3" x 3" x 9'; 90°

1512D - 3" x 3" x 12'; 90°

Includes (2) corner guards, (1) .080" thick rigid vinyl sheet. Minimum end wall width of 12". NOTE: Add prefix "G2" to part number for G2 BiBlend™.

Material Choices:




Rigid Vinyl

G2 BiBlend™ ■■■


Color Choices:

Standard Colors

Woodlands (Rigid Vinyl Only)



BluNose™ Corner Guards



160BN Corner Guards ■■■
90° | 2" wing

164BN - 2" x 2" x 4'; 90°
168BN - 2" x 2" x 8'; 90°
169BN - 2" x 2" x 9'; 90°
1612BN - 2" x 2" x 12'; 90°

Material Choices:
Rigid Vinyl

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)



150BN Corner Guards ■■■
90° | 3" wing

154BN - 3" x 3" x 4'; 90°
158BN - 3" x 3" x 8'; 90°
159BN - 3" x 3" x 9'; 90°
1512BN - 3" x 3" x 12'; 90°

Material Choices:
Rigid Vinyl

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)






130BN Corner Guards ■■■
135° | 3" wing

134BN - 3" x 3" x 4'; 135°
138BN - 3" x 3" x 8'; 135°
139BN - 3" x 3" x 9'; 135°
1312BN - 3" x 3" x 12'; 135°

Material Choices:
Rigid Vinyl

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)



*(ASTM F476)

BluNose™ Corner Guards



170BN Corner Guard ■■■
90° Bullnose | 3" wing

174BN - 3" x 3" x 4'; 90° Bullnose
178BN - 3" x 3" x 8'; 90° Bullnose
179BN - 3" x 3" x 9'; 90° Bullnose
1712BN - 3" x 3" x 12'; 90° Bullnose

Material Choices:
Rigid Vinyl

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)



160DBN End Wall Protector ■■■
2" wing

164DBN - 2" x 2" x 4'; 90°
169DBN - 2" x 2" x 8'; 90°
169DBN - 2" x 2" x 9'; 90°
1612DBN - 2" x 2" x 12'; 90°
Includes (2) corner guards, (1) .040" thick Rigid Vinyl sheet. Maximum end wall width of 12".

Material Choices:
Rigid Vinyl

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)






150DBN End Wall Protector ■■■
3" wing

154DBN - 3" x 3" x 4'; 90°
158DBN - 3" x 3" x 8'; 90°
159DBN - 3" x 3" x 9'; 90°
1512DBN - 3" x 3" x 12'; 90°
Includes (2) corner guards, (1) .040" thick Rigid Vinyl sheet. Maximum end wall width of 12".

Material Choices:
Rigid Vinyl

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)



Heavy Duty Corner Guards




Stainless Steel Surface Mount ■■■

See drawings for available wing sizes

181124 - 1 1/2" x 1 1/2" x 4; 1/8" radius
181128 - 1 1/2" x 1 1/2" x 8; 1/8" radius
183124 - 3 1/2" x 3 1/2" x 4; 1/8" radius
183128 - 3 1/2" x 3 1/2" x 8; 1/8" radius
Custom angles, gauges and alloys available. Stainless steel corner guards are a custom product and are not returnable.

Material Choice: Stainless Steel

Type 430 and Type 304, 16 Gauge (Standard)
Type 430 and Type 304, 14 Gauge
Type 430 and Type 304, 18 Gauge



Nu-Tree™ Corner Guard

90° | 3 1/2" Wing


NT-CG11 - 3 1/2" x 3 1/2" x 8'
Custom sizes available, please call for details.

Material Choices:

Post-consumer recycled No.2 plastic

Color Choice:

Black only



Heavy Duty Rubber ■

90° | 4" Wing

See drawings for available wing sizes

DW-CGR4-10 - 4" x 4" x 10'


Custom sizes available, please call for details.

Material Choices:

Rubber

Color Choice:

Black only







Fire Rated Corner Guards




**160F Flush Mount
Corner Guards** ■■■
90° | 2" wing

164F - 2" x 2" x 4; 90°
166F - 2" x 2" x 6; 90°
168F - 2" x 2" x 9; 90°
1612F - 2" x 2" x 12; 90°
1608-4 - 6" Cove Base Retainer
1608-6 - 6" Cove Base Retainer
160F-Cap - Closure Cap
NTE: Add prefix '12' to part number for
G2 Bullnose™

Material Choices:
Rigid Vinyl ■■■
G2 BioBlend™ ■■■

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)




**150F Flush Mount
Corner Guards** ■■■
90° | 3" wing

154F - 3" x 3" x 4; 90°
156F - 3" x 3" x 6; 90°
158F - 3" x 3" x 9; 90°
1512F - 3" x 3" x 12; 90°
1508-4 - 6" Cove Base Retainer
1508-6 - 6" Cove Base Retainer
150F-Cap - Closure Cap
NTE: Add prefix '12' to part number for
G2 Bullnose™

Material Choices:
Rigid Vinyl ■■■
G2 BioBlend™ ■■■

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)




**130F Flush Mount
Corner Guards** ■■■
135° | 2" wing

134F - 3" x 3" x 4; 135°
136F - 3" x 3" x 6; 135°
138F - 3" x 3" x 9; 135°
1312F - 3" x 3" x 12; 135°
1308-4 - 6" Cove Base Retainer
1308-6 - 6" Cove Base Retainer
130F-Cap - Closure Cap
NTE: Add prefix '12' to part number for
G2 Bullnose™

Material Choices:
Rigid Vinyl ■■■
G2 BioBlend™ ■■■

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)




**170F Flush Mount
Corner Guards** ■■■
90° Bullnose | 3" wing

174F - 3" x 3" x 4; 90° Bullnose
176F - 3" x 3" x 6; 90° Bullnose
178F - 3" x 3" x 9; 90° Bullnose
1712F - 3" x 3" x 12; 90° Bullnose
1708-4 - 6" Cove Base Retainer
1708-6 - 6" Cove Base Retainer
170F-Cap - Closure Cap
NTE: Add prefix '12' to part number for
G2 Bullnose™

Material Choices:
Rigid Vinyl ■■■
G2 BioBlend™ ■■■

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)



Flush Mount Corner Guards




140D End Wall Protector ■■■

144D - 4'; Flush Mount End Wall Protector
148D - 8'; Flush Mount End Wall Protector
149D - 9'; Flush Mount End Wall Protector
1410D - 10'; Flush Mount End Wall Protector
End Wall Protectors are custom products and are not returnable.
NOTE: ADD 10% TO YOUR NUMBER FOR GZ ROLLING™

Material Choices

Color Choices:
Standard Colors
Woodlands (Faded Vinyl Only)




Stainless Steel Flush Mount

90° | 3° wing

SS-CGFM - Type 430, 16-gauge custom wing and height available
Custom angles, gauges and alloys available Stainless steel flush mount corner

Material Choice: Stainless Steel
Type 430 and Type 304, 16 Gauge




Stainless Steel End Wall Protector

90° | 5 $\frac{1}{8}$ " Frame | 3" wing

55-EWFM - Type 430, 16 gauge custom wing and heights available

Custom angles, gauges and alloys available. Stainless steel and wall protector is a custom product and is not returnable.

Material Choice: Stainless Steel
Type 430 and Type 304, 16 Gauge



Wall Guards prevent scratches and dents.

Guard your walls from scratches, dents and scrapes by installing one of our wall guards. There's no need to let wheelchairs, hospital beds and service carts leave you with constant maintenance.



NEW! Reveal

Add a decorative element with new reveals, now standard with every G2 BioBlend™ and Woodland Wall Guard order.



Arkansas Children's Hospital, Little Rock, AK
1400W Wall Guard | 800W Handrail



Conover Skilled Nursing Home, Conover, NC
1300 Wall Guard | SignScape™ Architectural Signage



Aluminum Retainer & Splice
provides structural stability
and allows extended lengths.



Impact Bumper absorbs the
impact from traffic such as
carts and wheelchairs.



Inside/Outside Corners
provide a smooth transition
for uninterrupted protection.



Cover is available in a variety
of colors to coordinate with
other interior finishes.



End caps finish the installation
for a professional look.

Wall Guard Selection Guide

A **cost index** percentage is based on our most popular product, the 700 Wall Guard, and provides you with an average measure of cost when considering the best solution for your plans or facility.





200 Wall Guard ■■■

1 1/8" high
200 - .080" cover and .080" aluminum retainer, 12' length
201 - End Cap
202 - Outside Corner
207 - Inside Corner
Add prefix 102 to part number for G2 "Rolled"™

Material Choices:

Rigid Vinyl
G2 BioBlend™ ■

Color Choices:

Standard Colors



500 Wall Guard ■■■

3" high
500 - .080" cover and .080" aluminum retainer, 12' length
502 - End Cap
503 - Outside Corner
507 - Inside Corner
501 - Optional 1/2" thick x 2" dia. Rubber Spacer
Add prefix 102 to part number for G2 "Rolled"™

Material Choices:

Rigid Vinyl
G2 BioBlend™ ■

Color Choices:

Standard Colors



1300 Wall Guard ■■■

4 1/16" high
1300 - .080" cover and .080" aluminum retainer, 12' length
1302 - End Cap
1303 - Outside Corner
1307 - Inside Corner
501 - Optional 1/4" thick x 2" dia. Rubber Spacer
Add prefix 102 to part number for G2 "Rolled"™

Material Choices:

Rigid Vinyl
G2 BioBlend™ ■

Color Choices:

Standard Colors



G2-5100 Wall Guard ■■■

4" high
G2-5100 - Wood retainer, with .080" cover and wood stained reveal
G2-5000W - Wood retainer with .080" cover
G2-5001 - End Cap
G2-5002 - Outside Corner
G2-5007 - Inside Corner
501 - Optional 1/2" thick x 2" dia. Rubber Spacer

Material Choice:

G2 BioBlend™ ■

Color Choice:

Standard Colors
Northern Hardwoods™





5000 Wall Guard ■■■

4' High


5005* – .080" cover and .080" continuous aluminum retainer, 12' length
5001 – End Cap
5002 – Outside Corner
5007 – Inside Corner
501 – Optional 1/2" thick x 2" dia. Rubber Spacer
Add prefix "12" to part number for G2 BiBlend™[®]

Material Choices:

Rigid Vinyl
G2 BiBlend™ ■

Color Choices:

Standard Colors



5000 Wall Guard ■■■

4' High


5005* – .080" cover and .080" abbreviated aluminum retainer, 12' length
5001 – End Cap
5002 – Outside Corner
5007 – Inside Corner
*5005 is a custom product. Minimums apply and product is not returnable.
Add prefix "12" to part number for G2 BiBlend™[®]

Material Choices:

Rigid Vinyl
G2 BiBlend™ ■

Color Choices:

Standard Colors



5055 Wall Guard ■■■

4' High


5055 – .080" cover with Accent Strip and .080" continuous aluminum retainer, 12' length
5001 – End Cap
5002 – Outside Corner
5007 – Inside Corner
*5055 is a custom product. Minimums apply and product is not returnable.
Add prefix "12" to part number for G2 BiBlend™[®]

Material Choices:

Rigid Vinyl
G2 BiBlend™ ■

Color Choices:

Standard Colors
Bermuda (5055 accent strip) (Rigid Vinyl Only)
Woodlands (5055 accent str. sp.) (Rigid Vinyl Only)



5055i Wall Guard ■■■

4' High


5055* – .080" cover with Accent Strip and .080" abbreviated aluminum retainer, 12' length
5001 – End Cap
5002 – Outside Corner
5007 – Inside Corner
*5055 is a custom product. Minimums apply and product is not returnable.
Add prefix "12" to part number for G2 BiBlend™[®]

Material Choices:

Rigid Vinyl
G2 BiBlend™ ■

Color Choices:

Standard Colors
Bermuda (5055 accent strip) (Rigid Vinyl Only)
Woodlands (5055 accent str. sp.) (Rigid Vinyl Only)





1455



1455i



1400 Wall Guard ■■■

4" High

1400 - .060" cover and .060" continuous aluminum retainer supports, 12' length
1405P - .060" cover with accent strip and .060" continuous aluminum retainer, 12' length
1408 - End Cap
1409 - Outside Corner
1407 - Inside Corner
801 - Optional Mounting Bracket
501 - Optional 1/2" thick x 2" dia. Rubber Spacer
Alt/price 102* to part number for G2 Bioblast™*

Material Choices:

Rigid Vinyl


G2 Bioblast™ ■

Color Choices:

Standard Colors

Bermuda (accent strip) (Rigid Vinyl Only)

Woodlands (accent strip) (Rigid Vinyl Only)



1400i Wall Guard ■■■

4" high

1400i - .060" cover and .060" abbreviated aluminum retainer, 12' length
1405P - .060" cover with Accent Strip and .060" abbreviated aluminum retainer, 12' length
1408 - End Cap
1409 - Outside Corner
1407 - Inside Corner
Alt/price 102* to part number for G2 Bioblast™*

Material Choices:

Rigid Vinyl


G2 Bioblast™ ■

Color Choices:

Standard Colors

Bermuda (accent strip) (Rigid Vinyl Only)

Woodlands (accent strip) (Rigid Vinyl Only)



1400W Wall Guard ■■■

4" High


1400W - .060" vinyl cover with Woodland Full Wrap and .060" continuous aluminum retainer, 12' length
1400W - .060" vinyl cover with Woodland Full Wrap and .060" abbreviated aluminum retainer, 12' length
1402W - End Cap
1403W - Outside Corner
1407W - Inside Corner

Material Choices:

Rigid Vinyl

Color Choices:

Woodlands (Rigid Vinyl Only)




1500M Silhouette Wall Guard ■■■

5" high

1500M - 1" x 5" x 12' Wall Guard with metal cover and .060" continuous aluminum retainer, 12' length
1501LM - Left End Cap
1501RM - Right End Cap
1500BS - Bracket Support

Color Choices:

Metal Tones





1500W

1500 Silhouette Wall Guard ■■■

5' High

1500 – .080" cover and .080" continuous aluminum retainer supports, 12' length
 1500W – .080" cover with Woodland Full Wrap and .080" continuous aluminum retainer
 1501L – Left End Cap
 1501R – Right End Cap
 1502 – Outside Corner
 1503 – Inside Corner
 1601 – Optional .25" thick x 4" Oval Rubber Spacer
 Add prefix "12" to part number for G2 Rollers™

Material Choices:


Rigid Vinyl

G2 BioBlend™ ■

Color Choices:

Standard Colors

Woodlands (Rigid Vinyl Only)



1500W

1500i Silhouette Wall Guard ■■■

5' High

1500 – .080" cover and .080" abbreviated aluminum retainer supports, 12' length
 1500W – .080" cover with Woodland Full Wrap and .080" abbreviated aluminum retainer, 12' length
 1501L – Left End Cap
 1501R – Right End Cap
 1502 – Outside Corner
 1503 – Inside Corner
 Add prefix "12" to part number for G2 Rollers™

Material Choices:


Rigid Vinyl

G2 BioBlend™ ■

Color Choices:

Standard Colors

Woodlands (Rigid Vinyl Only)



1655

1600 Wall Guard ■■■

6' High

1600 – .080" cover and .080" continuous aluminum retainer supports, 12' length
 1655* – .080" cover with Accent Strip and .080" continuous aluminum retainer supports, 12' length
 1621 – End Cap
 1623 – Outside Corner
 1627 – Inside Corner
 1606 – Rubber Splice
 801 – Optional Mounting Bracket
 1601 – Optional .25" thick x 2" dia. Rubber Spacer
 *1655 is a custom product. Minimum apply and product cost retroactive.

Material Choices:

Rigid Vinyl


G2 BioBlend™ ■

Color Choices:

Standard Colors

Elements (accent strip) (Rigid Vinyl Only)

Woodlands (accent strip) (Rigid Vinyl Only)



1655i

1600i Wall Guard ■■■

6' High

1600 – .080" cover and .080" abbreviated aluminum retainer supports, 12' length
 1655* – .080" cover with Accent Strip and .080" abbreviated aluminum retainer supports, 12' length
 1621 – End Cap
 1623 – Outside Corner
 1627 – Inside Corner
 1606 – Infinity Series Splice
 *1655 is a custom product. Minimum apply and product cost retroactive.

Material Choices:

Rigid Vinyl


G2 BioBlend™ ■

Color Choices:

Standard Colors

Elements (accent strip) (Rigid Vinyl Only)

Woodlands (accent strip) (Rigid Vinyl Only)





Shands Children's Hospital, Gainesville, FL
180G Wall Guard | 350C Handrail



700W

700 Wall Guard

73/4" high

- 700 - .080" cover and .080" continuous aluminum retainer, 12' length
 700W - .080" cover with Woodland full wrap and .080" continuous aluminum retainer, 12' length
 701 - End Cap
 702 - Outside Corner
 707 - Inside Corner (Not available in woodland pattern)
 706 - Splice
 801 - Optional Mounting Bracket
 1401 - Optional 1/2" thick x 2" diameter Rubber Spacer
 Add prefix "12" to part number for G2 Rollers™

Material Choices:


Rigid Vinyl

G2 BioBlend™

Color Choices:

Standard Colors

Woodlands (Rigid Vinyl Only)



700IW

700I Wall Guard

73/4" high

- 700I - .080" cover and .080" abbreviated aluminum retainer, 12' length
 700IW - .080" cover with Woodland full wrap and .080" continuous aluminum retainer, 12' length
 701 - End Cap
 702 - Outside Corner
 707 - Inside Corner (Not available in woodland pattern)
 706I - Splice
 801I - Optional Mounting Bracket
 1401I - Optional 1/2" thick x 2" diameter Rubber Spacer
 Add prefix "12" to part number for G2 Rollers™

Material Choices:


Rigid Vinyl

G2 BioBlend™

Color Choices:

Standard Colors

Woodlands (Rigid Vinyl Only)

**1800 Wall Guard**

8" High

- 1800 - 8" High Wall Guard with .080" cover and .080" continuous aluminum retainer, 12' length
 1401 - Optional 1/2" thick x 4" Oval Rubber Spacer
 1801L - Left End Cap
 1801R - Right End Cap
 1802 - Outside Corner
 1803 - Inside Corner
 1806 - Splice
 Add prefix "12" to part number for G2 Rollers™

Material Choices:

Rigid Vinyl

G2 BioBlend™

Color Choice:

Standard Colors

**1800I Wall Guard**

8" High

- 1800 - 8" High Infinity Wall Guard with .080" cover and .080" abbreviated aluminum retainer supports, 12' length
 1801L - Left End Cap
 1801R - Right End Cap
 1802 - Outside Corner
 1803 - Inside Corner
 1806I - Infinity Series Splice
 Add prefix "12" to part number for G2 Rollers™


Material Choices:

Rigid Vinyl

G2 BioBlend™

Color Choices:

Standard Colors






31SS Stainless Steel Wall Guards ■■


5 1/2" high

31SS - 5 1/2" High Stainless Steel Wall Guard
31SSLEC - Stainless Steel Left End Cap
31SSREC - Stainless Steel Right End Cap
305SRS - Stainless Steel Retainer Support



Material Choices:


Stainless Steel ■■
Type 430 and Type 304



30SS Stainless Steel Wall Guard ■■■


5 1/2" high

30SS - 5 1/2" High Stainless Steel Wall Guard
30SSLEC - Stainless Steel Left End Cap
30SSREC - Stainless Steel Right End Cap
305SRS - Stainless Steel Retainer Support



Material Choices:


Stainless Steel ■■
Type 430 and Type 304



E-Fender Rubber Wall Guard ■■■■

6-8" high

DW-WGRE6-10 - 6" high 10' long
E-Fender wall guard
DW-WGRE8-10 - 8" high 10' long
E-Fender wall guard



D-Fender Rubber Wall Guard ■■■■

4 1/4" High

DW-WGRD4-10 - 4 1/4" high x 10' long
D-Fender wall guard





5155 Stainless Steel Wall Guard ■ 4" high

5155 - 4" High Stainless Steel Wall Guard, pre-assembled
 5155LR - Stainless Steel Left Return
 5155RR - Stainless Steel Right Return
 5155OC - Stainless Steel Outside Corner
 5155IC - Stainless Steel Inside Corner
 50AABK - Aluminum Bracket


Contains up to 75% post-consumer recycled material



50AA Stainless Steel Wall Guard ■ 4" high

50AA - 4" High Aluminum Wall Guard
 50AALR - Aluminum Left Return
 50AARR - Aluminum Right Return
 50AAIC - Aluminum Inside Corner
 50AAOC - Aluminum Outside Corner
 50AABK - Aluminum Bracket

Contains up to 94% post-consumer recycled material



5055 Stainless Steel Wall Guard ■ 4" high


5055 - 4" High Stainless Steel Wall Guard, pre-assembled
 5055LR - Stainless Steel Left Return
 5055RR - Stainless Steel Right Return
 5055OC - Stainless Steel Outside Corner
 5055IC - Stainless Steel Inside Corner
 50AABK - Aluminum bracket

Contains up to 75% post-consumer recycled material



Nu-Tree Wall Guard ■■■ 51"-91/2" high

NT-140, 3/4" Thick x 8" High x 12' L
 NT-160, 3/4" Thick x 6" High x 12' L
 NT-180, 3/4" Thick x 9" High x 12' L
 NT-518, 1" Thick x 5 1/2" High x 12' L
 NT-694, 1 1/2" Thick x 7 1/2" High x 12' L
 NT-695, 1 1/2" Thick x 9 1/2" High x 12' L
 (Leaf lines may vary)



Nu-Tree™ Colors







High Impact Wall Base ■■■

4' High

WB4 - 3/8" thick x 4' high
WB4LC - Left End Cap
WB4RC - Right End Cap
WB4OC - Outside Corner
WB4IC - Inside Corner
Last line up way:

Color Choices:

Standard Colors



Clear Wall Guards ■■■

3-4" High

83 - 3" x 8' Wall Guard
84 - 4" x 8' Wall Guard



MB10 Cartguard ■■■

1" High | Bend: 4" Radius

MB10 - 1" Mounting Base - Available in 72' rolls
MT15F - 1" Flexible Top
ME10 - Snap-on End Cap
MC10 - Snap-on Outside Corner


Color Choices:

601 Stock Beige

701 Stock Blue

101 Stock Gray

501 Stock Red



MB20 Cartguard ■■■

2" high | Bend: 4" Radius

MB20 - 2" Mounting Base Available in 72' rolls
MT25F - 2" Flexible Top
ME20 - Snap-on End Cap
MC20 - Snap-on Outside Corner


Color Choices:

601 Stock Beige

701 Stock Blue

101 Stock Gray

501 Stock Red





CR12 Chair Rail ■■■

3½" high

CR12 - 3½" High Wood Chair Rail

Battens Hardwood™ Chair Rail is a custom product.
Products are not returnable.

Material Choices:

Bamboo-Natural or Carbonized

Red Oak

Maple

FSC® Ash - Certified by the Forest Stewardship Council®


Unfinished Poplar

Color Choices:


Standard Colors (insert)

Northern Hardwoods™

BioPrism™ Solid Surface (insert)



[Visit inprocorp.com to view insert options](http://www.inprocorp.com)



CR1 Chair Rail ■■■

3½" high

CR1 - 3½" High Wood or Bamboo Chair Rail

Battens Hardwood™ Chair Rail is a custom product.
Products are not returnable.

Material Choices:

Bamboo-Natural or Carbonized

Red Oak


Maple

FSC® Ash - Certified by the Forest Stewardship Council®

Unfinished Poplar

Color Choices:

Northern Hardwoods™



CR2 Chair Rail ■■■

3½" high

CR2 - 3½" High Wood Chair Rail

with 1 1/2" Impact Bumper

Battens Hardwood™ Chair Rail is a custom product.
Products are not returnable.

Material Choices:

Bamboo-Natural or Carbonized

Red Oak

Maple



FSC® Ash - Certified by the Forest Stewardship Council®

Unfinished Poplar

Color Choices:

Standard Colors (bumper)

Northern Hardwoods™



CR3 Chair Rail ■■■

3½" high

CR3 - 3½" High Wood Chair Rail

with 2" Impact Bumper

Battens Hardwood™ Chair Rail is a custom product.
Products are not returnable.

Material Choices:

Bamboo-Natural or Carbonized

Red Oak

Maple


FSC® Ash - Certified by the Forest Stewardship Council®

Unfinished Poplar

Color Choices:

Standard Colors (bumper)

Northern Hardwoods™





2500W ■■

2500 Chair Rails ■■

2' high


- 2500 – .070" cover and .060" continuous aluminum retainer, 12' length
 - 2501 – End Cap
 - 2502 – Outside Corner
 - 2503 – Inside Corner
 - 2504 – Picture Frame Corner
- NOTE: Add prefix "12" to part number for G2 BiBlend™

Material Choices:

Rigid Vinyl
G2 BiBlend™ ■■

Color Choices:

Standard Colors
Woodlands (Rigid Vinyl Only)



2600 Chair Rails ■■■

3' high


- 2600 – .070" cover and .060" continuous aluminum retainer, 12' length
 - 2601L – Left End Cap
 - 2601R – Right End Cap
 - 2602 – Outside Corner
 - 2603 – Inside Corner
- NOTE: Add prefix "12" to part number for G2 BiBlend™

Material Choices:

Rigid Vinyl
G2 BiBlend™ ■■■

Color Choices:

Standard Colors



2700 Chair Rails ■■■

3' high


- 2700 – .070" cover and .060" continuous aluminum retainer, 12' length
 - 2701L – Left End Cap
 - 2701R – Right End Cap
 - 2702 – Outside Corner
 - 2703 – Inside Corner (Not available in Woodland pattern)
- NOTE: Add prefix "12" to part number for G2 BiBlend™

Material Choices:

Rigid Vinyl
G2 BiBlend™ ■■■

Color Choices:

Standard Colors



2700W Chair Rails ■■

3' high


- 2700W – .070" cover with Woodland wrap and .060" continuous aluminum retainer, 12' length
 - 2701WL – Left End Cap
 - 2701WR – Right End Cap
 - 2702W – Outside Corner
 - 2703W – Inside Corner (Not available in Woodland pattern)
- NOTE: Add prefix "12" to part number for G2 BiBlend™

Material Choices:

Rigid Vinyl

Color Choices:

Woodlands (Rigid Vinyl Only)







Door Protection fortifies your doors against the relentless pushing, kicking and banging they endure.

Doors are relentlessly pushed, banged and kicked open. Keep your doors and their surrounding environments pristine with our various door protection products.

Children's Hospital Corridor

Designer Kickplates | 800 Handrail | 160 Surface Mount Corner Guard



eIDOR*



Door Edge Protection



Kickplates



Door Knob Protection



Eggers • InPro • High Impact Protection

Withstand high amounts of traffic and abuse while maintaining an attractive decor.

- The best of two worlds - quality doors from Eggers Industries clad in durable, decorative IPC™ Rigid Sheet.
- Scratch and stain resistant, as well as easy clean-up.
- Pair with other wall protection products for completely color-coordinated décor.
- All standard core constructions available.

For complete information, including fire rating data, call Eggers Industries at 920.791.1351 or visit eggersindustries.com

NEW! Sketchface eiDOOR®

Add design to door protection with Sketchface from eiDOOR®. Now you can experience the design freedom of IPC™ Rigid Sheet Expressions but with the durable protection expected from eiDOOR®.

eiDOOR® Door Protection

Protect against damage and keep maintenance costs down with removable edges.



Flush Door Edge

- Flush Style is clad front and back, side to side in protective IPC™ Rigid Vinyl Sheet
- Available in non-rated, 20-, 45-, 60- and 90-minute fire rated constructions
- .040" rigid sheet cladding with flush vinyl edge style

Wood Core Material Choices:

All standard core constructions available

Cladding Material Choices:

Rigid Vinyl
G2 BioBlend™ ■

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)



Removable Door Edge - Vinyl

- Replace the edge that receives the most damage without removing the door
- Unlike competitor's edges, an eiDOOR® removable edge is designed to fit behind a standard doorstop making the edge visible on one side when the door is closed
- .040" rigid sheet cladding with removable vinyl edge style

Wood Core Material Choices:

All standard core constructions available

Cladding Material Choices:

Rigid Vinyl
G2 BioBlend™ ■

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)



Removable Door Edge - Stainless Steel

- Replace the edge that receives the most damage without removing the door
- eiDOOR® stainless steel removable edge is designed to fit behind a standard doorstop making the edge visible on one side when the door is closed
- .040" rigid sheet cladding with removable stainless steel edge style

Wood Core Material Choices:

All standard core constructions available

Cladding Material Choices:

Rigid Vinyl
G2 BioBlend™ ■

Color Choices:
Standard Colors
Woodlands (Rigid Vinyl Only)



IPC™
INSTITUTE OF PROTECTION CORP.
Protecting People. Protecting Property. Protecting Lives.



Custom formed door frame guards
ensure a **perfect fit** and lasting protection.

Kickplates

Protect doors from scratches and dents with a kickplate cut to your specifications.



Rigid Vinyl Kickplate ■■■

Specify your height and width.

K4 – .040" Thick

K6 – .060" Thick

K8 – .080" Thick

*N/A think is a custom product. Minimum-order requirements may apply. Kickplates are custom products and are not returnable.

Material Choices:

Rigid Vinyl

G2 BioBlend™ ■■■

Color Choices:

Standard Colors

Elements (Rigid Vinyl Only)

Woodlands (Rigid Vinyl Only)



Designer Kickplate Model 20 ■■■

K42 – .040" Thick

K62 – .060" Thick

Designer Kickplates are custom products.

Set-up charges apply and products are not returnable.

Material Choices:

Rigid Vinyl

G2 BioBlend™ ■■■

Color Choices:

Standard Colors

Elements (Rigid Vinyl Only)

Woodlands (Rigid Vinyl Only)



Designer Kickplate Model 10 ■■■

K41 – .040" Thick

K61 – .060" Thick

Designer Kickplates are custom products.

Set-up charges apply and products are not returnable.

Material Choices:

Rigid Vinyl

G2 BioBlend™ ■■■

Color Choices:

Standard Colors

Elements (Rigid Vinyl Only)

Woodlands (Rigid Vinyl Only)



Stainless Steel Kickplate ■■■

▪ Stainless Steel kickplate offers a #4 satin finish.

▪ Conforms to NSF Standard 51 for direct food contact in food service areas (Type 304 Stainless Steel).

55-KP – Type 430 or 304, 16 Gauge
55-KP – Type 430 or 304, 16 Gauge





Smooth Surface / Brushed Surface

Ceramic-on-Ceramic options available.

14.8 Tigray Glass is also available.

Stainless Steel Kickplates are custom products.

Products are not returnable. Custom shapes available.



Door Protection


Three styles available for right or left side installations.



411 Lever Door Handle Protectors

411 – Door Knob Protector
Suitable for right and left installation.


Color Choices:



412 Door Knob Protectors

412 – Lever Door Handle Protector
Suitable for right and left installation.


Color Choices:



413 Universal Door Knob Protectors

413R – Universal Door Knob Protector, Right Mounted (shown)
413L – Universal Door Knob Protector, Left Mounted

Color Choices:



Wall Protector

7" diameter

720 – 7" diameter, .060" thick with adhesive

Material Choices:

Rigid Vinyl
G2 BioBlend™

Color Choices:
Standard Colors
Woodlands



Wall Protector

1 3/4" diameter

CIR-CSHTN-04 – 1 3/4" diameter, .040" thick without adhesive

Material Choices:

Rigid Vinyl
G2 BioBlend™

Color Choices:
Standard Colors
Woodlands

Color Palettes

PEBBLETTE FINISH: Comes standard; offers a texture with excellent abrasion resistance and defined coverage.

Available in: IFC™ Rigid Sheet, Corner Guards, Handrails, Wall Guards, Chair Rails, Door Protection and High Impact Wall Base. Also available as accent strips for 855, 1255, 2055 handrails and 1455, 1655 and 5055 wall guards.

VELVET FINISH: Offers a fine, subdued finish that is less pronounced than pebblette, same outstanding material performance as pebblette.

Available in: IFC™ Rigid Sheet, eiDOOR®.

Minimums may apply.

✓ Indicates one of IPC's best selling colors/patterns. Check with your IPC sales representative for availability as inventory levels are typically higher with such colors. Stock levels change daily and certain limitations and order sizes may apply.



Standard Solid Colors



Designer White 0101 ✓



Feather 0138 ✓



White Sand 0103 ✓



Clam Shell 0154 ✓



Antique White 0104 ✓



Eggshell 0111 ✓



Mistyway 0110 ✓



Oatmeal 0239 ✓



Biscotti 0250 ✓



Burlap 0252



Ivory 0108



Chino 0258



Pyramid 0275 ✓



Chamomile 0234 ✓



Beige 0117 ✓



Popcorn 0274



Crème Brûlée 0280 ✓



Whisper 0240



Light Beige 0109



Camelback 0253



Cashew 0240



Palomino 0270



Linen 0232



Wheat Field 0285



Beeswax 0249



Rattan 0276



Sonora 0282



Penny 0235



Tangelo 0215



Cinnabar 0257



Caramel 0255



Saddle 0121



Truffle 0284



NEW! French Roast 0370



Dark Brown 0122



Chesternut 0288



Cabernet 0241



Daybreak 0115



Wildrose 0149



Merlot 0186



NEW! Vineyard 0371



Cardinal 0236



Due to the printing process, colors may vary. For more accurate color selection, please request samples.




Due to the printing process, colors may vary. For more accurate color selection, please request samples.

Colors with this symbol will be discontinued in 2014.

Color Palettes

Elements Patterns

Faux-finish pattern available in IPC™ Rigid Vinyl Sheet, eiDOOR®, Textured Tape-On Corner Guards and as an accent strip for 855, 1255, 3055 and 3055W Handrails as well as the 5055, 1455 and 1655 Wall Guards. All Elements are standard with pebblette finish unless otherwise noted.



Northern Hardwoods™ Natural Wood Finishes

Red oak, maple, and Forest Stewardship Council (FSC) certified ash available in eight stain colors and bamboo in two stain colors all coated with a UV-protective finish.

Available in: all Northern Hardwood™ Handrails, Chair Rails, Leaning Rail and trim piece for G2-5100 Wall Guard.



Due to the printing process, colors may vary. For more accurate color selection, please request sample.

Colors with this symbol will be discontinued in 2014

Woodland Faux-Wood Patterns

Woodlands offer a wood grain appearance without the maintenance of traditional wood. The standard finish on Woodland patterns is pebblette texture. A velvet finish is available for IPC™ Rigid Vinyl Sheet and eIDOR®.

Minimums may apply

Available In: IPC™ Rigid Vinyl Sheet, IPC™ Rigid Vinyl Signage, eIDOR®, Handrail Accent Strips: 855/1255/3055, Wall Guard Accent Strips: 1455/1655/5055, Handrail full vinyl cover: 800W, 900W, 3000W, 3055W and 3500 Silhouette, Wall Guard full vinyl cover: 700W, 1400W, 1500W, Chair Rail full vinyl cover: 2500W, 2700W, Corner Guards and End Wall Protectors (except smooth tape-on, flexible, fire rated and EnviroGT™)

✓ Indicates one of IPC's best selling colors/patterns. Check with your IPC sales representative for availability as inventory levels are typically higher with such colors. Stock levels change daily and certain limitations and order sizes may apply.



Metal Tone Finishes

Offers a powder-coat metal finish.

Available for: 900M, 3500 Handrail and 1500M Wall Guard.



Show: 3500M Handrail in Earthfire with Northern Hardwoods™ Maple Honey top rail



Due to the printing process, colors may vary. For more accurate color selection, please request samples.

Cost Index

Cost index percentage is based on our most popular products, i.e. 800 handrail; 700 wall guard; 1586N corner guard. For example, the 2000W handrail is 77% of the cost of the 800 handrail.

HANDBRAILS	Index	HANDBRAILS	Index	WALL GUARDS	Index	WALL GUARDS	Index	CORNER GUARDS	Index
800	100	HR800 (A-Series)	266	700	100	CR700	10	1586N	100
855	126	HR850 (B-Series)	264	80	11	CR700-AE02	50	1586	156
900	48	HR900 (A-Series)	294	84	12	CR78	91	1586	102
1100	165	HR1100 (A-Series)	304	200	21	CR78X	41	168	94
1200	115	HR1200 (B-Series)	277	500	29	CR80	88	176	108
1450	746	HR1450 (B-Series)	277	1400	49	CR80A	59	1 1/2" Tape On PV	44
2000	67	HR2000 (B-Series)	209	1400	48	CR80A	114	1 1/2" Tape On G	44
3000	129	HR3000 (B-Series)	214	1485	62	CR80	106	1 1/2" CLEAR	29
3555	147	HR3555 (B-Series)	246	1500	62	CR80	76	1586N	105
4000	69	HR4000 (C-Series)	316	1600	79	CR80A	128	1586N	144
2000S	98	HR400 (C-Series)	252	1400	104	CR80	120	1586N	250
3000MM/A	259	HR400 (C-Series)	243	1800	105	CR80	85	1586W	287
2000MMO	249	HR400 (L-Series)	211	2500	35	CR78 (L-Series)	166	1586W	411
3005MM/A	277	HR500 (B-Series)	211	2600	60	CR1200 (L-Series)	162	1586W	479
3005MMO	267	HR500 (A-Series)	300	2700	60	CR1200 (L-Series)	182	1586W	481
3500PFW	268	HR500 (B-Series)	190	3000	68	CR1200 (L-Series)	126	1586W	480
3500PAM	264	HR500 (B-Series)	162	5000	62	CR120 (L-Series)	152	148D	349
3500PVS	420	HR500 (B-Series)	242	6000	41	CR120 (B-Series)	170	14800W	401
3500PFW	221	HR500 (B-Series)	230	1000F	4	CR120 (B-Series)	192	158F	219
3500PANIMA	403	HR500 (B-Series)	219	1400F	35	CR1200 (B-Series)	132	158F	251
3500PANIMA/W	419	HR500 (C-Series)	342	1400W	27	CR120 (C-Series)	196	158F	262
3500PANO	303	HR500 (C-Series)	162	1450	50	CR1200 (C-Series)	196	158FW	418
3500PVM06	278	HR500 (C-Series)	230	1500A	71	CR120 (C-Series)	119	158W	426
3500PMP	294	HR500 (C-Series)	219	1600W	75	CR120 (C-Series)	161	148FW	75
3500PMM	342	HR500 (A-Series)	264	1600	57	CR120 (D-Series)	164	148FW	86
3500PMM	240	HR500 (A-Series)	264	1650	82	CR1200 (D-Series)	140	168F	187
3500PMM	262	HR800 (A-Series)	298	2000W	62	CR120 (D-Series)	182	168FW	211
3500PMMW	407	HR800 (B-Series)	302	2700S	72	CR1200 (D-Series)	126	168FW	228
3500PMMW/L	468	HR800 (B-Series)	277	2700W	72	NI-140	31	14800W	220
3500PMMO	260	HR800 (B-Series)	277	5000	55	NT-140	22	148W	228
3500PMMO/C	407	HR800 (B-Series)	209	3055-144	108	NT-350	19	15800W	126
3500PMMY	214	HR800 (B-Series)	233	500A	90	NT-318	22	15800W	126
3500MM	280	HR800 (C-Series)	316	5055	414	NT-600	14	178F	241
3500MM	487	HR800 (C-Series)	214	7000	70	NT-654	72	178FW	277
2000W	164	HR800 (C-Series)	212	7000	119	NT-698	102	178FW	464
3500MMW/Y	289	HR800 (C-Series)	242	700W	116			178FW	418
3500MMW/L	405	HR800 (D-Series)	264					178W	427
3500MMO	348	HR800 (D-Series)	264					2 1/2" CLEAR	72
3500MMW	294	HR800 (D-Series)	294					2" BULLNOSE	42
3500MMW/PV	380	HR800 (D-Series)	308					2 1/2" S/S 304	298
3500MMW/M	418	HR800 (D-Series)	171					2 1/2" SS 400	190
3500MMW/LK	304	HR800 (SS)	271					3 1/2" x 48" S/S 304	166
3500MMW/MW/LK	547	HR800 (SS)	258					3 1/2" x 48" SS 400	96
3500MMW/MW/LB	563	HR120 (A-Series)	264					2" Tape On	64
3500MMW/PV	277	HR120 (A-Series)	264					2" Tape On PV	108
3500MMR	423	HR120 (A-Series)	264					2 1/4" CLEAR	15
3500MOS	422	HR120 (U-Series)	208					2 1/4" Tape On	27
3500MOTW	491	HR120 (B-Series)	277					2 1/4" Aluminum	31
3500MMOCB	507	HR120 (B-Series)	277						
800W	111	HR120 (B-Series)	309						
900W	55	HR120 (B-Series)	212						
2000W	77	HR120 (C-Series)	316						
HR18	264	HR120 (C-Series)	216						
HE1M/L	264	HR120 (D-Series)	254						
HR110	204	HR120 (U-Series)	242						
HR12U	214	HR128 (D-Series)	264						
HR24H	299	HR128 (D-Series)	264						
HR120	270	HR120 (D-Series)	294						
HR12U	226	HR120 (D-Series)	308						
HE1M/L	210	L100A	308						
HR120	287	L110	264						
HR12U	240	L120	166						
HR100	210								

Visit inprocorp.com for warranty, specifications, terms and condition information.

Tools and Adhesives

Fastbond 30 Contact Cement ■

- Adhere IPC™ Rigid Vinyl Sheet, Rubrails, Kickplates and Custom Formed Door Frame Guards
- Water-based, high strength contact adhesive
- Non-flammable and virtually odor free
- 1 gallon adheres approximately eleven 4' x 8' sheets



S20 - 1 Quart
S10 - 1 Gallon
S05 - 5 Gallon

XT-2000+ Adhesive ■

- Freeze-thaw stable adhesive allows shipping during any time of the year
- Adhere IPC™ Rigid Vinyl Sheet and Rubrails firmly to the wall
- Allow for repositioning during installation
- Environmentally friendly, non-flammable and virtually odorless
- Water-based, trowel-on mastic
- 1 gallon will adhere approximately four 4' x 8' sheets



S30 - 1 Gallon
S40 - 5 Gallon

InPro Bond Adhesive ■

- Freeze-thaw stable adhesive allows shipping during any time of the year
- Adhere IPC™ Rigid Vinyl Sheet and Rubrails firmly to the wall
- Allow for repositioning during installation
- Environmentally friendly, non-flammable and virtually odorless
- Mold and mildew resistant does not promote the growth of bacteria
- Water-based, trowel-on mastic
- 1 gallon will adhere approximately four 4' x 8' sheets



S31 - 1 Gallon
S41 - 5 Gallon

Cove Base Adhesive ■

- Offer excellent adhesion and is easy to spread
- Non-flammable and water soluble
- 1 gallon will cover approximately 250-300 feet of 4" cove base



S25C - Adhesive Cartridge
S27C - 1 Gallon

Cove Base Gun ■

- Use with Cove Base Adhesive to apply adhesive uniformly. Nozzle evenly dispenses three beads



S33 - Cove Base Gun
S34 - Adhesive Nozzle

PL Premium, Heavy Duty Adhesive ■

- Adhere stainless steel products and tape-on corner guards without tape
- One tube will adhere four stainless steel 4" corner guards, ten door edge protectors or eight 4" no-tape-on corner guards



S35 - 10.2 oz Tube

Notched Trowel ■

- Specifically designed to quickly and uniformly spread InPro Bond and XT-2000 adhesives
- Custom designed 1/8" v-notch increases adhesive coverage



S45 Trowel

IPC Vinylseal ■

- Fill seams and joints on IPC™ Rigid Vinyl Sheet and IPC profile products
- Available in IPC standard colors



S80 - 10.5 oz cartridge

Vinyl Removal Tool ■

- Designed with an offset, smooth blade for safe and easy removal of vinyl covers for replacement or maintenance
- Non-slip textured vinyl grip for comfort and control
- Can be used on all vinyl covers for IPC handrails, wall guards, chair rails and corner guards



340 - Vinyl Removal Tool

Extension Roller ■

- Aids in the installation of IPC™ Rigid Vinyl Sheet, Kickplates and Rubrails
- Features a telescoping handle, triple roller and raised grip



333 - Extension Roller



InPro CORPORATION
Interior and Exterior Architectural Products

InPro
IPC DOOR and WALL
PROTECTION SYSTEMS

InPro
CLICKEZE PRIVACY
SYSTEMS

InPro
SIGNSCAPE
Architectural Signage

InPro
JOINTMASTER
Engineered Metal Products

InPro
ENDURANT
Washroom Systems and Commercial Surfaces

inprocorp.com

580 W18766 Apollo Drive
Muskego, WI 53150 USA

800.222.5556 toll-free

888.715.8407 toll-free fax

262.679.5521 international

262.679.5524 international fax

800.437.2698 customer service

866.EZINPRO installation hotline



Printed with soy ink on recycled fiber
including 10% post-consumer fiber